





10	9	8	7	6	5	4	3	2	1
F									F
E									E
D									D
C									C
B									B
A									A

A-42227-0213/0246					
HEADER NUMBER:			41411		
PLATING:			154		
PIN LENGTH: L			.540/13.72		
MATING LENGTH: M			.295/7.49		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120/3.05		
TIN: T			OVERALL		
CKTS:			3-36		
KINKS:			NO		
REMOVED BACKWALLS:			YES		
VOIDED CKTS:			NONE		
PACKAGING:			BULK, PER PK-40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	22-28-0206	A-42227-0230
3			21	22-28-0216	A-42227-0231
4			22	22-28-0226	A-42227-0232
5	22-28-0056	A-42227-0215	23	22-28-0236	A-42227-0233
6			24	22-28-0246	A-42227-0234
7	22-28-0076	A-42227-0217	25	22-28-0256	A-42227-0235
8			26	22-28-0266	A-42227-0236
9	22-28-0096	A-42227-0219	27	22-28-0276	A-42227-0237
10			28	22-28-0286	A-42227-0238
11	22-28-0116	A-42227-0221	29	22-28-0296	A-42227-0239
12	22-28-0126	A-42227-0222	30	22-28-0306	A-42227-0240
13	22-28-0136	A-42227-0223	31	22-28-0316	A-42227-0241
14	22-28-0146	A-42227-0224	32	22-28-0326	A-42227-0242
15	22-28-0156	A-42227-0225	33	22-28-0336	A-42227-0243
16			34	22-28-0346	A-42227-0244
17	22-28-0176	A-42227-0227	35	22-28-0356	A-42227-0245
18	22-28-0186	A-42227-0228	36		
19	22-28-0196	A-42227-0229			

A-42227-0248/0281					
HEADER NUMBER:			41411		
PLATING:			208		
PIN LENGTH: L			.540/13.72		
MATING LENGTH: M			.295/7.49		
GOLD POINT: G			.140/3.56		
PC TAIL LENGTH: P			.120/3.05		
TIN: T			.135/3.43		
CKTS:			3-36		
KINKS:			NO		
REMOVED BACKWALLS:			YES		
VOIDED CKTS:			NONE		
PACKAGING:			BULK, PER PK-40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	22-28-0207	A-42227-0265
3			21	22-28-0217	A-42227-0266
4			22	22-28-0227	A-42227-0267
5	22-28-0057	A-42227-0250	23	22-28-0237	A-42227-0268
6			24	22-28-0247	A-42227-0269
7	22-28-0077	A-42227-0252	25	22-28-0257	A-42227-0270
8	22-28-0087	A-42227-0253	26	22-28-0267	A-42227-0271
9	22-28-0097	A-42227-0254	27	22-28-0277	A-42227-0272
10	22-28-0107	A-42227-0255	28	22-28-0287	A-42227-0273
11	22-28-0117	A-42227-0256	29	22-28-0297	A-42227-0274
12	22-28-0127	A-42227-0257	30	22-28-0307	A-42227-0275
13	22-28-0137	A-42227-0258	31	22-28-0317	A-42227-0276
14	22-28-0147	A-42227-0259	32	22-28-0327	A-42227-0277
15	22-28-0157	A-42227-0260	33	22-28-0337	A-42227-0278
16	22-28-0167	A-42227-0261	34	22-28-0347	A-42227-0279
17	22-28-0177	A-42227-0262	35	22-28-0357	A-42227-0280
18	22-28-0187	A-42227-0263	36	22-28-0367	A-42227-0281
19	22-28-0197	A-42227-0264			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#516585						
INCH/MM		1:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)										
	MM	INCH								
4 PLACES	±		±	EC NO: 823299 DRWN: VISHAH2 CHK'D: GGA APPR: GGA 2025/05/23 2025/05/29 2025/05/29						
3 PLACES	±		± 0.01							
2 PLACES	±	0.25	± 0.014							
1 PLACE	±	0.36	±							
0 PLACES	±		±	INITIAL REVISION: DRWN: JSCHAFER APPR: MARGULIS 2004/03/18 2004/03/18						
ANGULAR TOL				± 0.5 °						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	DOCUMENT NUMBER	CUSTOMER	SHEET NUMBER
						B-SIZE	42227	SEE TABLE	GENERAL MARKET	2 OF 12

DOCUMENT STATUS	P1	RELEASE DATE	2025/05/29	13:28:13
-----------------	----	--------------	------------	----------

9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---

FORMAT: Eng-lega-master-lb-prod-B REVISION: E1 DATE: 2021/05/01									
---	--	--	--	--	--	--	--	--	--

molex									
.100 FRICTION LOCK BREAKAWAY HEADER ASSY									
PRODUCT CUSTOMER DRAWING									
DOCUMENT NUMBER				DOC TYPE	DOC PART	REVISION			
SD-42227-002				PSD	001	L1			

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
F									F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
E									E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
D									D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
C									C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
B									B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
A									A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<table><tr><td colspan="6">A-42227-0283/0316</td></tr><tr><td colspan="2">HEADER NUMBER:</td><td colspan="4">41411</td></tr><tr><td colspan="2">PLATING:</td><td colspan="4">228</td></tr><tr><td colspan="2">PIN LENGTH: L</td><td colspan="4">.540/13.72</td></tr><tr><td colspan="2">MATING LENGTH: M</td><td colspan="4">.295/7.49</td></tr><tr><td colspan="2">GOLD POINT: G</td><td colspan="4">.140/3.56</td></tr><tr><td colspan="2">PC TAIL LENGTH: P</td><td colspan="4">.120/3.05</td></tr><tr><td colspan="2">TIN: T</td><td colspan="4">.135/3.43</td></tr><tr><td colspan="2">CKTS:</td><td colspan="4">3-36</td></tr><tr><td colspan="2">KINKS:</td><td colspan="4">NO</td></tr><tr><td colspan="2">REMOVED BACKWALLS:</td><td colspan="4">YES</td></tr><tr><td colspan="2">VOIDED CKTS:</td><td colspan="4">NONE</td></tr><tr><td colspan="2">PACKAGING:</td><td colspan="4">BULK, PER PK-40873-0056</td></tr><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td>2</td><td></td><td></td><td>20</td><td>22-28-0208</td><td>A-42227-0300</td></tr><tr><td>3</td><td>22-28-0038</td><td>A-42227-0283</td><td>21</td><td>22-28-0218</td><td>A-42227-0301</td></tr><tr><td>4</td><td>22-28-0048</td><td>A-42227-0284</td><td>22</td><td>22-28-0228</td><td>A-42227-0302</td></tr><tr><td>5</td><td>22-28-0058</td><td>A-42227-0285</td><td>23</td><td>22-28-0238</td><td>A-42227-0303</td></tr><tr><td>6</td><td></td><td></td><td>24</td><td>22-28-0248</td><td>A-42227-0304</td></tr><tr><td>7</td><td>22-28-0078</td><td>A-42227-0287</td><td>25</td><td>22-28-0258</td><td>A-42227-0305</td></tr><tr><td>8</td><td>22-28-0088</td><td>A-42227-0288</td><td>26</td><td>22-28-0268</td><td>A-42227-0306</td></tr><tr><td>9</td><td>22-28-0098</td><td>A-42227-0289</td><td>27</td><td>22-28-0278</td><td>A-42227-0307</td></tr><tr><td>10</td><td>22-28-0108</td><td>A-42227-0290</td><td>28</td><td>22-28-0288</td><td>A-42227-0308</td></tr><tr><td>11</td><td>22-28-0118</td><td>A-42227-0291</td><td>29</td><td>22-28-0298</td><td>A-42227-0309</td></tr><tr><td>12</td><td>22-28-0128</td><td>A-42227-0292</td><td>30</td><td>22-28-0308</td><td>A-42227-0310</td></tr><tr><td>13</td><td>22-28-0138</td><td>A-42227-0293</td><td>31</td><td>22-28-0318</td><td>A-42227-0311</td></tr><tr><td>14</td><td>22-28-0148</td><td>A-42227-0294</td><td>32</td><td>22-28-0328</td><td>A-42227-0312</td></tr><tr><td>15</td><td>22-28-0158</td><td>A-42227-0295</td><td>33</td><td>22-28-0338</td><td>A-42227-0313</td></tr><tr><td>16</td><td></td><td></td><td>34</td><td>22-28-0348</td><td>A-42227-0314</td></tr><tr><td>17</td><td>22-28-0178</td><td>A-42227-0297</td><td>35</td><td>22-28-0358</td><td>A-42227-0315</td></tr><tr><td>18</td><td>22-28-0188</td><td>A-42227-0298</td><td>36</td><td>22-28-0368</td><td>A-42227-0316</td></tr><tr><td>19</td><td>22-28-0198</td><td>A-42227-0299</td><td></td><td></td><td></td></tr></table> <table><tr><td colspan="6">A-42227-0318/0351</td></tr><tr><td colspan="2">HEADER NUMBER:</td><td colspan="4">41411</td></tr><tr><td colspan="2">PLATING:</td><td colspan="4">154</td></tr><tr><td colspan="2">PIN LENGTH: L</td><td colspan="4">.555/14.10</td></tr><tr><td colspan="2">MATING LENGTH: M</td><td colspan="4">.295/7.49</td></tr><tr><td colspan="2">GOLD POINT: G</td><td colspan="4">N/A</td></tr><tr><td colspan="2">PC TAIL LENGTH: P</td><td colspan="4">.135/3.43</td></tr><tr><td colspan="2">TIN: T</td><td colspan="4">OVERALL</td></tr><tr><td colspan="2">CKTS:</td><td colspan="4">3-36</td></tr><tr><td colspan="2">KINKS:</td><td colspan="4">YES</td></tr><tr><td colspan="2">REMOVED BACKWALLS:</td><td colspan="4">YES</td></tr><tr><td colspan="2">VOIDED CKTS:</td><td colspan="4">NONE</td></tr><tr><td colspan="2">PACKAGING:</td><td colspan="4">BULK, PER PK-40873-0056</td></tr><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td>2</td><td></td><td></td><td>20</td><td>22-28-0209</td><td>A-42227-0335</td></tr><tr><td>3</td><td></td><td></td><td>21</td><td>22-28-0219</td><td>A-42227-0336</td></tr><tr><td>4</td><td></td><td></td><td>22</td><td>22-28-0229</td><td>A-42227-0337</td></tr><tr><td>5</td><td>22-28-0059</td><td>A-42227-0320</td><td>23</td><td>22-28-0239</td><td>A-42227-0338</td></tr><tr><td>6</td><td>22-28-0069</td><td>A-42227-0321</td><td>24</td><td>22-28-0249</td><td>A-42227-0339</td></tr><tr><td>7</td><td>22-28-0079</td><td>A-42227-0322</td><td>25</td><td>22-28-0259</td><td>A-42227-0340</td></tr><tr><td>8</td><td>22-28-0089</td><td>A-42227-0323</td><td>26</td><td>22-28-0269</td><td>A-42227-0341</td></tr><tr><td>9</td><td>22-28-0099</td><td>A-42227-0324</td><td>27</td><td>22-28-0279</td><td>A-42227-0342</td></tr><tr><td>10</td><td>22-28-0109</td><td>A-42227-0325</td><td>28</td><td>22-28-0289</td><td>A-42227-0343</td></tr><tr><td>11</td><td>22-28-0119</td><td>A-42227-0326</td><td>29</td><td>22-28-0299</td><td>A-42227-0344</td></tr><tr><td>12</td><td>22-28-0129</td><td>A-42227-0327</td><td>30</td><td>22-28-0309</td><td>A-42227-0345</td></tr><tr><td>13</td><td>22-28-0139</td><td>A-42227-0328</td><td>31</td><td>22-28-0319</td><td>A-42227-0346</td></tr><tr><td>14</td><td>22-28-0149</td><td>A-42227-0329</td><td>32</td><td>22-28-0329</td><td>A-42227-0347</td></tr><tr><td>15</td><td>22-28-0159</td><td>A-42227-0330</td><td>33</td><td>22-28-0339</td><td>A-42227-0348</td></tr><tr><td>16</td><td>22-28-0169</td><td>A-42227-0331</td><td>34</td><td>22-28-0349</td><td>A-42227-0349</td></tr><tr><td>17</td><td>22-28-0179</td><td>A-42227-0332</td><td>35</td><td>22-28-0359</td><td>A-42227-0350</td></tr><tr><td>18</td><td>22-28-0189</td><td>A-42227-0333</td><td>36</td><td>22-28-0369</td><td>A-42227-0351</td></tr><tr><td>19</td><td>22-28-0199</td><td>A-42227-0334</td><td></td><td></td><td></td></tr></table> <table><tr><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="2" rowspan="4">CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#516585</td></tr><tr><td colspan="2">INCH/MM</td><td colspan="2">1:1</td></tr><tr><td colspan="2" rowspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2"></td></tr><tr><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2" rowspan="4">EC NO: 823299 DRWN: VISHAH2 CHK'D: GGA APPR: GGA 2025/05/23 2025/05/29 2025/05/29</td></tr><tr><td>3 PLACES</td><td>±</td><td></td><td>± 0.01</td></tr><tr><td>2 PLACES</td><td>±</td><td>0.25</td><td>± 0.014</td></tr><tr><td>1 PLACE</td><td>±</td><td>0.36</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2" rowspan="2">INITIAL REVISION: DRWN: JSCHAFER APPR: MARGULIS 2004/03/18 2004/03/18</td></tr><tr><td colspan="2">ANGULAR TOL</td><td colspan="2">± 0.5 °</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td></tr><tr><td colspan="2"></td><td colspan="2" rowspan="4"></td><td>B-SIZE</td><td>42227</td></tr></table><table><tr><td colspan="6"></td></tr><tr><td colspan="6">.100 FRICTION LOCK BREAKAWAY HEADER ASSY</td></tr><tr><td colspan="6">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="3">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="3">SD-42227-002</td><td>PSD</td><td>001</td><td>L1</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td><td colspan="2">3 OF 12</td></tr></table> <table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2025/05/29</td><td>13:28:13</td></tr></table>										A-42227-0283/0316						HEADER NUMBER:		41411				PLATING:		228				PIN LENGTH: L		.540/13.72				MATING LENGTH: M		.295/7.49				GOLD POINT: G		.140/3.56				PC TAIL LENGTH: P		.120/3.05				TIN: T		.135/3.43				CKTS:		3-36				KINKS:		NO				REMOVED BACKWALLS:		YES				VOIDED CKTS:		NONE				PACKAGING:		BULK, PER PK-40873-0056				CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2			20	22-28-0208	A-42227-0300	3	22-28-0038	A-42227-0283	21	22-28-0218	A-42227-0301	4	22-28-0048	A-42227-0284	22	22-28-0228	A-42227-0302	5	22-28-0058	A-42227-0285	23	22-28-0238	A-42227-0303	6			24	22-28-0248	A-42227-0304	7	22-28-0078	A-42227-0287	25	22-28-0258	A-42227-0305	8	22-28-0088	A-42227-0288	26	22-28-0268	A-42227-0306	9	22-28-0098	A-42227-0289	27	22-28-0278	A-42227-0307	10	22-28-0108	A-42227-0290	28	22-28-0288	A-42227-0308	11	22-28-0118	A-42227-0291	29	22-28-0298	A-42227-0309	12	22-28-0128	A-42227-0292	30	22-28-0308	A-42227-0310	13	22-28-0138	A-42227-0293	31	22-28-0318	A-42227-0311	14	22-28-0148	A-42227-0294	32	22-28-0328	A-42227-0312	15	22-28-0158	A-42227-0295	33	22-28-0338	A-42227-0313	16			34	22-28-0348	A-42227-0314	17	22-28-0178	A-42227-0297	35	22-28-0358	A-42227-0315	18	22-28-0188	A-42227-0298	36	22-28-0368	A-42227-0316	19	22-28-0198	A-42227-0299				A-42227-0318/0351						HEADER NUMBER:		41411				PLATING:		154				PIN LENGTH: L		.555/14.10				MATING LENGTH: M		.295/7.49				GOLD POINT: G		N/A				PC TAIL LENGTH: P		.135/3.43				TIN: T		OVERALL				CKTS:		3-36				KINKS:		YES				REMOVED BACKWALLS:		YES				VOIDED CKTS:		NONE				PACKAGING:		BULK, PER PK-40873-0056				CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2			20	22-28-0209	A-42227-0335	3			21	22-28-0219	A-42227-0336	4			22	22-28-0229	A-42227-0337	5	22-28-0059	A-42227-0320	23	22-28-0239	A-42227-0338	6	22-28-0069	A-42227-0321	24	22-28-0249	A-42227-0339	7	22-28-0079	A-42227-0322	25	22-28-0259	A-42227-0340	8	22-28-0089	A-42227-0323	26	22-28-0269	A-42227-0341	9	22-28-0099	A-42227-0324	27	22-28-0279	A-42227-0342	10	22-28-0109	A-42227-0325	28	22-28-0289	A-42227-0343	11	22-28-0119	A-42227-0326	29	22-28-0299	A-42227-0344	12	22-28-0129	A-42227-0327	30	22-28-0309	A-42227-0345	13	22-28-0139	A-42227-0328	31	22-28-0319	A-42227-0346	14	22-28-0149	A-42227-0329	32	22-28-0329	A-42227-0347	15	22-28-0159	A-42227-0330	33	22-28-0339	A-42227-0348	16	22-28-0169	A-42227-0331	34	22-28-0349	A-42227-0349	17	22-28-0179	A-42227-0332	35	22-28-0359	A-42227-0350	18	22-28-0189	A-42227-0333	36	22-28-0369	A-42227-0351	19	22-28-0199	A-42227-0334				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#516585		INCH/MM		1:1		GENERAL TOLERANCES (UNLESS SPECIFIED)				MM	INCH	4 PLACES	±		±	EC NO: 823299 DRWN: VISHAH2 CHK'D: GGA APPR: GGA 2025/05/23 2025/05/29 2025/05/29		3 PLACES	±		± 0.01	2 PLACES	±	0.25	± 0.014	1 PLACE	±	0.36	±	0 PLACES	±		±	INITIAL REVISION: DRWN: JSCHAFER APPR: MARGULIS 2004/03/18 2004/03/18		ANGULAR TOL		± 0.5 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES					B-SIZE	42227							.100 FRICTION LOCK BREAKAWAY HEADER ASSY						PRODUCT CUSTOMER DRAWING						DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION	SD-42227-002			PSD	001	L1	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		SEE TABLE		GENERAL MARKET		3 OF 12		DOCUMENT STATUS	P1	RELEASE DATE	2025/05/29	13:28:13
A-42227-0283/0316																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
HEADER NUMBER:		41411																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PLATING:		228																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PIN LENGTH: L		.540/13.72																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MATING LENGTH: M		.295/7.49																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
GOLD POINT: G		.140/3.56																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PC TAIL LENGTH: P		.120/3.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
TIN: T		.135/3.43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
CKTS:		3-36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
KINKS:		NO																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
REMOVED BACKWALLS:		YES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
VOIDED CKTS:		NONE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PACKAGING:		BULK, PER PK-40873-0056																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2			20	22-28-0208	A-42227-0300																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
3	22-28-0038	A-42227-0283	21	22-28-0218	A-42227-0301																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
4	22-28-0048	A-42227-0284	22	22-28-0228	A-42227-0302																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5	22-28-0058	A-42227-0285	23	22-28-0238	A-42227-0303																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
6			24	22-28-0248	A-42227-0304																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
7	22-28-0078	A-42227-0287	25	22-28-0258	A-42227-0305																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	22-28-0088	A-42227-0288	26	22-28-0268	A-42227-0306																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	22-28-0098	A-42227-0289	27	22-28-0278	A-42227-0307																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
10	22-28-0108	A-42227-0290	28	22-28-0288	A-42227-0308																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
11	22-28-0118	A-42227-0291	29	22-28-0298	A-42227-0309																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	22-28-0128	A-42227-0292	30	22-28-0308	A-42227-0310																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
13	22-28-0138	A-42227-0293	31	22-28-0318	A-42227-0311																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
14	22-28-0148	A-42227-0294	32	22-28-0328	A-42227-0312																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15	22-28-0158	A-42227-0295	33	22-28-0338	A-42227-0313																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
16			34	22-28-0348	A-42227-0314																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
17	22-28-0178	A-42227-0297	35	22-28-0358	A-42227-0315																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
18	22-28-0188	A-42227-0298	36	22-28-0368	A-42227-0316																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
19	22-28-0198	A-42227-0299																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
A-42227-0318/0351																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
HEADER NUMBER:		41411																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PLATING:		154																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PIN LENGTH: L		.555/14.10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MATING LENGTH: M		.295/7.49																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
GOLD POINT: G		N/A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PC TAIL LENGTH: P		.135/3.43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
TIN: T		OVERALL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
CKTS:		3-36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
KINKS:		YES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
REMOVED BACKWALLS:		YES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
VOIDED CKTS:		NONE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PACKAGING:		BULK, PER PK-40873-0056																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2			20	22-28-0209	A-42227-0335																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
3			21	22-28-0219	A-42227-0336																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
4			22	22-28-0229	A-42227-0337																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5	22-28-0059	A-42227-0320	23	22-28-0239	A-42227-0338																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
6	22-28-0069	A-42227-0321	24	22-28-0249	A-42227-0339																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
7	22-28-0079	A-42227-0322	25	22-28-0259	A-42227-0340																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	22-28-0089	A-42227-0323	26	22-28-0269	A-42227-0341																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	22-28-0099	A-42227-0324	27	22-28-0279	A-42227-0342																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
10	22-28-0109	A-42227-0325	28	22-28-0289	A-42227-0343																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
11	22-28-0119	A-42227-0326	29	22-28-0299	A-42227-0344																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	22-28-0129	A-42227-0327	30	22-28-0309	A-42227-0345																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
13	22-28-0139	A-42227-0328	31	22-28-0319	A-42227-0346																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
14	22-28-0149	A-42227-0329	32	22-28-0329	A-42227-0347																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15	22-28-0159	A-42227-0330	33	22-28-0339	A-42227-0348																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
16	22-28-0169	A-42227-0331	34	22-28-0349	A-42227-0349																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
17	22-28-0179	A-42227-0332	35	22-28-0359	A-42227-0350																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
18	22-28-0189	A-42227-0333	36	22-28-0369	A-42227-0351																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
19	22-28-0199	A-42227-0334																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#516585																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
INCH/MM		1:1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		MM	INCH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
4 PLACES	±		±	EC NO: 823299 DRWN: VISHAH2 CHK'D: GGA APPR: GGA 2025/05/23 2025/05/29 2025/05/29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
3 PLACES	±		± 0.01																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
2 PLACES	±	0.25	± 0.014																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1 PLACE	±	0.36	±																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
0 PLACES	±		±	INITIAL REVISION: DRWN: JSCHAFER APPR: MARGULIS 2004/03/18 2004/03/18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
ANGULAR TOL		± 0.5 °																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				B-SIZE	42227																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
.100 FRICTION LOCK BREAKAWAY HEADER ASSY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
PRODUCT CUSTOMER DRAWING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
SD-42227-002			PSD	001	L1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
SEE TABLE		GENERAL MARKET		3 OF 12																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
DOCUMENT STATUS	P1	RELEASE DATE	2025/05/29	13:28:13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

10	9	8	7	6	5	4	3	2	1

10	9	8	7	6	5	4	3	2	1

10	9	8	7	6	5	4	3	2	1
F									F
E									E
D									D
C									C
B									B
A									A

A-42227-0590/0617					
HEADER NUMBER:			41411		
PLATING:			154		
PIN LENGTH: L			.540/13.72		
MATING LENGTH: M			.295/7.49		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120/3.05		
TIN: T			OVERALL		
CKTS:			9-36		
KINKS:			YES, 1,7 ONLY SEE NOTE 7		
REMOVED BACKWALLS:			NO		
VOIDED CKTS:			2, 3, 5, 6, 8, 9		
PACKAGING:			BULK, PER PK-40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	22-29-0204	A-42227-0601
3			21	22-29-0214	A-42227-0602
4			22	22-29-0224	A-42227-0603
5			23	22-29-0234	A-42227-0604
6			24	22-29-0244	A-42227-0605
7			25	22-29-0254	A-42227-0606
8			26	22-29-0264	A-42227-0607
9	22-29-0094	A-42227-0590	27	22-29-0274	A-42227-0608
10			28	22-29-0284	A-42227-0609
11			29	22-29-0294	A-42227-0610
12	22-29-0124	A-42227-0593	30	22-29-0304	A-42227-0611
13	22-29-0134	A-42227-0594	31	22-29-0314	A-42227-0612
14	22-29-0144	A-42227-0595	32	22-29-0324	A-42227-0613
15	22-29-0154	A-42227-0596	33	22-29-0334	A-42227-0614
16	22-29-0164	A-42227-0597	34	22-29-0344	A-42227-0615
17	22-29-0174	A-42227-0598	35	22-29-0354	A-42227-0616
18	22-29-0184	A-42227-0599	36	22-29-0364	A-42227-0617
19	22-29-0194	A-42227-0600			

A-42227-0618/0647					
HEADER NUMBER:			41411		
PLATING:			228		
PIN LENGTH: L			.540/13.72		
MATING LENGTH: M			.295/7.49		
GOLD POINT: G			.180/4.57		
PC TAIL LENGTH: P			.120/3.05		
TIN: T			.135/3.43		
CKTS:			7-36		
KINKS:			NO		
REMOVED BACKWALLS:			NO		
VOIDED CKTS:			7		
PACKAGING:			BULK, PER PK-40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	42227-0631	A-42227-0631
3			21	42227-0632	A-42227-0632
4			22	42227-0633	A-42227-0633
5			23	42227-0634	A-42227-0634
6			24	42227-0635	A-42227-0635
7	42227-0618	A-42227-0618	25	42227-0636	A-42227-0636
8			26	42227-0637	A-42227-0637
9	42227-0620	A-42227-0620	27	42227-0638	A-42227-0638
10	42227-0621	A-42227-0621	28	42227-0639	A-42227-0639
11	42227-0622	A-42227-0622	29	42227-0640	A-42227-0640
12	42227-0623	A-42227-0623	30	42227-0641	A-42227-0641
13	42227-0624	A-42227-0624	31	42227-0642	A-42227-0642
14	42227-0625	A-42227-0625	32	42227-0643	A-42227-0643
15	42227-0626	A-42227-0626	33	42227-0644	A-42227-0644
16	42227-0627	A-42227-0627	34	42227-0645	A-42227-0645
17	42227-0628	A-42227-0628	35	42227-0646	A-42227-0646
18	42227-0629	A-42227-0629	36	42227-0647	A-42227-0647
19	42227-0630	A-42227-0630			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#516585						
INCH/MM		1:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)										
		MM	INCH							
4 PLACES	±		±	EC NO: 823299 DRWN: VISHAH2 CHK'D: GGA APPR: GGA 2025/05/23 2025/05/29 2025/05/29						
3 PLACES	±		± 0.01							
2 PLACES	±	0.25	± 0.014							
1 PLACE	±	0.36	±							
0 PLACES	±		±	INITIAL REVISION: DRWN: DRAWN BY APPR: APPR BY 0099/99/99 0099/99/99						
ANGULAR TOL ± 0.5 °										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
						B-SIZE	42227		GENERAL MARKET	6 OF 12

DOCUMENT STATUS	P1	RELEASE DATE	2025/05/29	13:28:13
-----------------	----	--------------	------------	----------

9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---

FORMAT: Eng-lega-master-lb-prod-B REVISION: E1 DATE: 2021/05/01									
---	--	--	--	--	--	--	--	--	--

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#516585						
INCH/MM		1:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)										
		MM	INCH							
4 PLACES	±		±	EC NO: 823299 DRWN: VISHAH2 CHK'D: GGA APPR: GGA 2025/05/23 2025/05/29 2025/05/29						
3 PLACES	±		± 0.01							
2 PLACES	±	0.25	± 0.014							
1 PLACE	±	0.36	±							
0 PLACES	±		±	INITIAL REVISION: DRWN: DRAWN BY APPR: APPR BY 0099/99/99 0099/99/99						
ANGULAR TOL ± 0.5 °										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
						B-SIZE	42227		GENERAL MARKET	6 OF 12

10	9	8	7	6	5	4	3	2	1

10	9	8	7	6	5	4	3	2	1

10	9	8	7	6	5	4	3	2	1

