









(仕上がり厚さ  $0.3^{+0.03}_{-0.03}$ )  
THICKNESS  
適合 FPC/FFC 推奨寸法  
APPLICABLE FPC/FFC  
RECOMMENDED DIMENSION.




参考基板レイアウト (マウント面)  
RECOMMENDED P.C.BOARD  
PATTERN DIMENSION (REF.)  
(MOUNTING AREA)

|                                          |  |                      |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |                                          |  |                                                                                                                                                                                                                                         |  |  |  |                                                                                                                          |  |              |  |                 |  |                |  |              |  |
|------------------------------------------|--|----------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--------------------------------------------------------------------------------------------------------------------------|--|--------------|--|-----------------|--|----------------|--|--------------|--|
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED) |  |                      |  | DIMENSION UNITS                                                                                                                               |  | SCALE                                    |  | CURRENT REV DESC:                                                                                                                                                                                                                       |  |  |  | <div>molex</div> <div>1.0 FFC CONN. NON ZIF<br/>SMT ST (WITH TAPE) -LEAD FREE-</div> <div>PRODUCT CUSTOMER DRAWING</div> |  |              |  |                 |  |                |  |              |  |
|                                          |  |                      |  | mm                                                                                                                                            |  | 10:1                                     |  |                                                                                                                                                                                                                                         |  |  |  |                                                                                                                          |  |              |  |                 |  |                |  |              |  |
| 0.25 <sup>UNDER</sup>                    |  | UNDER                |  | ±0.03                                                                                                                                         |  | GENERAL TOLERANCES<br>(UNLESS SPECIFIED) |  | <div>EC NO: 760212<br/>DRWN: RAJMOK<br/>CHK'D: HSHIMOYAMA<br/>APPR: YNAITO<br/><br/>INITIAL REVISION:<br/>DRWN: MNINOMIYA<br/>APPR: MSASAO</div> <div>2023/08/03<br/>2023/08/21<br/>2023/08/21<br/><br/>2004/02/18<br/>2004/02/19</div> |  |  |  | DOCUMENT NUMBER                                                                                                          |  | DOC TYPE     |  | DOC PART        |  | REVISION       |  |              |  |
| 0.25 <sup>OVER</sup>                     |  | 0.5 <sup>UNDER</sup> |  | ±0.05                                                                                                                                         |  | ANGULAR TOL ±                            |  |                                                                                                                                                                                                                                         |  |  |  | 3.0°                                                                                                                     |  | SD-52808-025 |  | PSD             |  | 001            |  | F            |  |
| 0.5 <sup>OVER</sup>                      |  | 1.0 <sup>UNDER</sup> |  | ±0.1                                                                                                                                          |  | 4 PLACES                                 |  |                                                                                                                                                                                                                                         |  |  |  | ±                                                                                                                        |  |              |  |                 |  |                |  |              |  |
| 1.0 <sup>OVER</sup>                      |  | 10 <sup>UNDER</sup>  |  | ±0.2                                                                                                                                          |  | 3 PLACES                                 |  |                                                                                                                                                                                                                                         |  |  |  | ±                                                                                                                        |  |              |  |                 |  |                |  |              |  |
| 10 <sup>OVER</sup>                       |  | 30 <sup>UNDER</sup>  |  | ±0.25                                                                                                                                         |  | 2 PLACES                                 |  |                                                                                                                                                                                                                                         |  |  |  | ±                                                                                                                        |  |              |  |                 |  |                |  |              |  |
|                                          |  |                      |  |                                                                                                                                               |  | 1 PLACE                                  |  |                                                                                                                                                                                                                                         |  |  |  | ±                                                                                                                        |  |              |  |                 |  |                |  |              |  |
| 30 <sup>OVER</sup>                       |  |                      |  | ±0.3                                                                                                                                          |  | 0 PLACES                                 |  | ±                                                                                                                                                                                                                                       |  |  |  |                                                                                                                          |  |              |  |                 |  |                |  |              |  |
|                                          |  |                      |  | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  |                                          |  | THIRD ANGLE PROJECTION                                                                                                                                                                                                                  |  |  |  | DRAWING                                                                                                                  |  | SERIES       |  | MATERIAL NUMBER |  | CUSTOMER       |  | SHEET NUMBER |  |
|                                          |  |                      |  |                                                                                                                                               |  |                                          |  |                                                                                                                                                                                                                                         |  |  |  | A3-SIZE                                                                                                                  |  | 52808        |  | SEE SHEET-1     |  | GENERAL MARKET |  | 2 OF 2       |  |

| DOCUMENT STATUS | P1 | RELEASE DATE | 2023/08/21 | 09:52:47 |
|-----------------|----|--------------|------------|----------|
|-----------------|----|--------------|------------|----------|



(仕上がり厚さ0.3<sup>+0.03</sup>)  
THICKNESS  
適合FPC/FFC推奨寸法  
APPLICABLE FPC/FFC  
RECOMMENDED DIMENSION.



参考基板レイアウト (マウント面)  
RECOMMENDED P.C.BOARD  
PATTERN DIMENSION. (REF.)  
(MOUNTING AREA)

|                                                                                                                              |             |                                                            |       |       |                            |                       |                              |                                                                                                                                  |                                                                                                                 |                    |
|------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------|-------|-------|----------------------------|-----------------------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------|
| SEE SHEET 1 OF 2<br>EC NO: J2015-0830<br>DRWN:SANUMA 2014/12/19<br>CHKD:TAKAHASHI 2015/02/06<br>APPR:YNOGAWA 2015/02/23<br>D | DESCRIPTION | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |       |       | DIMENSION STYLE<br>MM ONLY |                       | SCALE<br>10:1                | DESIGN UNITS<br>METRIC                                                                                                           |  THIRD ANGLE<br>PROJECTION |                    |
|                                                                                                                              |             | 0.25                                                       | UNDER | UNDER | ± 0.03                     | DRAWN BY<br>MNINOMIYA | DATE<br>2004/02/09           | TITLE<br>1.0 FFC CONN. NON ZIF<br>SMT ST (WITH TAPE)<br>-LEAD FREE-                                                              |                                                                                                                 |                    |
|                                                                                                                              |             | 0.25                                                       | OVER  | 0.5   | UNDER                      | ± 0.05                | CHECKED BY<br>KTOJO          |                                                                                                                                  |                                                                                                                 | DATE<br>2004/02/09 |
|                                                                                                                              |             | 0.5                                                        | OVER  | 1.0   | UNDER                      | ± 0.1                 | APPROVED BY<br>MSASAO        | DATE<br>2004/02/09                                                                                                               |                                                                                                                 |                    |
|                                                                                                                              |             | 1.0                                                        | OVER  | 10    | UNDER                      | ± 0.2                 | DOCUMENT NO.<br>SD-52808-025 |                                                                                                                                  |                                                                                                                 |                    |
|                                                                                                                              |             | 10                                                         | OVER  | 30    | UNDER                      | ± 0.25                |                              |                                                                                                                                  |                                                                                                                 |                    |
|                                                                                                                              |             | 30                                                         | OVER  |       | ± 0.3                      |                       |                              |                                                                                                                                  |                                                                                                                 |                    |
|                                                                                                                              |             | ANGULAR                                                    |       |       | ±3 °                       | MATERIAL NO.          |                              | SHEET NO.                                                                                                                        |                                                                                                                 |                    |
|                                                                                                                              |             | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |       |       |                            | SEE SHEET 1 OF 2      |                              | 2 OF 2                                                                                                                           |                                                                                                                 |                    |
|                                                                                                                              |             | REV                                                        |       |       |                            |                       | SIZE<br>A3                   | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                                                                 |                    |

10

9

8

7

6

5

4


3

2


1

## NOTES

- 製品詳細寸法については図面 SD-52808-025 を参照下さい。  
RE DETAILED DIMENSION, SEE SD-52808-025.
- 梱包数量：1000個/リール  
NUMBER OF CONNECTORS : 1000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH




引き出し方向  
PULL OUT  
DIRECTION



- トップテープの剥離強度：0.1N ～ 1.3N(10gf ～ 130gf)  
(剥離方向は下図参照)

尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)  
PEELING OFF FORCE OF TOP TAPE : 0.1N ～ 1.3N(10gf ～ 130gf)  
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)  
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.  
PEEL OFF SHOULD NOT BE ALLOWED , DURING TRANSPORTATION.



- 材料(MATERIAL)  
キャリアテープ(CARRIER TAPE): ポリプロピレン(POLYPROPYLENE)  
トップテープ(TOPTAPE): PET, PE, PEF  
リール(REEL): ポリスチレン(PS) <リサイクル材を含む>  
POLYSTYRENE(PS) <RECYCLE MATERIAL CONTAINED>

- MXI 製造製品は紙リールを使用すること。  
ONLY MXI PRODUCT ITEM SHOULD USE CARD BOARD REEL.

- 本製品は 52808-\*\*\*9I の鉛フリー品である。  
THIS PRODUCT IS LEAD FREE OF 52808-\*\*\*9I.

|                                                                                    |                                                       |                                                            |           |        |
|------------------------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------|-----------|--------|
| REVISED<br>EC NO: J2015-0830<br>DRWN: NAKANUMA<br>CHKD: TAKAHASHI<br>APPR: YNOGAWA | DESCRIPTION<br>2014/12/18<br>2015/02/06<br>2015/02/23 | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |           |        |
|                                                                                    |                                                       | 0.25 UNDER                                                 | UNDER     | ± 0.03 |
|                                                                                    |                                                       | 0.25 OVER                                                  | 0.5 UNDER | ± 0.05 |
|                                                                                    |                                                       | 0.5 OVER                                                   | 1.0 UNDER | ± 0.1  |
|                                                                                    |                                                       | 1.0 OVER                                                   | 10 UNDER  | ± ---  |
|                                                                                    |                                                       | 10 OVER                                                    | 30 UNDER  | ± ---  |
|                                                                                    |                                                       | 30 OVER                                                    |           | ± ---  |
| C                                                                                  | REV                                                   | ANGULAR ± --- °                                            |           |        |
|                                                                                    |                                                       | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |           |        |

MODEL NO.

52808-\*\*\*71

DIMENSION STYLE  
MM ONLYSCALE  
---DESIGN UNITS  
METRICTHIRD ANGLE  
PROJECTION

DRAWN BY DATE  
MNINOMIYA 2004/02/09  
CHECKED BY DATE  
KTOJO 2004/02/09  
APPROVED BY DATE

1.0 FFC CONN NON ZIF SMT  
ST WITH TAPE EMBSTP PKG  
-LEAD FREE-

molex

MATERIAL NO.

DOCUMENT NO.

SHEET NO.

SEE CHART

SD-52808-026

1 OF 6

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX  
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

9

8

7

6


5

4

3

2


1



16mm幅キャリアテープ  
16mm WIDTH CARRIER TAPE

|                                |      |      |             |     |              |            |
|--------------------------------|------|------|-------------|-----|--------------|------------|
| 16                             | 21.4 | 17.4 | 5.4         | 8.3 | 52808-0571   | 5          |
|                                |      |      | 4.4         | 7.3 | 52808-0471   | 4          |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | (B)         | (A) | MATERIAL NO. | 極数<br>CKT. |
| MODEL NO.                      |      |      | 52808-**-71 |     |              |            |


|                  |                                                                         |                                                            |             |                                          |            |                                                                                                                                  |                            |            |                                                                                             |                        |                                                                                                                 |
|------------------|-------------------------------------------------------------------------|------------------------------------------------------------|-------------|------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------|---------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------|
| SEE SHEET 1 OF 6 | EC NO: J2015-0830<br>DRWN: NAKANUMA<br>CHKD: KAKAHASHI<br>APPR: YNOGAWA | 2014/12/18<br>2015/02/06<br>2015/02/23                     | DESCRIPTION | GENERAL TOLERANCES<br>(UNLESS SPECIFIED) |            |                                                                                                                                  | DIMENSION STYLE<br>MM ONLY |            | SCALE<br>---                                                                                | DESIGN UNITS<br>METRIC |  THIRD ANGLE<br>PROJECTION |
|                  |                                                                         |                                                            |             | 0.25 UNDER                               | UNDER      | ±0.03                                                                                                                            | DRAWN BY                   | DATE       | TITLE<br>1.0 FFC CONN NON ZIF SMT<br>ST WITH TAPE EMBSTP PKG<br>-LEAD FREE-<br><b>molex</b> |                        |                                                                                                                 |
|                  |                                                                         |                                                            |             | 0.25 OVER                                | 0.5 UNDER  | ±0.05                                                                                                                            | MNINOMIYA                  | 2004/02/09 |                                                                                             |                        |                                                                                                                 |
|                  |                                                                         |                                                            |             | 0.5 OVER                                 | 1.0 UNDER  | ±0.1                                                                                                                             | CHECKED BY                 | DATE       |                                                                                             |                        |                                                                                                                 |
|                  |                                                                         |                                                            |             | 1.0 OVER                                 | 10 UNDER   | ±---                                                                                                                             | KTOJO                      | 2004/02/09 |                                                                                             |                        |                                                                                                                 |
|                  |                                                                         |                                                            |             | 10 OVER                                  | 30 UNDER   | ±---                                                                                                                             | APPROVED BY                | DATE       |                                                                                             |                        |                                                                                                                 |
|                  |                                                                         |                                                            |             | 30 OVER                                  |            | ±---                                                                                                                             | MATERIAL NO.               |            | DOCUMENT NO.                                                                                |                        |                                                                                                                 |
| C                | REV                                                                     | ANGULAR ±--- °                                             |             |                                          | SEE CHART  |                                                                                                                                  | SD-52808-026               |            | 2 OF 6                                                                                      |                        |                                                                                                                 |
|                  |                                                                         | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |             |                                          | SIZE<br>A3 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                            |            |                                                                                             |                        |                                                                                                                 |



24mm幅キャリアテープ  
24mm WIDTH CARRIER TAPE

|                                |      |      |            |      |              |            |
|--------------------------------|------|------|------------|------|--------------|------------|
| 24                             | 29.4 | 25.4 | 10.4       | 13.3 | 52808-1071   | 10         |
|                                |      |      | 9.4        | 12.3 | 52808-0971   | 9          |
|                                |      |      | 8.4        | 11.3 | 52808-0871   | 8          |
|                                |      |      | 7.4        | 10.3 | 52808-0771   | 7          |
|                                |      |      | 6.4        | 9.3  | 52808-0671   | 6          |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | (B)        | (A)  | MATERIAL NO. | 極数<br>CKT. |
| MODEL NO.                      |      |      | 52808-**71 |      |              |            |

|                                                                                                                                     |                                                         |                                       |           |            |                                                                                                                                  |            |                                                                             |                              |                           |  |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------|-----------|------------|----------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------|------------------------------|---------------------------|--|
| SEE SHEET 1 OF 6<br>EC NO.: J2015-0830<br>DRWN: N. SANUMA 2014/12/18<br>CHKD: K. TAKAHASHI 2015/02/06<br>APPR: Y. NOGAWA 2015/02/23 | DESCRIPTION<br>REV C                                    | GENERAL TOLERANCES (UNLESS SPECIFIED) |           |            | DIMENSION STYLE<br>MM ONLY                                                                                                       |            | SCALE<br>---                                                                | DESIGN UNITS<br>METRIC       | THIRD ANGLE<br>PROJECTION |  |
|                                                                                                                                     |                                                         | 0.25 UNDER                            | UNDER     | ± 0.03     | DRAWN BY                                                                                                                         | DATE       | TITLE<br>1.0 FFC CONN NON ZIF SMT<br>ST WITH TAPE EMBSTP PKG<br>-LEAD FREE- | DOCUMENT NO.<br>SD-52808-026 | SHEET NO.<br>3 OF 6       |  |
|                                                                                                                                     |                                                         | 0.25 OVER                             | 0.5 UNDER | ± 0.05     | M. MINOMIYA                                                                                                                      | 2004/02/09 |                                                                             |                              |                           |  |
|                                                                                                                                     |                                                         | 0.5 OVER                              | 1.0 UNDER | ± 0.1      | CHECKED BY                                                                                                                       | DATE       |                                                                             |                              |                           |  |
|                                                                                                                                     |                                                         | 1.0 OVER                              | 10 UNDER  | ± ---      | K. TOJO                                                                                                                          | 2004/02/09 |                                                                             |                              |                           |  |
|                                                                                                                                     |                                                         | 10 OVER                               | 30 UNDER  | ± ---      | APPROVED BY                                                                                                                      | DATE       |                                                                             |                              |                           |  |
|                                                                                                                                     |                                                         | 30 OVER                               |           | ± ---      | MATERIAL NO.                                                                                                                     |            |                                                                             |                              |                           |  |
|                                                                                                                                     | ANGULAR ± --- °                                         |                                       |           | SEE CHART  |                                                                                                                                  |            |                                                                             |                              |                           |  |
|                                                                                                                                     | DRAFT WHERE APPLICABLE<br>MUST REMAIN WITHIN DIMENSIONS |                                       |           | SIZE<br>A3 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |            |                                                                             |                              |                           |  |



|                                |      |      |             |      |              |            |
|--------------------------------|------|------|-------------|------|--------------|------------|
| 32                             | 37.4 | 33.4 | 15.4        | 18.3 | 52808-1571   | 15         |
|                                |      |      | 14.4        | 17.3 | 52808-1471   | 14         |
|                                |      |      | 13.4        | 16.3 | 52808-1371   | 13         |
|                                |      |      | 12.4        | 15.3 | 52808-1271   | 12         |
|                                |      |      | 11.4        | 14.3 | 52808-1171   | 11         |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | (B)         | (A)  | MATERIAL NO. | 種数<br>CKT. |
| MODEL NO.                      |      |      | 52808-***71 |      |              |            |

|                            |              |                        |                                                                                                                 |
|----------------------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------|
| DIMENSION STYLE<br>MM ONLY | SCALE<br>--- | DESIGN UNITS<br>METRIC |  THIRD ANGLE<br>PROJECTION |
|----------------------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------|

|            |            |                          |
|------------|------------|--------------------------|
| DRAWN BY   | DATE       | TITLE                    |
| MINOMIYA   | 2004/02/09 | 1.0 FFC CONN NON ZIF SMT |
| CHECKED BY | DATE       | ST WITH TAPE EMBSTP PKG  |
| KTOJO      | 2004/02/09 | -LEAD FREE-              |

**molex**

SEE CHART

SD-52808-026

SHEET NO.

4 OF 6

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

tb\_frame\_A3\_J\_ME\_S  
Rev H 2014/11/25

10

9

8

7

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B

A

A




44mm幅キャリアテープ  
44mm WIDTH CARRIER TAPE

|                                |      |      |             |      |              |            |
|--------------------------------|------|------|-------------|------|--------------|------------|
| 44                             | 49.4 | 45.4 | 28.4        | 31.3 | 52808-2871   | 28         |
|                                |      |      | 27.4        | 30.3 | 52808-2771   | 27         |
|                                |      |      | 26.4        | 29.3 | 52808-2671   | 26         |
|                                |      |      | 25.4        | 28.3 | 52808-2571   | 25         |
|                                |      |      | 24.4        | 27.3 | 52808-2471   | 24         |
|                                |      |      | 23.4        | 26.3 | 52808-2371   | 23         |
|                                |      |      | 22.4        | 25.3 | 52808-2271   | 22         |
|                                |      |      | 21.4        | 24.3 | 52808-2171   | 21         |
|                                |      |      | 20.4        | 23.3 | 52808-2071   | 20         |
|                                |      |      | 19.4        | 22.3 | 52808-1971   | 19         |
|                                |      |      | 18.4        | 21.3 | 52808-1871   | 18         |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | 17.4        | 20.3 | 52808-1771   | 17         |
|                                |      |      | 16.4        | 19.3 | 52808-1671   | 16         |
|                                |      |      | (B)         | (A)  | MATERIAL NO. | 極数<br>CKT. |
| MODEL NO.                      |      |      | 52808-***71 |      |              |            |

|                                                                                                                            |                                                            |       |       |        |                            |                                                                                                                                  |                                                                                             |                        |                           |  |            |
|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|-------|-------|--------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------|---------------------------|--|------------|
| SEE SHEET 1 OF 6<br>EC NO.: J2015-0830<br>DRWN:NASUNUMA 2014/12/18<br>CHKD:TAKAHASHI 2015/02/06<br>APPR:YNOGAWA 2015/02/23 | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |       |       |        | DIMENSION STYLE<br>MM ONLY |                                                                                                                                  | SCALE<br>---                                                                                | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |  |            |
|                                                                                                                            | 0.25                                                       | UNDER | UNDER | ± 0.03 | DRAWN BY                   | DATE                                                                                                                             | TITLE<br>1.0 FFC CONN NON ZIF SMT<br>ST WITH TAPE EMBSTP PKG<br>-LEAD FREE-<br><b>molex</b> |                        |                           |  |            |
|                                                                                                                            | 0.25                                                       | OVER  | 0.5   | UNDER  | ± 0.05                     | MNINOMIYA                                                                                                                        |                                                                                             |                        |                           |  | 2004/02/09 |
|                                                                                                                            | 0.5                                                        | OVER  | 1.0   | UNDER  | ± 0.1                      | CHECKED BY                                                                                                                       |                                                                                             |                        |                           |  | DATE       |
|                                                                                                                            | 1.0                                                        | OVER  | 10    | UNDER  | ± ---                      | KTOJO                                                                                                                            |                                                                                             |                        |                           |  | 2004/02/09 |
|                                                                                                                            | 10                                                         | OVER  | 30    | UNDER  | ± ---                      | APPROVED BY                                                                                                                      |                                                                                             |                        |                           |  | DATE       |
|                                                                                                                            | 30                                                         | OVER  |       | ± ---  | MATERIAL NO.               |                                                                                                                                  | DOCUMENT NO.                                                                                |                        | SHEET NO.                 |  |            |
|                                                                                                                            | ANGULAR ± --- °                                            |       |       |        | SEE CHART                  |                                                                                                                                  | SD-52808-026                                                                                |                        | 5 OF 6                    |  |            |
|                                                                                                                            | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |       |       |        | SIZE<br>A3                 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                                             |                        |                           |  |            |
|                                                                                                                            | REV                                                        |       |       |        |                            |                                                                                                                                  |                                                                                             |                        |                           |  |            |





|                                |      |      |             |      |              |            |
|--------------------------------|------|------|-------------|------|--------------|------------|
| 56                             | 61.4 | 57.4 | 30.4        | 33.3 | 52808-3071   | 30         |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | 29.4        | 32.3 | 52808-2971   | 29         |
| MODEL NO.                      |      |      | (B)         | (A)  | MATERIAL NO. | 極数<br>CKT. |
|                                |      |      | 52808-***71 |      |              |            |

|                                                                                                                            |             |                                                            |           |       |                            |            |                                                                                                                                  |                        |                                                                                                                 |           |
|----------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------|-----------|-------|----------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------|-----------|
| SEE SHEET 1 OF 6<br>EC NO: J2015-0830<br>DRAWN:NASUNUMA 2014/12/18<br>CHKD:KATAHASHI 2015/02/06<br>APPR:YNOGAWA 2015/02/23 | DESCRIPTION | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |           |       | DIMENSION STYLE<br>MM ONLY |            | SCALE<br>---                                                                                                                     | DESIGN UNITS<br>METRIC |  THIRD ANGLE<br>PROJECTION |           |
|                                                                                                                            |             | 0.25 UNDER                                                 | UNDER     | ±0.03 | DRAWN BY                   | DATE       | TITLE<br>1.0 FFC CONN NON ZIF SMT<br>ST WITH TAPE EMBSTP PKG<br>-LEAD FREE-                                                      |                        |                                                                                                                 |           |
|                                                                                                                            |             | 0.25 OVER                                                  | 0.5 UNDER | ±0.05 | MNINOMIYA                  | 2004/02/09 |                                                                                                                                  |                        |                                                                                                                 |           |
|                                                                                                                            |             | 0.5 OVER                                                   | 1.0 UNDER | ±0.1  | CHECKED BY                 | DATE       |                                                                                                                                  |                        |                                                                                                                 |           |
|                                                                                                                            |             | 1.0 OVER                                                   | 10 UNDER  | ±---  | KTOJO                      | 2004/02/09 |                                                                                                                                  |                        |                                                                                                                 |           |
|                                                                                                                            |             | 10 OVER                                                    | 30 UNDER  | ±---  | APPROVED BY                | DATE       |                                                                                                                                  |                        |                                                                                                                 |           |
|                                                                                                                            |             | 30 OVER                                                    |           | ±---  | MATERIAL NO.               |            | DOCUMENT NO.                                                                                                                     |                        |                                                                                                                 | SHEET NO. |
|                                                                                                                            | ANGULAR     | ±--- °                                                     |           |       | SEE CHART                  |            | SD-52808-026                                                                                                                     |                        | 6 OF 6                                                                                                          |           |
|                                                                                                                            | REV         | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |           |       |                            | SIZE<br>A3 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                        |                                                                                                                 |           |