








REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	Revised as per ECR-23-193507	18JUL2023	SSM	WH




3-2363962-0
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X 26SEP2019		 TE Connectivity Ltd.			
		CHK W.H 26SEP2019					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME 0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY —		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		0 PLC ± - 1 PLC ± 0.3 2 PLC ± 0.20 3 PLC ± - 4 PLC ± - ANGLES ± -					
MATERIAL 		FINISH 		WEIGHT —		A2 00779 C-2363962	
CUSTOMER DRAWING				SCALE 16:1		SHEET 1 of 12	
						REV A1	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




RECOMMENDED P.C.BOARD PATTERN DIMENSION (WITH HOLD DOWN)



- NOTES:
- 1.MATERIAL:
 - 1.1 HOUSING: LCP, UL 94 V-0, COLOR: BLACK.
 - 1.2 CONTACT: COPPER ALLOY.
 - 1.3 HOLD DOWN: COPPER ALLOY.
 - 2. FINISH:
 - 2.1 CONTACT:
 - GOLD FLASH ON CONTACT AND SOLDERING AREA.
 - NICKEL UNDER PLATING OVERALL.
 - 2.2 HOLD DOWN:
 - GOLD FLASH PLATING OVER NICKELUNDER PALTING.
 - 3.REFLOW SOLDER CAPABLE TO 260 °C.
 - 4.MATING PLUG PART NUMBER: 3-2363961-0.
 - 5.PRODUCT SPECIFICATION 108-115166

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26SEP2019	TE Connectivity Ltd.		
		H.X				
		CHK	26SEP2019			
		W.H				
		APVD	-			
		PRODUCT SPEC				
		APPLICATION SPEC				
		114-115040				
		WEIGHT	-			
		CUSTOMER DRAWING				
		SCALE	16:1			
		SHEET	2 OF 12			
		REV	A1			

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-2363962	—



CUSTOMER DRAWING	SCALE 16:1	SHEET 3 OF 12	REV A1
------------------	------------	---------------	--------

6. PEELING SPEED : 300mm/MINUTES

4.95	6.5	24.0	3.797KG	0.36KG	5000	6	30000	2-2363961-4
4.15	5.7	24.0	3.737KG	0.30KG	5000	6	30000	2-2363962-0
6.15	7.7	16.0	3.857KG	0.42KG	5000	6	30000	3-2363962-0
8.15	9.7	24.0	5.718KG	0.51KG	5000	6	30000	4-2363962-0
DIM C	DIM B	DIM A	GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ BOX	PCS/ BOX	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X	26SEP2019	TE Connectivity Ltd.			
		CHK W.H	26SEP2019				
DIMENSIONS: mm	TOLERANCES, UNLESS OTHERWISE SPECIFIED:	APVD —	—	NAME 0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY —			
	0 PLC ± — 1 PLC ± 0.3 2 PLC ± 0.20 3 PLC ± — 4 PLC ± — ANGLES ± —	PRODUCT SPEC —	—				
		APPLICATION SPEC —	—				
MATERIAL —	FINISH —	WEIGHT —	—	SIZE A2	CAGE CODE 00779	DRAWING NO C-2363962	RESTRICTED TO —
CUSTOMER DRAWING				SCALE 16:1	SHEET 3 of 12	REV A	



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

C

B

A






D

C

B

A


2363962



4-2363962-0

PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X 26SEP2019		 TE Connectivity Ltd.						
		CHK W.H 26SEP2019								
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD —		NAME				
		0 PLC ± — 1 PLC ± 0.3 2 PLC ± 0.20 3 PLC ± — 4 PLC ± — ANGLES ± —		PRODUCT SPEC SEE NOTE 5		0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY —				
				APPLICATION SPEC						
				114-115040		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL —		FINISH —		WEIGHT —		A2 00779		C=2363962		
CUSTOMER DRAWING						SCALE 16:1		SHEET 4 of 12		REV A1



NOTES:
1.MATERIAL:
1.1 HOUSING: LCP, UL 94 V-0, COLOR: BLACK.
1.2 CONTACT: COPPER ALLOY.
1.3 HOLD DOWN: COPPER ALLOY.
2. FINISH:
2.1 CONTACT:
GOLD FLASH ON CONTACT AND SOLDERING AREA.
NICKEL UNDER PLATING OVERALL.
2.2 HOLD DOWN:
GOLD FLASH PLATING OVER NICKEL UNDER PLATING.
3. REFLOW SOLDER CAPABLE TO 260 °C.
4. MATING PLUG PART NUMBER: 4-2363961-0.
5. PRODUCT SPECIFICATION 108-115166

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X 26SEP2019		TE Connectivity Ltd.													
		CHK W.H 26SEP2019															
		APVD — —															
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME 0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY —													
		PRODUCT SPEC															
		SEE NOTE 5															
		APPLICATION SPEC															
		114-115040															
MATERIAL —		FINISH —		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO							
		WEIGHT —		A2		00779		C=2363962		—							
CUSTOMER DRAWING						SCALE		16:1		SHEET		5 of 12		REV		A1	




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

C

B

A



D

C


B

A






2363962

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X 26SEP2019		 TE Connectivity Ltd.			
		CHK W.H 26SEP2019					
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME 0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY —		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		APVD —					
		PRODUCT SPEC SEE NOTE 5					
		APPLICATION SPEC 114-115040					
MATERIAL —		FINISH —		WEIGHT —		A2 00779 C-2363962	
CUSTOMER DRAWING				SCALE 16:1		SHEET 7 of 12	
						REV A1	

2-2363962-0
PART NUMBER



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




2-2363962-4

PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X	26SEP2019		TE Connectivity Ltd.				
		CHK W.H	26SEP2019						
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD —	NAME		0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY —		
		0 PLC ± — 1 PLC ± 0.3 2 PLC ± 0.20 3 PLC ± — 4 PLC ± — ANGLES ± —		PRODUCT SPEC SEE NOTE 5					
				APPLICATION SPEC 114—115040					
MATERIAL —		FINISH —		WEIGHT —	A2	CAGE CODE 00779	DRAWING NO C—2363962	RESTRICTED TO —	
CUSTOMER DRAWING					SCALE 16:1		SHEET 10 of 12		
							REV A1		

26SEP2019				TE Connectivity Ltd.	
26SEP2019					
-		NAME			
SPEC		0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY -			
E NOTE 5					
ION SPEC					
4-115040		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
-		A2	00779	C-2363962	-
MER DRAWING				SCALE	SHEET
				16:1	11 OF 12
				REV	A1



NOTES:

- 1.MATERIAL:
 - 1.1 HOUSING: LCP, UL 94 V-0, COLOR: BLACK.
 - 1.2 CONTACT: COPPER ALLOY.
 - 1.3 HOLD DOWN: COPPER ALLOY.
2. FINISH:
 - 2.1 CONTACT:
GOLD FLASH ON CONTACT AND SOLDERING AREA.
NICKEL UNDER PLATING OVERALL.
 - 2.2 HOLD DOWN:
GOLD FLASH PLATING OVER NICKEL UNDER PLATING.
3. REFLOW SOLDER CAPABLE TO 260 °C.
4. MATING PLUG PART NUMBER: 2-2363961-4
5. PRODUCT SPECIFICATION 108-161052

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X 26SEP2019 CHK W.H 26SEP2019		 TE Connectivity Ltd.	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.3 2 PLC ± 0.20 3 PLC ± - 4 PLC ± - ANGLES ± -		NAME 0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY -	
MATERIAL -		FINISH -		WEIGHT -	
		PRODUCT SPEC SEE NOTE 5 APPLICATION SPEC 114-115040		SIZE A2 CAGE CODE 00779 DRAWING NO C-2363962 RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 16:1 SHEET 11 OF 12 REV A1	