






NOTES

- 端子テール部及びネイルの平坦度 : 0.1 MAX.
TAIL AND NAIL COPLANARITY: 0.1 MAX.
- △2 極数 = 偶数 に適用
APPLY FOR CIRCUIT SIZE = EVEN
- △3 関連製品、書類はSHEET 4参照のこと
PLEASE REFER TO SHEET 4 TABLE ABOUT RELATED PRODUCTS AND DOCUMENTS



- △4 オーダー番号(製品番号):SHEET 5の製品一覧を参照ください
ORDER NO (PRODUCT NO) : REFER TO SHEET 5
FOR PRODUCT LIST

213226 * * * *

シリーズ番号
SERIES NO

極数
CIRCUIT SIZE

色
COLOR


金めっき厚
GOLD PLATING THICKNESS



CIRCUIT	No.	GOLD THK [micro-meter]	No.	COLOR
02 ~ 15	1	0.1	0	ナチュラル NATURAL
	3	0.38	1	黒 BLACK
	7	0.76		

25	±0.25	21	±0.25	26.8	±0.25	15		
23.5		19.5		25.3		14		
22		18		23.8		13		
20.5		16.5		22.3		12		
19		15		20.8		11		
17.5		13.5		19.3		10		
16		12		17.8		9		
14.5		10.5		16.3		8		
13		(±0.2)		9		(±0.2)	14.8	(±0.2)
11.5	7.5		13.3	6				
10	6		11.8	5				
8.5	4.5		10.3	4				
7	3		8.8	3				
5.5	1.5		7.3	2				
C			B	A	極数 CKT.NO.			

番号 NO.	部品 PART	材質 MATERIAL	
①	ハウジング HOUSING	ポリアミド(PA) UL94V-0 色 : SEE CHART POLYAMIDE(PA) UL94V-0 COLOR : SEE CHART	
②	ターミナル TERMINAL	銅合金 COPPER ALLOY	
		コンタクト部 CONTACT AREA	金めっき : 製品一覧参照 GOLD PLATING : SEE PRODUCT LIST
		テール部 TAIL AREA	無光沢錫めっき : 1.0 micro-meter MIN MATTE TIN PLATING : 1.0 micro-meter MIN
		下地めっき(全面) UNDER PLATING (WHOLE SURFACE)	ニッケルめっき : 1.0 micro-meter MIN NICKEL PLATING : 1.0 micro-meter MIN
③	ネイル NAIL	黄銅 BRASS	
		無光沢錫めっき : 1.0 micro-meter MIN MATTE TIN PLATING	
		ニッケルめっき(下地) : 1.0 micro-meter MIN NICKEL PLATING (UNDER PLATING)	


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex			
DIMENSION UNITS mm		SCALE NTS		CLIK-MATE 1.5 SINGLE ROW SMT R/A TYPE REC ASSY GOLD PLATING			
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL ± 3.0 °		PRODUCT CUSTOMER DRAWING			
4 PLACES ± 0.2		3 PLACES ± 0.2		DOCUMENT NUMBER			
2 PLACES ± 0.2		1 PLACE ± 0.2		2132260000-SD			
0 PLACES ± 0.2		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION			
EC NO: 742719		DRWN: MIKEDA01		2023/06/23			
CHK'D: SAKIYAMA		APPR: AIDA		2023/06/23			
INITIAL REVISION:		DRWN: MIKEDA01		2019/10/01			
APPR: KOMURAKAMI		SERIES		213226			
MATERIAL NUMBER		CUSTOMER		GENERAL			
SHEET NUMBER		1 OF 5					





NOTES

5. 梱包数量 : 1,000個/リール
NUMBER OF CONNECTORS: 1,000 PIECES/REEL
6. リードテープ長さ
LEAD TAPE LENGTH



7. トップテープの剥離強度はJIS C0806-3に準拠
TOP TAPE PEELING FORCE IS DEFINED BY JIS C0806-3.
8. 本製品は乾燥剤入り、ハイバリア梱包による納入である
THIS PRODUCT IS DELIVERED IN A HIGH-BARRIER PACKAGE WITH DESICCANT

49.4	45.4	20.2	40.4	44±0.3	15
					14
					13
					12
					11
					10
37.4	33.4	14.2	28.4	32±0.3	9
					8
					7
					6
29.4	25.4	11.5	-	24 ^{+0.3} _{-0.1}	5
					4
					3
					2
K	J	H	G	エンボステープ幅F WIDTH OF TAPE	極数 CKT. NO.


番号 No.	部品 PART	材質 MATERIAL
④	エンボステープ EMBOSSSED TAPE	ポリスチレン(PS) POLYSTYLENE
⑤	トップテープ TOP TAPE	ポリエチレン、ポリエチレンテレフタレート POLYETHYLENE (PE), POLYETHYLENE TELEPHTHALATE(PET)
⑥	リール REEL	ポリスチレン (リサイクル材を含む) POLYSTYLENE (CONTAINED RECYCLED MATERIAL)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex CLIK-MATE 1.5 SINGLE ROW SMT R/A TYPE REC ASSY GOLD PLATING PRODUCT CUSTOMER DRAWING											
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED)																	
ANGULAR TOL		± 3.0 °		EC NO: 742719		DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION			
4 PLACES		± 0.2		DRWN: MIKEDA01												2023/06/23	
3 PLACES		± 0.2		CHK'D: SAKIYAMA												2023/06/23	
2 PLACES		± 0.2		APPR: AIDA		2023/06/23		2132260000-SD									
INITIAL REVISION:				2019/10/01													
DRWN: MIKEDA01				2019/11/20													
0 PLACES		± 0.2		APPR: KOMURAKAMI													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A3-SIZE		213226				GENERAL		3 OF 5			

△ 適用製品及び各種仕様書
APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS

梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER	DOCUMENT NUMBER
	213226 ****	2132269200-SPK

適用嵌合相手 MATE WITH	HOUSING	TERMINAL (GOLD PLATING)		
		PLATING THK	#24-28	#28-30
製品番号 PRODUCT NUMBER	502578 ****	0.1 micro-meters	213028 1*00	213029 1*00
		0.38 micro-meters	213028 3*00	213029 3*00
		0.76 micro-meters	213028 7*00	213029 7*00
製品仕様書 PRODUCT SPECIFICATION	5025780004-PS			
アプリケーション仕様書 APPLICATION SPECIFICATION	AS-502578-00* (*: 1...JAPANESE, 2...ENGLISH)			



嵌合図
MATED CONNECTORS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex		
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± 3.0 °									
4 PLACES ± 0.2									
3 PLACES ± 0.2									
2 PLACES ± 0.2									
1 PLACE ± 0.2									
0 PLACES ± 0.2									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 742719 DRWN: MIKEDA01					

10	9	8	7	6	5	4	3	2	1																																																																																							
4 製品一覧 PRODUCTS LIST																																																																																																
<table><tr><th>黒 BLACK</th><th>ナチュラル NATURAL</th><th colspan="2">HOUSING COLOR</th></tr><tr><td>213226 1511</td><td>213226 1510</td><td>15</td><td rowspan="14">213226 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)</td></tr><tr><td>213226 1411</td><td>213226 1410</td><td>14</td></tr><tr><td>213226 1311</td><td>213226 1310</td><td>13</td></tr><tr><td>213226 1211</td><td>213226 1210</td><td>12</td></tr><tr><td>213226 1111</td><td>213226 1110</td><td>11</td></tr><tr><td>213226 1011</td><td>213226 1010</td><td>10</td></tr><tr><td>213226 0911</td><td>213226 0910</td><td>9</td></tr><tr><td>213226 0811</td><td>213226 0810</td><td>8</td></tr><tr><td>213226 0711</td><td>213226 0710</td><td>7</td></tr><tr><td>213226 0611</td><td>213226 0610</td><td>6</td></tr><tr><td>213226 0511</td><td>213226 0510</td><td>5</td></tr><tr><td>213226 0411</td><td>213226 0410</td><td>4</td></tr><tr><td>213226 0311</td><td>213226 0310</td><td>3</td></tr><tr><td>213226 0211</td><td>213226 0210</td><td>2</td></tr><tr><td colspan="2">オーダー番号 ORDER No</td><td>極数 CKT</td><td>MODEL NO</td></tr></table>										黒 BLACK	ナチュラル NATURAL	HOUSING COLOR		213226 1511	213226 1510	15	213226 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)	213226 1411	213226 1410	14	213226 1311	213226 1310	13	213226 1211	213226 1210	12	213226 1111	213226 1110	11	213226 1011	213226 1010	10	213226 0911	213226 0910	9	213226 0811	213226 0810	8	213226 0711	213226 0710	7	213226 0611	213226 0610	6	213226 0511	213226 0510	5	213226 0411	213226 0410	4	213226 0311	213226 0310	3	213226 0211	213226 0210	2	オーダー番号 ORDER No		極数 CKT	MODEL NO																																				
黒 BLACK	ナチュラル NATURAL	HOUSING COLOR																																																																																														
213226 1511	213226 1510	15	213226 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)																																																																																													
213226 1411	213226 1410	14																																																																																														
213226 1311	213226 1310	13																																																																																														
213226 1211	213226 1210	12																																																																																														
213226 1111	213226 1110	11																																																																																														
213226 1011	213226 1010	10																																																																																														
213226 0911	213226 0910	9																																																																																														
213226 0811	213226 0810	8																																																																																														
213226 0711	213226 0710	7																																																																																														
213226 0611	213226 0610	6																																																																																														
213226 0511	213226 0510	5																																																																																														
213226 0411	213226 0410	4																																																																																														
213226 0311	213226 0310	3																																																																																														
213226 0211	213226 0210	2																																																																																														
オーダー番号 ORDER No		極数 CKT	MODEL NO																																																																																													
<table><tr><th>黒 BLACK</th><th>ナチュラル NATURAL</th><th colspan="2">HOUSING COLOR</th></tr><tr><td>213226 1531</td><td>213226 1530</td><td>15</td><td rowspan="14">213226 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)</td></tr><tr><td>213226 1431</td><td>213226 1430</td><td>14</td></tr><tr><td>213226 1331</td><td>213226 1330</td><td>13</td></tr><tr><td>213226 1231</td><td>213226 1230</td><td>12</td></tr><tr><td>213226 1131</td><td>213226 1130</td><td>11</td></tr><tr><td>213226 1031</td><td>213226 1030</td><td>10</td></tr><tr><td>213226 0931</td><td>213226 0930</td><td>9</td></tr><tr><td>213226 0831</td><td>213226 0830</td><td>8</td></tr><tr><td>213226 0731</td><td>213226 0730</td><td>7</td></tr><tr><td>213226 0631</td><td>213226 0630</td><td>6</td></tr><tr><td>213226 0531</td><td>213226 0530</td><td>5</td></tr><tr><td>213226 0431</td><td>213226 0430</td><td>4</td></tr><tr><td>213226 0331</td><td>213226 0330</td><td>3</td></tr><tr><td>213226 0231</td><td>213226 0230</td><td>2</td></tr><tr><td colspan="2">オーダー番号 ORDER No</td><td>極数 CKT</td><td>MODEL NO</td></tr></table>										黒 BLACK	ナチュラル NATURAL	HOUSING COLOR		213226 1531	213226 1530	15	213226 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)	213226 1431	213226 1430	14	213226 1331	213226 1330	13	213226 1231	213226 1230	12	213226 1131	213226 1130	11	213226 1031	213226 1030	10	213226 0931	213226 0930	9	213226 0831	213226 0830	8	213226 0731	213226 0730	7	213226 0631	213226 0630	6	213226 0531	213226 0530	5	213226 0431	213226 0430	4	213226 0331	213226 0330	3	213226 0231	213226 0230	2	オーダー番号 ORDER No		極数 CKT	MODEL NO																																				
黒 BLACK	ナチュラル NATURAL	HOUSING COLOR																																																																																														
213226 1531	213226 1530	15	213226 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)																																																																																													
213226 1431	213226 1430	14																																																																																														
213226 1331	213226 1330	13																																																																																														
213226 1231	213226 1230	12																																																																																														
213226 1131	213226 1130	11																																																																																														
213226 1031	213226 1030	10																																																																																														
213226 0931	213226 0930	9																																																																																														
213226 0831	213226 0830	8																																																																																														
213226 0731	213226 0730	7																																																																																														
213226 0631	213226 0630	6																																																																																														
213226 0531	213226 0530	5																																																																																														
213226 0431	213226 0430	4																																																																																														
213226 0331	213226 0330	3																																																																																														
213226 0231	213226 0230	2																																																																																														
オーダー番号 ORDER No		極数 CKT	MODEL NO																																																																																													
<table><tr><th>黒 BLACK</th><th>ナチュラル NATURAL</th><th colspan="2">HOUSING COLOR</th></tr><tr><td>213226 1571</td><td>213226 1570</td><td>15</td><td rowspan="14">213226 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN)</td></tr><tr><td>213226 1471</td><td>213226 1470</td><td>14</td></tr><tr><td>213226 1371</td><td>213226 1370</td><td>13</td></tr><tr><td>213226 1271</td><td>213226 1270</td><td>12</td></tr><tr><td>213226 1171</td><td>213226 1170</td><td>11</td></tr><tr><td>213226 1071</td><td>213226 1070</td><td>10</td></tr><tr><td>213226 0971</td><td>213226 0970</td><td>9</td></tr><tr><td>213226 0871</td><td>213226 0870</td><td>8</td></tr><tr><td>213226 0771</td><td>213226 0770</td><td>7</td></tr><tr><td>213226 0671</td><td>213226 0670</td><td>6</td></tr><tr><td>213226 0571</td><td>213226 0570</td><td>5</td></tr><tr><td>213226 0471</td><td>213226 0470</td><td>4</td></tr><tr><td>213226 0371</td><td>213226 0370</td><td>3</td></tr><tr><td>213226 0271</td><td>213226 0270</td><td>2</td></tr><tr><td colspan="2">オーダー番号 ORDER No</td><td>極数 CKT</td><td>MODEL NO</td></tr></table>										黒 BLACK	ナチュラル NATURAL	HOUSING COLOR		213226 1571	213226 1570	15	213226 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN)	213226 1471	213226 1470	14	213226 1371	213226 1370	13	213226 1271	213226 1270	12	213226 1171	213226 1170	11	213226 1071	213226 1070	10	213226 0971	213226 0970	9	213226 0871	213226 0870	8	213226 0771	213226 0770	7	213226 0671	213226 0670	6	213226 0571	213226 0570	5	213226 0471	213226 0470	4	213226 0371	213226 0370	3	213226 0271	213226 0270	2	オーダー番号 ORDER No		極数 CKT	MODEL NO																																				
黒 BLACK	ナチュラル NATURAL	HOUSING COLOR																																																																																														
213226 1571	213226 1570	15	213226 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN)																																																																																													
213226 1471	213226 1470	14																																																																																														
213226 1371	213226 1370	13																																																																																														
213226 1271	213226 1270	12																																																																																														
213226 1171	213226 1170	11																																																																																														
213226 1071	213226 1070	10																																																																																														
213226 0971	213226 0970	9																																																																																														
213226 0871	213226 0870	8																																																																																														
213226 0771	213226 0770	7																																																																																														
213226 0671	213226 0670	6																																																																																														
213226 0571	213226 0570	5																																																																																														
213226 0471	213226 0470	4																																																																																														
213226 0371	213226 0370	3																																																																																														
213226 0271	213226 0270	2																																																																																														
オーダー番号 ORDER No		極数 CKT	MODEL NO																																																																																													
<table><tr><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="2" rowspan="4">CURRENT REV DESC:</td><td colspan="4" rowspan="3"> molex </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2"></td></tr><tr><td colspan="2">ANGULAR TOL</td><td colspan="2">± 3.0 °</td></tr><tr><td colspan="2">4 PLACES</td><td colspan="2">± 0.2</td><td colspan="2" rowspan="3">EC NO: 742719 DRWN: MIKEDA01 2023/06/23 CHK'D: SAKIYAMA APPR: AIDA 2023/06/23</td><td colspan="4" rowspan="3">CLIK-MATE 1.5 SINGLE ROW SMT R/A TYPE REC ASSY GOLD PLATING</td></tr><tr><td colspan="2">3 PLACES</td><td colspan="2">± 0.2</td></tr><tr><td colspan="2">2 PLACES</td><td colspan="2">± 0.2</td></tr><tr><td colspan="2">1 PLACE</td><td colspan="2">± 0.2</td><td colspan="2" rowspan="2">INITIAL REVISION: DRWN: MIKEDA01 2019/10/01 APPR: KOMURAKAMI 2019/11/20</td><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">0 PLACES</td><td colspan="2">± 0.2</td><td colspan="2">21322600000-SD</td><td>PSD</td><td>000</td><td>E</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>A3-SIZE</td><td>213226</td><td colspan="2"></td><td colspan="2">GENERAL</td><td>5 OF 5</td></tr></table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex				mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)				ANGULAR TOL		± 3.0 °		4 PLACES		± 0.2		EC NO: 742719 DRWN: MIKEDA01 2023/06/23 CHK'D: SAKIYAMA APPR: AIDA 2023/06/23		CLIK-MATE 1.5 SINGLE ROW SMT R/A TYPE REC ASSY GOLD PLATING				3 PLACES		± 0.2		2 PLACES		± 0.2		1 PLACE		± 0.2		INITIAL REVISION: DRWN: MIKEDA01 2019/10/01 APPR: KOMURAKAMI 2019/11/20		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	0 PLACES		± 0.2		21322600000-SD		PSD	000	E	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER					A3-SIZE	213226			GENERAL		5 OF 5
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex																																																																																										
mm		NTS																																																																																														
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																
ANGULAR TOL		± 3.0 °																																																																																														
4 PLACES		± 0.2		EC NO: 742719 DRWN: MIKEDA01 2023/06/23 CHK'D: SAKIYAMA APPR: AIDA 2023/06/23		CLIK-MATE 1.5 SINGLE ROW SMT R/A TYPE REC ASSY GOLD PLATING																																																																																										
3 PLACES		± 0.2																																																																																														
2 PLACES		± 0.2																																																																																														
1 PLACE		± 0.2		INITIAL REVISION: DRWN: MIKEDA01 2019/10/01 APPR: KOMURAKAMI 2019/11/20		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																						
0 PLACES		± 0.2				21322600000-SD		PSD	000	E																																																																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																						
				A3-SIZE	213226			GENERAL		5 OF 5																																																																																						
<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2023/06/23</td><td>10:36:42</td></tr></table>										DOCUMENT STATUS	P1	RELEASE DATE	2023/06/23	10:36:42																																																																																		
DOCUMENT STATUS	P1	RELEASE DATE	2023/06/23	10:36:42																																																																																												
FORMAT: master-b-prod-A3 REVISION: J DATE: 2020/01/14	9	8	7	6	5	4	3	2	1																																																																																							