







ターミナル装着図
TERMINAL ASSEMBLY DRAWING


- 注記 :
NOTES :
- 1 材質 : TABLE 1参照
MATERIAL : SEE TABLE 1.
 - 2 極数 / 2 = 偶数に適合
APPLY TO CIRCUIT SIZE / 2 = EVEN.
 - 3 製品仕様書、コネクタ取扱説明書、適合嵌合相手、適合ターミナルは SHEET 3をご参照ください。
PLEASE REFER TO SHEET 3 FOR PRODUCT SPECIFICATION, APPLICATION SPECIFICATION, MATE WITH AND APPLICABLE TERMINAL.
 - 4 発注番号 : SHEET 3 参照
ORDER NUMBER : PLEASE REFER TO SHEET 3

505432 ** 0 *		番号 NO.	ハウジングカラー HOUSING COLOR
極数 CIRCUIT SIZE		0	ナチュラル (白) NATURAL (WHITE)
		1	黒 BLACK
		2	赤 RED
		4	青 BLUE
		6	緑 GREEN


25	29.7	42
23.75	28.45	40
22.5	27.2	38
21.25	25.95	36
20	24.7	34
18.75	23.45	32
17.5	22.2	30
16.25	20.95	28
15	19.7	26
13.75	18.45	24
12.5	17.2	22
11.25	15.95	20
10	14.7	18
8.75	13.45	16
7.5	12.2	14
6.25	10.95	12
5	9.7	10
3.75	8.45	8
B	A	極数 CIRCUIT SIZE

1 TABLE 1


部品 PART	材質 MATERIAL
ハウジング HOUSING	ポリエステル(PBT), UL94V-0, 色 : SHEET 3参照 POLYESTER(PBT), UL94V-0, COLOR:SEE SHEET 3.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN #516676				molex MICRO-LOCK PLUS 1.25 W/B DUAL ROW RECEPTACLE HOUSING					
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL ± 3°													
4 PLACES ± 0.20000													
3 PLACES ± 0.2000		STATUS: Production DRWN: Pranav Arunkumar 2026-04-23 CHK'D: Ganesh Rao B 2026-05-06 APPR: Gurunandan GA 2026-05-06		PRODUCT CUSTOMER DRAWING									
2 PLACES ± 0.200				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
1 PLACE ± 0.20				5054320000		PSD		000		H2			
0 PLACES ± 0.20													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
				A3-SIZE		505432		SEE SHEET 3		GENERAL		1 OF 3	


製品形状
PRODUCT SHAPE




8-14極
8-14 CIRCUIT




16-24極
16-24 CIRCUIT



26-32極
26-32 CIRCUIT



34-40極
34-40 CIRCUIT



42極
42 CIRCUIT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN #516676							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				STATUS: Production DRWN: Pranav Arunkumar2026-04-23 CHK'D: Ganesh Rao B2026-05-06 APPR: Gurunandan GA2026-05-06 2026-04-23 2026-05-06 2026-05-06 2026-04-23							
ANGULAR TOL		±	3°								
4 PLACES		±	0.20000								
3 PLACES		±	0.2000								
2 PLACES		±	0.200								
1 PLACE		±	0.20								
0 PLACES		±	0.20								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	
						A3-SIZE	505432	SEE SHEET 3		GENERAL	
										SHEET NUMBER	
										2 OF 3	

molex				
MICRO-LOCK PLUS 1.25 W/B DUAL ROW RECEPTACLE HOUSING				
PRODUCT CUSTOMER DRAWING				
DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
5054320000		PSD	000	H2
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
SEE SHEET 3		GENERAL		2 OF 3

