











(仕上がり厚さ0.3^{+0.03})
THICKNESS
適合FPC/FFC推奨寸法
APPLICABLE FPC/FFC
RECOMMENDED DIMENSION.



参考基板レイアウト (マウント面)
RECOMMENDED P.C.BOARD
PATTERN DIMENSION. (REF.)
(MOUNTING AREA)

SEE SHEET 1 OF 2 EC NO: J2015-0830 DRWN: SANUMA 2014/12/19 CHKD: TAKAHASHI 2015/02/06 APPR: YNOGAWA 2015/02/23 D	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
		0.25	UNDER	UNDER	± 0.03	DRAWN BY MNINOMIYA	DATE 2004/02/09	TITLE 1.0 FFC CONN. NON ZIF SMT ST (WITH TAPE) -LEAD FREE-			
		0.25	OVER	0.5	UNDER	± 0.05	CHECKED BY KTOJO				
		0.5	OVER	1.0	UNDER	± 0.1	DATE 2004/02/09				
		1.0	OVER	10	UNDER	± 0.2	APPROVED BY MSASAO				
		10	OVER	30	UNDER	± 0.25	DATE 2004/02/09	molex			
		30	OVER		± 0.3	MATERIAL NO.	DOCUMENT NO.				
		ANGULAR ±3 °			SEE SHEET 1 OF 2		SD-52808-025			SHEET NO. 2 OF 2	
		REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

10

9

8

7

6

5

4


3

2


1

NOTES


- 製品詳細寸法については図面 SD-52808-025 を参照下さい。
RE DETAILED DIMENSION, SEE SD-52808-025.
- 梱包数量：1000個/リール
NUMBER OF CONNECTORS : 1000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH



引き出し方向
PULL OUT
DIRECTION



- トップテープの剥離強度：0.1N ～ 1.3N(10gf ～ 130gf)
(剥離方向は下図参照)
尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)
PEELING OFF FORCE OF TOP TAPE : 0.1N ～ 1.3N(10gf ～ 130gf)
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED , DURING TRANSPORTATION.



- 材料(MATERIAL)
キャリアテープ(CARRIER TAPE): ポリプロピレン(POLYPROPYLENE)
トップテープ(TOPTAPE): PET, PE, PEF
リール(REEL): ポリスチレン(PS) <リサイクル材を含む>
POLYSTYRENE(PS) <RECYCLE MATERIAL CONTAINED>
- MXI 製造製品は紙リールを使用すること。
ONLY MXI PRODUCT ITEM SHOULD USE CARD BOARD REEL.
- 本製品は 52808-***9I の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 52808-***9I.

REVISED
EC NO: J2015-0830
DRWN: N. SANUMA 2014/12/18
CHKD: K. TAKAHASHI 2015/02/06
APPR: Y. NOGAWA 2015/02/23

GENERAL TOLERANCES (UNLESS SPECIFIED)		
0.25 UNDER	UNDER	± 0.03
0.25 OVER	0.5 UNDER	± 0.05
0.5 OVER	1.0 UNDER	± 0.1
1.0 OVER	10 UNDER	± ---
10 OVER	30 UNDER	± ---
30 OVER		± ---
ANGULAR	± --- °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

MODEL NO.		52808-**71		
DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
DRAWN BY NINOMIYA	DATE 2004/02/09	TITLE 1.0 FFC CONN NON ZIF SMT ST WITH TAPE EMBSTP PKG -LEAD FREE-		
CHECKED BY	DATE			
TOJO	2004/02/09			
APPROVED BY	DATE	molex		
MATERIAL NO.	DOCUMENT NO.		SHEET NO.	
SEE CHART		SD-52808-026		1 OF 6
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

9

8

7

6



5

4

3

2

1



16	21.4	17.4	5.4	8.3	52808-0571	5
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	4.4	7.3	52808-0471	4
MODEL NO.	52808-**-71					積数 CKT.

SEE SHEET 1 OF 6	DRAWN:NASUNUMA EC NO: J2015-0830 CHKD:KATAHASHI APPR:YNOGAWA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
			0.25 UNDER UNDER ±0.03	DRAWN BY DATE	TITLE 1.0 FFC CONN NON ZIF SMT ST WITH TAPE EMBSTP PKG -LEAD FREE- molex					
			0.25 OVER 0.5 UNDER ±0.05	MNINOMIYA 2004/02/09						
			0.5 OVER 1.0 UNDER ±0.1	CHECKED BY DATE						
			1.0 OVER 10 UNDER ±---	KTOJO 2004/02/09						
			10 OVER 30 UNDER ±---	APPROVED BY DATE						
			30 OVER ±---	MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
			ANGULAR ±--- °	SEE CHART		SD-52808-026		2 OF 6		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

10

9

8

7

6

5

4

3

2

1

F


E

D

C

B

A



24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE

24	29.4	25.4	10.4	13.3	52808-1071	10
			9.4	12.3	52808-0971	9
			8.4	11.3	52808-0871	8
			7.4	10.3	52808-0771	7
			6.4	9.3	52808-0671	6
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL NO.	極数 CKT.
MODEL NO.			52808-**-71			

SEE SHEET 1 OF 6 EC NO.: J2015-0830 DRWN: N. SANUMA 2014/12/18 CHKD: K. TAKAHASHI 2015/02/06 APPR: Y. NOGAWA 2015/02/23	DESCRIPTION REV C	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
		0.25 UNDER	UNDER	± 0.03	DRAWN BY	DATE	TITLE 1.0 FFC CONN NON ZIF SMT ST WITH TAPE EMBSTP PKG -LEAD FREE- molex					
		0.25 OVER	0.5 UNDER	± 0.05	M. MINOMIYA	2004/02/09						
		0.5 OVER	1.0 UNDER	± 0.1	CHECKED BY	DATE						
		1.0 OVER	10 UNDER	± ---	K. TOJO	2004/02/09						
		10 OVER	30 UNDER	± ---	APPROVED BY	DATE						
		30 OVER		± ---	MATERIAL NO.					DOCUMENT NO.	SHEET NO.	
		ANGULAR ± --- °			SEE CHART					SD-52808-026		3 OF 6
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

9

8

7

6

5

4

3

2

1

F


E

D

C

B

A



32	37.4	33.4	15.4	18.3	52808-1571	15
			14.4	17.3	52808-1471	14
			13.4	16.3	52808-1371	13
			12.4	15.3	52808-1271	12
			11.4	14.3	52808-1171	11
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL NO.	種数 CKT.
MODEL NO.			52808-***71			

DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
----------------------------	--------------	------------------------	---

DRAWN BY	DATE	TITLE
MINOMIYA	2004/02/09	1.0 FFC CONN NON ZIF SMT
CHECKED BY	DATE	ST WITH TAPE EMBSTP PKG
KTOJO	2004/02/09	-LEAD FREE-

molex

1.0 FFC CONN NON ZIF SMT
ST WITH TAPE EMBSTP PKG
-LEAD FREE-

SEE CHART

SD-52808-026

SHEET NO.

4 OF 6

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

tb_frame_A3_J_ME_S
Rev H 2014/11/25

10

9

8

7

6

5

4

3

2

1

F



E

D

C

B

A



44mm幅キャリアテープ
44mm WIDTH CARRIER TAPE

44	49.4	45.4	28.4	31.3	52808-2871	28
			27.4	30.3	52808-2771	27
			26.4	29.3	52808-2671	26
			25.4	28.3	52808-2571	25
			24.4	27.3	52808-2471	24
			23.4	26.3	52808-2371	23
			22.4	25.3	52808-2271	22
			21.4	24.3	52808-2171	21
			20.4	23.3	52808-2071	20
			19.4	22.3	52808-1971	19
			18.4	21.3	52808-1871	18
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	17.4	20.3	52808-1771	17
			16.4	19.3	52808-1671	16
			(B)	(A)	MATERIAL NO.	極数 CKT.
MODEL NO.			52808-**-71			

SEE SHEET 1 OF 6 EC NO: J2015-0830 DRWN:NASUNUMA 2014/12/18 CHKD:K TAKAHASHI 2015/02/06 APPR:YNOGAWA 2015/02/23	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		0.25 UNDER	UNDER	± 0.03	DRAWN BY	DATE	TITLE 1.0 FFC CONN NON ZIF SMT ST WITH TAPE EMBSTP PKG -LEAD FREE- molex	DOCUMENT NO. SD-52808-026	SHEET NO. 5 OF 6		
		0.25 OVER	0.5 UNDER	± 0.05	MNINOMIYA	2004/02/09					
		0.5 OVER	1.0 UNDER	± 0.1	CHECKED BY	DATE					
		1.0 OVER	10 UNDER	± ---	KTOJO	2004/02/09					
		10 OVER	30 UNDER	± ---	APPROVED BY	DATE					
		30 OVER		± ---	MATERIAL NO.						
	ANGULAR ±--- °			SEE CHART							
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

9

8

7

6


5

4

3

2

1



56	61.4	57.4	30.4	33.3	52808-3071	30
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	29.4	32.3	52808-2971	29
MODEL NO.			(B)	(A)	MATERIAL NO.	極数 CKT.
			52808-***71			

SEE SHEET 1 OF 6 EC NO.: J2015-0830 DRAWN:NASUNUMA 2014/12/18 CHKD:K.TAKAHASHI 2015/02/06 APPR:YNOGAWA 2015/02/23	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		0.25 UNDER	UNDER	± 0.03	DRAWN BY	DATE	TITLE 1.0 FFC CONN NON ZIF SMT ST WITH TAPE EMBSTP PKG -LEAD FREE-		
		0.25 OVER	0.5 UNDER	± 0.05	MNINOMIYA	2004/02/09			
		0.5 OVER	1.0 UNDER	± 0.1	CHECKED BY	DATE			
		1.0 OVER	10 UNDER	± ---	KTOJO	2004/02/09			
		10 OVER	30 UNDER	± ---	APPROVED BY	DATE			
		30 OVER		± ---	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-52808-026		
	ANGULAR ±--- °								
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION