

## Specification Sheet

Part Number: 148-90052

Spring technology for safe, secure and reliable connections.

Smaller footprint fits in tight spaces.

Low insertion force makes installation of solid or stranded copper wire fast and easy.

Color coded for easy identification of size.

Each port accepts multiple wire diameters for flexible applications.

Product Image

Accepts 12–22 AWG solid wire and 14–22 AWG stranded wire.

HelaCon Plus Mini, Push-In Style Wire Connector, Double Spring, 6-Port, (Piece), Clear/Violet, 250/pkg

Article Number 148-90052

Type HCPM-6

Color Clear (CL) Violet (VT)

Quantity Per pack

Product Description HelaCon Plus Mini Wire Connectors replace traditional twist-on wire connectors. They provide faster, easier and more reliable connection and distribution of cable and conductors in electrical installation applications. Mini connectors have a compact footprint and can be applied tool-free using convenient, push-in simplicity. Internal spring technology is approved for solid and stranded wires.

Short Description HelaCon Plus Mini, Push-In Style Wire Connector, Double Spring, 6-Port, (Piece), Clear/Violet, 250/pkg

Global Part Name HCPM-6-PC-CL/VT

Length L (Imperial) 0.65

Length L (Metric) 16.5

Width W (Imperial) 1.10

Width W (Metric) 28.0

Height H (Imperial) 0.30

Height H (Metric) 7.70

Depth D (Imperial) 0.65

Depth D (Metric) 16.5

Material Polycarbonate (PC)

Material Shortcut PC

Flammability UL 94 V-0

Halogen Free Yes

UV Resistant (Yes/No) No

Use Conditions For Indoor Use Only

Operating Temperature	-22°F to +185°F (-30°C to +85°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Certification/Specification	NEMKO AS   EN 60998-2-2:2004 CE   2006/65/EC Intertek Semko   EN 60998-2-2:2004 VDE   DIN EN 60998-2-2:2005-03 SGS Fimko Ltd   EN 60998-2-2:2004 UL   ANSI/UL 486-B ENEC cULus SGS Fimko Ltd   EN 60998-2-2:201 UL   ANSI/UL 486-C UL   ANSI/UL 486-A NF EN 60695-2-11 (2014) NF EN 60695-2-10 (2013)
UL Listed (US and Canada)	Yes
UL Listed (US)	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	8536908085

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)