

PRODUCT DESCRIPTION CODE :

10142632-0XX LF

—RoHS COMPATIBLE

—FOR CUSTOMER CODE :
BLANK = GENERAL USE
V = CUSTOMER DEDICATED PART





—PACKAGING :
BLANK = BULK

—NUMBER OF POSITIONS : 02 TO 16

—MATERIAL

NOTES:


- 1 - MATERIAL:
HIGH TEMPERATURE THERMOPLASTIC
COLOR BLACK UL94 V-0
- 2 - FOR USE WITH MINITEK μ SPACE CTW TERMINALS :
AWG 22 TO AWG 28, SERIES 10141272 & 10148496
- 3 - TO BE MATED WITH MINITEK μ SPACE HEADERS SERIES
10142634 / 10143578
- 4 - RoHS COMPLIANT, THE PRODUCT IS NOT INTENDED TO BE
EXPOSED TO ANY SOLDER PROCESS.
- 5 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
- a - LABELLING :
MEETS PACKAGING SPECS AS PER GS-14-920
- b - LEGAL STATEMENT :
SEE GS-47-0004.




SCALE 3:1

PRE-LOAD CONFIGURATION : DELIVERED STATUS


spec ref		GS-12-1422			dr		Ramu P		2018/07/10				mm 		size		A3		scale		5:1				
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		Moisan, Gwenda		2022/11/15						ecn no				ELX-F-34689-1						
ISO 406 ISO 1101					chr		Moisan, Gwenda		2022/11/15						rel level				Released						
					appr		Vallière, Jérô		2022/11/16		product family				-										
surface ISO 1302 		linear		0.X		±0.3		Amphenol FCI		title		RECEPTACLE ASSEMBLY				dwg no		10142632				rev		B	
				0.XX		±0.10																			
				0.XXX		±0.005																			
MINITEK μSPACE STAGGERED SIDE LATCH		angular		0°		±2°				cat. no.		-		Product - Customer Drw				sheet 1 of 3							



PRE-LOAD CONFIGURATION FOR TERMINAL INSERTION




FINAL LOAD CONFIGURATION WITH INSERTED TERMINAL






FULL HEADER AND RECEPTACLE ASSEMBLY CONFIGURATION


PART NO.	NO. OF POSN	DIM "A"
10142632-002LF	02	5.12
10142632-003LF	03	6.39
10142632-004LF	04	7.66
10142632-005LF	05	8.93
10142632-006LF	06	10.20
10142632-007LF	07	11.47
10142632-008LF	08	12.74
10142632-009LF	09	14.01
10142632-010LF	10	15.28
10142632-011LF	11	16.55
10142632-012LF	12	17.82
10142632-013LF	13	19.09
10142632-014LF	14	20.36
10142632-015LF	15	21.63
10142632-016LF	16	22.90



POSITION NUMBER INDICATION FOR 8POS VERSION

spec ref		GS-12-1422		dr		Ramu P		2018/07/10				mm		size		A3		scale		5:1													
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Moisan, Gwenda		2022/11/15						ecn no				ELX-F-34689-1															
ISO 406 ISO 1101				chr		Moisan, Gwenda		2022/11/15						rel level				Released															
				appr		Vallière, Jérô		2022/11/16		product family										-													
 ISO 1302		linear		0.X		±0.3				title		RECEPTACLE ASSEMBLY								dwg no		10142632								rev		B	
				0.XX		±0.10																											
				0.XXX		±0.005																											
				angular		0°		±2°				cat. no.		-		Product - Customer Drw								sheet 2 of 3									



spec ref		GS-12-1422		dr		Ramu P		2018/07/10			mm		size		A3		scale		8:1										
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Moisan, Gwenda		2022/11/15					ecn no		ELX-F-34689-1														
ISO 406				chr		Moisan, Gwenda		2022/11/15					rel level		Released														
ISO 1101				appr		Vallière, Jéro		2022/11/16					product family		-														
 ISO 1302		linear		0.X		±0.3				title		RECEPTACLE ASSEMBLY						dwg no		10142632						rev		B	
				0.XX		±0.10																							
				0.XXX		±0.005																							
		angular		0°		±2°				cat. no.		-		Product - Customer Drw						sheet 3 of 3									