




CKT SIZE	DIM." A"		DIM." B" ^{(+0.20 -0.35 +0.008 -0.014})		CKT SIZE	DIM." A"		DIM." B" ^{(±0.20 ±.008})	
2X 1	—————		(2.54)	.100	2X21	(50.80)	2.000	(53.34)	2.100
2X 2	(2.54)	.100	(5.08)	.200	2X22	(53.34)	2.100	(55.88)	2.200
2X 3	(5.08)	.200	(7.62)	.300	2X23	(55.88)	2.200	(58.42)	2.300
2X 4	(7.62)	.300	(10.16)	.400	2X24	(58.42)	2.300	(60.96)	2.400
2X 5	(10.16)	.400	(12.70)	.500	2X25	(60.96)	2.400	(63.50)	2.500
2X 6	(12.70)	.500	(15.24)	.600	2X26	(63.50)	2.500	(66.04)	2.600
2X 7	(15.24)	.600	(17.78)	.700	2X27	(66.04)	2.600	(68.58)	2.700
2X 8	(17.78)	.700	(20.32)	.800	2X28	(68.58)	2.700	(71.12)	2.800
2X 9	(20.32)	.800	(22.86)	.900	2X29	(71.12)	2.800	(73.66)	2.900
2X10	(22.86)	.900	(25.40)	1.000	2X30	(73.66)	2.900	(76.20)	3.000
2X11	(25.40)	1.000	(27.94)	1.100	2X31	(76.20)	3.000	(78.74)	3.100
2X12	(27.94)	1.100	(30.48)	1.200	2X32	(78.74)	3.100	(81.28)	3.200
2X13	(30.48)	1.200	(33.02)	1.300	2X33	(81.28)	3.200	(83.82)	3.300
2X14	(33.02)	1.300	(35.56)	1.400	2X34	(83.82)	3.300	(86.36)	3.400
2X15	(35.56)	1.400	(38.10)	1.500	2X35	(86.36)	3.400	(88.90)	3.500
2X16	(38.10)	1.500	(40.64)	1.600	2X36	(88.90)	3.500	(91.44)	3.600
2X17	(40.64)	1.600	(43.18)	1.700	2X37	(91.44)	3.600	(93.98)	3.700
2X18	(43.18)	1.700	(45.72)	1.800	2X38	(93.98)	3.700	(96.52)	3.800
2X19	(45.72)	1.800	(48.26)	1.900	2X39	(96.52)	3.800	(99.06)	3.900
2X20	(48.26)	1.900	(50.80)	2.000	2X40	(99.06)	3.900	(101.60)	4.000

NOTES
1. FOR ASSY NUMBERS WITH FINISH OPTIONS
AND DIM'S C & D SEE SHEETS 2 TO 6.

RECOMMENDED PCB HOLE PATTERN

NOTES
2. RECOMMENDED PCB THICKNESS: 1.6MM
3. PRODUCT SPECIFICATION: PS-99020-0001

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 804652 DRWN: SUAIFR 2024/11/19 CHK'D: SUAIFR 2024/11/19 APPR: ISHWARG 2024/11/19											
		MM	INCH												
4 PLACES	±	±													
3 PLACES	±	±													
2 PLACES	±	0.05 ± 0.002													
1 PLACE	±	±	INITIAL REVISION: DRWN: DB 16/07/87 APPR: DB 1987/07/16												
0 PLACES	±	±													
ANGULAR TOL ± °															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		90122		SEE TABLE		GENERAL MARKET		1 OF 6	
DOCUMENT NUMBER						DOC TYPE						DOC PART		REVISION	
SDA-90122						PSD						001		M4	

DOCUMENT STATUS	P1	RELEASE DATE	2024/11/19	09:24:49
-----------------	----	--------------	------------	----------

10		8		7		6		5		4		3		2		1		
F		CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.	CKT 1 CKT 2 CKT 14 CKT IDENTIFICATION (THE ABOVE 14 CKT IS FOR ILLUSTRATION PURPOSE ONLY) M4												
			2 X 1	90122-0121	90122-0761													90122-0921
			2 X 2	▲ -0122	▲ -0762													▲ -0922
			2 X 3	-0123	-0763													-0923
			2 X 4	-0124	-0764													-0924
			2 X 5	-0125	-0765													-0925
			2 X 6	-0126	-0766													-0926
			2 X 7	-0127	-0767													-0927
			2 X 8	-0128	-0768													-0928
			2 X 9	-0129	-0769													-0929
E	DIM C (±0.20) ±.008 (6.75) .266	2 X 10	-0130	-0770	-0930													
		2 X 11	-0131	-0771	-0931													
		2 X 12	-0132	-0772	-0932													
		2 X 13	-0133	-0773	-0933													
		2 X 14	-0134	-0774	-0934													
		2 X 15	-0135	-0775	-0935													
		2 X 16	-0136	-0776	-0936													
		2 X 17	-0137	-0777	-0937													
		2 X 18	-0138	-0778	-0938													
		2 X 19	-0139	-0779	-0939													
D	DIM D (±0.25) ±.010 (2.90) .114	2 X 20	-0140	-0780	-0940													
		2 X 21	-0141	-0781	-0941													
		2 X 22	-0142	-0782	-0942													
		2 X 23	-0143	-0783	-0943													
		2 X 24	-0144	-0784	-0944													
		2 X 25	-0145	-0785	-0945													
		2 X 26	-0146	-0786	-0946													
		2 X 27	-0147	-0787	-0947													
		2 X 28	-0148	-0788	-0948													
		2 X 29	-0149	-0789	-0949													
C		2 X 30	-0150	-0790	-0950													
		2 X 31	-0151	-0791	-0951													
		2 X 32	-0152	-0792	-0952													
		2 X 33	-0153	-0793	-0953													
		2 X 34	-0154	-0794	-0954													
		2 X 35	-0155	-0795	-0955													
		2 X 36	-0156	-0796	-0956													
		2 X 37	-0157	-0797	-0957													
		2 X 38	-0158	-0798	-0958													
		2 X 39	▼ -0159	▼ -0799	▼ -0959													
B		2 X 40	90122-0160	90122-0800	90122-0960													
A		NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003.				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS mm SCALE NTS GENERAL TOLERANCES (UNLESS SPECIFIED) MM INCH 4 PLACES ± ± 3 PLACES ± ± 2 PLACES ± 0.05 ± 0.002 1 PLACE ± ± 0 PLACES ± ± ANGULAR TOL ± ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING A3-SIZE SERIES 90122 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 6 CURRENT REV DESC: EC NO: 804652 DRWN: SUAIFR CHK'D: SUAIFR APPR: ISHWARG 2024/11/19 2024/11/19 2024/11/19 INITIAL REVISION: DRWN: DB APPR: DB 16/07/87 1987/07/16 DOCUMENT NUMBER SDA-90122 DOC TYPE PSD DOC PART 001 REVISION M4 molex C-GRID III DUAL ROW RIGHT ANGLE HEADER PRODUCT CUSTOMER DRAWING												
		DOCUMENT STATUS	P1	RELEASE DATE	2024/11/19													09:24:49

10

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1			
DIM C^(±0.20) ±.008 (5.75) .226		CIRCUIT SIZE		PLATING TYPE A PART NO.		PLATING TYPE E PART NO.		PLATING TYPE F PART NO.				CIRCUIT SIZE		PLATING TYPE A PART NO.		PLATING TYPE E PART NO.		PLATING TYPE F PART NO.			
		2 X 1		90122-0041		90122-0681		90122-0841				2 X 1		90122-0081		90122-0721		90122-0881			
		2 X 2		▲ -0042		▲ -0682		▲ -0842				2 X 2		▲ -0082		▲ -0722		▲ -0882			
		2 X 3		-0043		-0683		-0843				2 X 3		-0083		-0723		-0883			
		2 X 4		-0044		-0684		-0844				2 X 4		-0084		-0724		-0884			
		2 X 5		-0045		-0685		-0845				2 X 5		-0085		-0725		-0885			
		2 X 6		-0046		-0686		-0846				2 X 6		-0086		-0726		-0886			
		2 X 7		-0047		-0687		-0847				2 X 7		-0087		-0727		-0887			
		2 X 8		-0048		-0688		-0848				2 X 8		-0088		-0728		-0888			
		2 X 9		-0049		-0689		-0849				2 X 9		-0089		-0729		-0889			
		2 X 10		-0050		-0690		-0850				2 X 10		-0090		-0730		-0890			
		2 X 11		-0051		-0691		-0851				2 X 11		-0091		-0731		-0891			
		2 X 12		-0052		-0692		-0852				2 X 12		-0092		-0732		-0892			
		2 X 13		-0053		-0693		-0853				2 X 13		-0093		-0733		-0893			
		2 X 14		-0054		-0694		-0854				2 X 14		-0094		-0734		-0894			
		2 X 15		-0055		-0695		-0855				2 X 15		-0095		-0735		-0895			
		2 X 16		-0056		-0696		-0856				2 X 16		-0096		-0736		-0896			
		2 X 17		-0057		-0697		-0857				2 X 17		-0097		-0737		-0897			
		2 X 18		-0058		-0698		-0858				2 X 18		-0098		-0738		-0898			
		DIM D^(±0.25) ±.010 (2.90) .114		2 X 19		-0059		-0699				-0859		2 X 19		-0099		-0739			
2 X 20				-0060		-0700		-0860		2 X 20		-0100		-0740		-0900					
2 X 21				-0061		-0701		-0861		2 X 21		-0101		-0741		-0901					
2 X 22				-0062		-0702		-0862		2 X 22		-0102		-0742		-0902					
2 X 23				-0063		-0703		-0863		2 X 23		-0103		-0743		-0903					
2 X 24				-0064		-0704		-0864		2 X 24		-0104		-0744		-0904					
2 X 25				-0065		-0705		-0865		2 X 25		-0105		-0745		-0905					
2 X 26				-0066		-0706		-0866		2 X 26		-0106		-0746		-0906					
2 X 27				-0067		-0707		-0867		2 X 27		-0107		-0747		-0907					
2 X 28				-0068		-0708		-0868		2 X 28		-0108		-0748		-0908					
2 X 29				-0069		-0709		-0869		2 X 29		-0109		-0749		-0909					
2 X 30				-0070		-0710		-0870		2 X 30		-0110		-0750		-0910					
2 X 31				-0071		-0711		-0871		2 X 31		-0111		-0751		-0911					
2 X 32				-0072		-0712		-0872		2 X 32		-0112		-0752		-0912					
2 X 33				-0073		-0713		-0873		2 X 33		-0113		-0753		-0913					
2 X 34				-0074		-0714		-0874		2 X 34		-0114		-0754		-0914					
2 X 35				-0075		-0715		-0875		2 X 35		-0115		-0755		-0915					
2 X 36				-0076		-0716		-0876		2 X 36		-0116		-0756		-0916					
2 X 37				-0077		-0717		-0877		2 X 37		-0117		-0757		-0917					
2 X 38				-0078		-0718		-0878		2 X 38		-0118		-0758		-0918					
2 X 39		▼ -0079		▼ -0719		▼ -0879		2 X 39		▼ -0119		▼ -0759		▼ -0919							
2 X 40		90122-0080		90122-0720		90122-0880		2 X 40		90122-0120		90122-0760		90122-0920							
NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003.																					
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS mm SCALE NTS GENERAL TOLERANCES (UNLESS SPECIFIED) MM INCH 4 PLACES ± ± 3 PLACES ± ± 2 PLACES ± 0.05 ± 0.002 1 PLACE ± ± 0 PLACES ± ± ANGULAR TOL ± ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS CURRENT REV DESC: EC NO: 804652 DRWN: SUAIFR CHK'D: SUAIFR APPR: ISHWARG 2024/11/19 2024/11/19 2024/11/19 INITIAL REVISION: DRWN: DB APPR: DB 16/07/87 1987/07/16 THIRD ANGLE PROJECTION DRAWING A3-SIZE SERIES 90122 DOCUMENT NUMBER SDA-90122 DOC TYPE PSD DOC PART 001 REVISION M4 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 3 OF 6																					
DOCUMENT STATUS		P1	RELEASE DATE	2024/11/19	09:24:49	7		6		5		4		3		2		1			

10		9		8		7		6		5		4		3		2		1																																																																																																																																																																							
DIM C^(± 0.20) ± .008 (6 .75) .266		CIRCUIT SIZE		PLATING TYPE A PART NO.		PLATING TYPE E PART NO.		PLATING TYPE F PART NO.																																																																																																																																																																																	
		2 X 1		90122-0161		90122-0801		90122-0961																																																																																																																																																																																	
		2 X 2		▲ -0162		▲ -0802		▲ -0962																																																																																																																																																																																	
		2 X 3		-0163		-0803		-0963																																																																																																																																																																																	
		2 X 4		-0164		-0804		-0964																																																																																																																																																																																	
		2 X 5		-0165		-0805		-0965																																																																																																																																																																																	
		2 X 6		-0166		-0806		-0966																																																																																																																																																																																	
		2 X 7		-0167		-0807		-0967																																																																																																																																																																																	
		2 X 8		-0168		-0808		-0968																																																																																																																																																																																	
		2 X 9		-0169		-0809		-0969																																																																																																																																																																																	
		2 X 10		-0170		-0810		-0970																																																																																																																																																																																	
		2 X 11		-0171		-0811		-0971																																																																																																																																																																																	
		2 X 12		-0172		-0812		-0972																																																																																																																																																																																	
		2 X 13		-0173		-0813		-0973																																																																																																																																																																																	
		2 X 14		-0174		-0814		-0974																																																																																																																																																																																	
		2 X 15		-0175		-0815		-0975																																																																																																																																																																																	
		2 X 16		-0176		-0816		-0976																																																																																																																																																																																	
		2 X 17		-0177		-0817		-0977																																																																																																																																																																																	
		2 X 18		-0178		-0818		-0978																																																																																																																																																																																	
		DIM D^(± 0.25) ± .010 (4 .50) .177		2 X 19		-0179		-0819												-0979																																																																																																																																																																					
2 X 20				-0180		-0820		-0980																																																																																																																																																																																	
2 X 21				-0181		-0821		-0981																																																																																																																																																																																	
2 X 22				-0182		-0822		-0982																																																																																																																																																																																	
2 X 23				-0183		-0823		-0983																																																																																																																																																																																	
2 X 24				-0184		-0824		-0984																																																																																																																																																																																	
2 X 25				-0185		-0825		-0985																																																																																																																																																																																	
2 X 26				-0186		-0826		-0986																																																																																																																																																																																	
2 X 27				-0187		-0827		-0987																																																																																																																																																																																	
2 X 28				-0188		-0828		-0988																																																																																																																																																																																	
2 X 29				-0189		-0829		-0989																																																																																																																																																																																	
2 X 30				-0190		-0830		-0990																																																																																																																																																																																	
2 X 31				-0191		-0831		-0991																																																																																																																																																																																	
2 X 32				-0192		-0832		-0992																																																																																																																																																																																	
2 X 33				-0193		-0833		-0993																																																																																																																																																																																	
2 X 34				-0194		-0834		-0994																																																																																																																																																																																	
2 X 35				-0195		-0835		-0995																																																																																																																																																																																	
2 X 36				-0196		-0836		-0996																																																																																																																																																																																	
2 X 37				-0197		-0837		-0997																																																																																																																																																																																	
2 X 38				-0198		-0838		-0998																																																																																																																																																																																	
2 X 39		▼ -0199		▼ -0839		▼ -0999																																																																																																																																																																																			
2 X 40		90122-0200		90122-0840		90122-1000																																																																																																																																																																																			
NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003.																																																																																																																																																																																									
<table><tr><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="4">CURRENT REV DESC:</td><td colspan="6" rowspan="4"> molex C-GRID III DUAL ROW RIGHT ANGLE HEADER </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td></td><td>MM</td><td colspan="2">INCH</td></tr><tr><td colspan="2">4 PLACES</td><td>±</td><td></td><td colspan="2">±</td><td colspan="2"></td><td colspan="4">EC NO: 804652</td><td colspan="4" rowspan="4">DOCUMENT NUMBER</td><td colspan="2" rowspan="4">DOC TYPE</td><td colspan="2" rowspan="4">DOC PART</td><td colspan="2" rowspan="4">REVISION</td></tr><tr><td colspan="2">3 PLACES</td><td>±</td><td></td><td colspan="2">±</td><td colspan="2"></td><td colspan="4">DRWN: SUAIFR 2024/11/19</td></tr><tr><td colspan="2">2 PLACES</td><td>±</td><td>0.05</td><td>±</td><td>0.002</td><td colspan="2"></td><td colspan="4">CHK'D: SUAIFR 2024/11/19</td></tr><tr><td colspan="2">1 PLACE</td><td>±</td><td></td><td colspan="2">±</td><td colspan="2"></td><td colspan="4">APPR: ISHWARG 2024/11/19</td></tr><tr><td colspan="2">0 PLACES</td><td>±</td><td></td><td colspan="2">±</td><td colspan="2"></td><td colspan="4">INITIAL REVISION:</td><td colspan="4">16/07/87</td></tr><tr><td colspan="2">ANGULAR TOL</td><td colspan="2">± °</td><td colspan="4">APPR: DB 1987/07/16</td><td colspan="4"></td><td colspan="4">SDA-90122</td><td colspan="2">PSD</td><td colspan="2">001</td><td colspan="2">M4</td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="4">THIRD ANGLE PROJECTION</td><td colspan="2">DRAWING</td><td colspan="2">SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="4">SHEET NUMBER</td></tr><tr><td colspan="4"></td><td colspan="4"></td><td colspan="2">A3-SIZE</td><td colspan="2">90122</td><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td><td colspan="4">4 OF 6</td></tr></table>																				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex C-GRID III DUAL ROW RIGHT ANGLE HEADER						mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)					MM	INCH		4 PLACES		±		±				EC NO: 804652				DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION		3 PLACES		±		±				DRWN: SUAIFR 2024/11/19				2 PLACES		±	0.05	±	0.002			CHK'D: SUAIFR 2024/11/19				1 PLACE		±		±				APPR: ISHWARG 2024/11/19				0 PLACES		±		±				INITIAL REVISION:				16/07/87				ANGULAR TOL		± °		APPR: DB 1987/07/16								SDA-90122				PSD		001		M4		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER												A3-SIZE		90122		SEE TABLE		GENERAL MARKET		4 OF 6			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																									
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex C-GRID III DUAL ROW RIGHT ANGLE HEADER																																																																																																																																																																																	
mm		NTS																																																																																																																																																																																							
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																									
	MM	INCH																																																																																																																																																																																							
4 PLACES		±		±				EC NO: 804652				DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION																																																																																																																																																																					
3 PLACES		±		±				DRWN: SUAIFR 2024/11/19																																																																																																																																																																																	
2 PLACES		±	0.05	±	0.002			CHK'D: SUAIFR 2024/11/19																																																																																																																																																																																	
1 PLACE		±		±				APPR: ISHWARG 2024/11/19																																																																																																																																																																																	
0 PLACES		±		±				INITIAL REVISION:				16/07/87																																																																																																																																																																													
ANGULAR TOL		± °		APPR: DB 1987/07/16								SDA-90122				PSD		001		M4																																																																																																																																																																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																																									
								A3-SIZE		90122		SEE TABLE		GENERAL MARKET		4 OF 6																																																																																																																																																																									
DOCUMENT STATUS		P1	RELEASE DATE		2024/11/19 09:24:49																																																																																																																																																																																				
10		9		8		7		6		5		4		3		2		1																																																																																																																																																																							

10		9			8			7		6		5		4		3		2		1	
		CIRCUIT SIZE	PLATING TYPE B PART NO.		PLATING TYPE C PART NO.		PLATING TYPE D PART NO.		PLATING TYPE G PART NO.				CIRCUIT SIZE	PLATING TYPE B PART NO.		PLATING TYPE C PART NO.		PLATING TYPE D PART NO.		PLATING TYPE G PART NO.	
DIM C ^{(±0.20) ±.008} (6.75) .266		2 X 1	90122-0281		90122-0441		90122-0601		90122-1081		DIM C ^{(±0.20) ±.008} (5.75) .226		2 X 1	90122-0201		90122-0361		90122-0521		90122-1001	
		2 X 2	▲	-0282	▲	-0442	▲	-0602	▲	-1082			2 X 2	▲	-0202	▲	-0362	▲	-0522	▲	-1002
		2 X 3		-0283		-0443		-0603		-1083			2 X 3		-0203		-0363		-0523		-1003
		2 X 4		-0284		-0444		-0604		-1084			2 X 4		-0204		-0364		-0524		-1004
		2 X 5		-0285		-0445		-0605		-1085			2 X 5		-0205		-0365		-0525		-1005
		2 X 6		-0286		-0446		-0606		-1086			2 X 6		-0206		-0366		-0526		-1006
		2 X 7		-0287		-0447		-0607		-1087			2 X 7		-0207		-0367		-0527		-1007
		2 X 8		-0288		-0448		-0608		-1088			2 X 8		-0208		-0368		-0528		-1008
		2 X 9		-0289		-0449		-0609		-1089			2 X 9		-0209		-0369		-0529		-1009
		2 X 10		-0290		-0450		-0610		-1090			2 X 10		-0210		-0370		-0530		-1010
		2 X 11		-0291		-0451		-0611		-1091			2 X 11		-0211		-0371		-0531		-1011
		2 X 12		-0292		-0452		-0612		-1092			2 X 12		-0212		-0372		-0532		-1012
		2 X 13		-0293		-0453		-0613		-1093			2 X 13		-0213		-0373		-0533		-1013
		2 X 14		-0294		-0454		-0614		-1094			2 X 14		-0214		-0374		-0534		-1014
		2 X 15		-0295		-0455		-0615		-1095			2 X 15		-0215		-0375		-0535		-1015
		2 X 16		-0296		-0456		-0616		-1096			2 X 16		-0216		-0376		-0536		-1016
2 X 17		-0297		-0457		-0617		-1097	2 X 17		-0217		-0377		-0537		-1017				
2 X 18		-0298		-0458		-0618		-1098	2 X 18		-0218		-0378		-0538		-1018				
2 X 19		-0299		-0459		-0619		-1099	2 X 19		-0219		-0379		-0539		-1019				
2 X 20		-0300		-0460		-0620		-1100	2 X 20		-0220		-0380		-0540		-1020				
2 X 21		-0301		-0461		-0621		-1101	2 X 21		-0221		-0381		-0541		-1021				
2 X 22		-0302		-0462		-0622		-1102	2 X 22		-0222		-0382		-0542		-1022				
2 X 23		-0303		-0463		-0623		-1103	2 X 23		-0223		-0383		-0543		-1023				
2 X 24		-0304		-0464		-0624		-1104	2 X 24		-0224		-0384		-0544		-1024				
2 X 25		-0305		-0465		-0625		-1105	2 X 25		-0225		-0385		-0545		-1025				
2 X 26		-0306		-0466		-0626		-1106	2 X 26		-0226		-0386		-0546		-1026				
2 X 27		-0307		-0467		-0627		-1107	2 X 27		-0227		-0387		-0547		-1027				
2 X 28		-0308		-0468		-0628		-1108	2 X 28		-0228		-0388		-0548		-1028				
2 X 29		-0309		-0469		-0629		-1109	2 X 29		-0229		-0389		-0549		-1029				
2 X 30		-0310		-0470		-0630		-1110	2 X 30		-0230		-0390		-0550		-1030				
2 X 31		-0311		-0471		-0631		-1111	2 X 31		-0231		-0391		-0551		-1031				
2 X 32		-0312		-0472		-0632		-1112	2 X 32		-0232		-0392		-0552		-1032				
2 X 33		-0313		-0473		-0633		-1113	2 X 33		-0233		-0393		-0553		-1033				
2 X 34		-0314		-0474		-0634		-1114	2 X 34		-0234		-0394		-0554		-1034				
2 X 35		-0315		-0475		-0635		-1115	2 X 35		-0235		-0395		-0555		-1035				
2 X 36		-0316		-0476		-0636		-1116	2 X 36		-0236		-0396		-0556		-1036				
2 X 37		-0317		-0477		-0637		-1117	2 X 37		-0237		-0397		-0557		-1037				
2 X 38		-0318		-0478		-0638		-1118	2 X 38		-0238		-0398		-0558		-1038				
2 X 39		▼ -0319		▼ -0479		▼ -0639		▼ -1119	2 X 39		▼ -0239		▼ -0399		▼ -0559		▼ -1039				
2 X 40		90122-0320		90122-0480		90122-0640		90122-1120			2 X 40	90122-0240		90122-0400		90122-0560		90122-1040			

NOTES:
FOR PLATING VARIATIONS SEE
ENG.STD. SDES-99000-0003.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

MM

INCH

4 PLACES

±

±

3 PLACES

±

±

2 PLACES

±

0.05

±

0.002

1 PLACE

±

±

0 PLACES

±

±

ANGULAR TOL

±

°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

90122

CURRENT REV DESC:

EC NO: 804652

DRWN: SUAIFR

CHK'D: SUAIFR

APPR: ISHWARG

16/07/87

2024/11/19

2024/11/19

2024/11/19

INITIAL REVISION:

DRWN: DB

APPR: DB

16/07/87

1987/07/16

DOCUMENT NUMBER

SDA-90122

DOC TYPE

PSD

DOC PART

001

REVISION

M4

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

5 OF 6

DOCUMENT STATUS

P1

RELEASE DATE

2024/11/19

09:24:49

10

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1					
DIM C^(± 0.20) ± .008 (5.75) .226		CIRCUIT SIZE		PLATING TYPE B PART NO.		PLATING TYPE C PART NO.		PLATING TYPE D PART NO.		PLATING TYPE G PART NO.		DIM C^(± 0.20) ± .008 (6.75) .266		CIRCUIT SIZE		PLATING TYPE B PART NO.		PLATING TYPE C PART NO.		PLATING TYPE D PART NO.		PLATING TYPE G PART NO.	
		2 X 1		90122-0241		90122-0401		90122-0561		90122-1041				2 X 1		90122-0321		90122-0481		90122-0641		90122-1121	
		2 X 2		▲ -0242		▲ -0402		▲ -0562		▲ -1042				2 X 2		▲ -0322		▲ -0482		▲ -0642		▲ -1122	
		2 X 3		-0243		-0403		-0563		-1043				2 X 3		-0323		-0483		-0643		-1123	
		2 X 4		-0244		-0404		-0564		-1044				2 X 4		-0324		-0484		-0644		-1124	
		2 X 5		-0245		-0405		-0565		-1045				2 X 5		-0325		-0485		-0645		-1125	
		2 X 6		-0246		-0406		-0566		-1046				2 X 6		-0326		-0486		-0646		-1126	
		2 X 7		-0247		-0407		-0567		-1047				2 X 7		-0327		-0487		-0647		-1127	
		2 X 8		-0248		-0408		-0568		-1048				2 X 8		-0328		-0488		-0648		-1128	
		2 X 9		-0249		-0409		-0569		-1049				2 X 9		-0329		-0489		-0649		-1129	
		2 X 10		-0250		-0410		-0570		-1050				2 X 10		-0330		-0490		-0650		-1130	
		2 X 11		-0251		-0411		-0571		-1051				2 X 11		-0331		-0491		-0651		-1131	
		2 X 12		-0252		-0412		-0572		-1052				2 X 12		-0332		-0492		-0652		-1132	
		2 X 13		-0253		-0413		-0573		-1053				2 X 13		-0333		-0493		-0653		-1133	
		2 X 14		-0254		-0414		-0574		-1054				2 X 14		-0334		-0494		-0654		-1134	
		2 X 15		-0255		-0415		-0575		-1055				2 X 15		-0335		-0495		-0655		-1135	
		2 X 16		-0256		-0416		-0576		-1056				2 X 16		-0336		-0496		-0656		-1136	
		2 X 17		-0257		-0417		-0577		-1057				2 X 17		-0337		-0497		-0657		-1137	
		2 X 18		-0258		-0418		-0578		-1058				2 X 18		-0338		-0498		-0658		-1138	
		DIM D^(± 0.25) ± .010 (4.50) .177		2 X 19		-0259		-0419		-0579				-1059		2 X 19		-0339		-0499		-0659	
2 X 20				-0260		-0420		-0580		-1060		2 X 20		-0340		-0500		-0660		-1140			
2 X 21				-0261		-0421		-0581		-1061		2 X 21		-0341		-0501		-0661		-1141			
2 X 22				-0262		-0422		-0582		-1062		2 X 22		-0342		-0502		-0662		-1142			
2 X 23				-0263		-0423		-0583		-1063		2 X 23		-0343		-0503		-0663		-1143			
2 X 24				-0264		-0424		-0584		-1064		2 X 24		-0344		-0504		-0664		-1144			
2 X 25				-0265		-0425		-0585		-1065		2 X 25		-0345		-0505		-0665		-1145			
2 X 26				-0266		-0426		-0586		-1066		2 X 26		-0346		-0506		-0666		-1146			
2 X 27				-0267		-0427		-0587		-1067		2 X 27		-0347		-0507		-0667		-1147			
2 X 28				-0268		-0428		-0588		-1068		2 X 28		-0348		-0508		-0668		-1148			
2 X 29				-0269		-0429		-0589		-1069		2 X 29		-0349		-0509		-0669		-1149			
2 X 30				-0270		-0430		-0590		-1070		2 X 30		-0350		-0510		-0670		-1150			
2 X 31				-0271		-0431		-0591		-1071		2 X 31		-0351		-0511		-0671		-1151			
2 X 32				-0272		-0432		-0592		-1072		2 X 32		-0352		-0512		-0672		-1152			
2 X 33				-0273		-0433		-0593		-1073		2 X 33		-0353		-0513		-0673		-1153			
2 X 34				-0274		-0434		-0594		-1074		2 X 34		-0354		-0514		-0674		-1154			
2 X 35				-0275		-0435		-0595		-1075		2 X 35		-0355		-0515		-0675		-1155			
2 X 36				-0276		-0436		-0596		-1076		2 X 36		-0356		-0516		-0676		-1156			
2 X 37				-0277		-0437		-0597		-1077		2 X 37		-0357		-0517		-0677		-1157			
2 X 38				-0278		-0438		-0598		-1078		2 X 38		-0358		-0518		-0678		-1158			
2 X 39		▼ -0279		▼ -0439		▼ -0599		▼ -1079		2 X 39		▼ -0359		▼ -0519		▼ -0679		▼ -1159					
2 X 40		90122-0280		90122-0440		90122-0600		90122-1080		2 X 40		90122-0360		90122-0520		90122-0680		90122-1160					
NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003.																							
DOCUMENT STATUS		P1	RELEASE DATE	2024/11/19	09:24:49																		
10		9		8		7		6		5		4		3		2		1					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

MM

INCH

4 PLACES

±

±

3 PLACES

±

±

2 PLACES

±

0.05

±

0.002

1 PLACE

±

±

0 PLACES

±

±

ANGULAR TOL

±

°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

90122

CURRENT REV DESC:

EC NO: 804652

DRWN: SUAIFR

CHK'D: SUAIFR

APPR: ISHWARG

INITIAL REVISION:

DRWN: DB

APPR: DB

16/07/87

1987/07/16

DOCUMENT NUMBER

SDA-90122

DOC TYPE

PSD

DOC PART

001

REVISION

M4

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

6 OF 6

FORMAT: Met

REVISION: D

DATE: 2018/01/17

Author: B-prod-A3