





IT IS RECOMMENDED THAT TARTAN
SHADING AREA OF CUSTOMER PC
BOARD BE CLEAR OF ANY COMPONENTS



THIS DRAWING IS A CONTROLLED DOCUMENT. AND COMPLIANT TO ASME Y14.5M		DWN 30NOV2016 TOWER YU / XENIA WANG CHK 30NOV2016 BILL LIU APVD 30NOV2016 TONY YUAN MODEL NAME		 trp CONNECTOR a bel group		DONGGUAN CHINA	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.25 3 PLC ±0.25 4 PLC ± ANGLES ± APPLICATION SPEC		DESC		1X1 7HFG02ET 5GIGABIT 4PPoE TAB UP, W/ LEDS	
PRODUCT SPEC -		MAGJACK SINGLE 4PPOE		SIZE A2	CAGE CODE	DRAWING NO C=2250477	RESTRICTED TO -
CUSTOMER DRAWING				SCALE	NTS	SHEET	2 OF 3
				REV	1		

2250477_C					STOCK DISPOSITION A:CONTINUE AS IS B:REWORK C:SCRAP D:USE OLD FIRST E:PARTS TO CONFORM F:OTHER			
REVISION HISTORY								
DATE	REV	CHANGE	REASON	APPROVAL	INVENTORY (A,B,C,D,E,F)	WORK IN PROCESS (A,B,C,D)	SUPPLIER ORDERS (A,E,F)	OPEN CUST ORDERS (A,E,F)
30NOV2016	I	-	INITIAL RELEASE	TONY YUAN	-	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT. AND COMPLIANT TO ASME Y14.5M		DWN TOWER YU / XENIA WANG	30NOV2016	 trp CONNECTOR a bel group		DONGGUAN CHINA	
		CHK BILL LIU	30NOV2016				
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD TONY YUAN	30NOV2016	DESC 1X1 7HFG02ET 5GIGABIT 4PPoE TAB UP, W/ LEDS			
	0 PLC ±- 1 PLC ±0.25 2 PLC ±0.25 3 PLC ±0.25 4 PLC ±- ANGLES ±- APPLICATION SPEC	MODEL NAME MAGJACK SINGLE 4PPOE					
PRODUCT SPEC -	-			SIZE A2	CAGE CODE	DRAWING NO C-2250477	RESTRICTED TO -
CUSTOMER DRAWING				SCALE NTS	SHEET 3	OF 3	REV I