


NOTES

- 梱包数量： 3000個 / リール  
NUMBER OF CONNECTORS : 3000 PCS/REEL.
- リードテープ長さ  
LEAD TAPE LENGTH

引き出し方向  
PULL OUT  
DIRECTION



- カバートープの剥離強度については、IEC60286-3に準拠。  
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
- 製品詳細寸法については、図面 5052781000/1001を参照下さい。  
FOR DIMINTIONS OF PRODUCT, REFER TO 5052781000/1001.
- 材料 MATERIAL  
キャリアテープ：ポリスチレン  
CARRIER TAPE : POLYSTYRENE  
トップテープ：ポリエチレンテレフタレート、ポリエチレン  
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE  
リール：ポリスチレン<リサイクル材を含む>  
REEL : POLYSTYRENE <RECYCLE MATERIAL CONTAINED >
- ELV及びRoHS適合品 ELV AND RoHS COMPLIANT.

| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                        |                                       |        |                                                      |       |                                                             |  |                          |                 |          |              |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------|--------|------------------------------------------------------|-------|-------------------------------------------------------------|--|--------------------------|-----------------|----------|--------------|
| EC NO: 106679<br>DRWN: YMIZUNO02<br>CHK'D: KTAKAHASHI<br>REV APPR: TKUSUHARA01                                                                | 2016/07/14<br>2016/07/28<br>2016/07/29 | GENERAL TOLERANCES (UNLESS SPECIFIED) |        | DIMENSION UNITS                                      | SCALE | <b>molex®</b><br><br>0.5 FFC CONN ZIF E/O EMBOSSED TAPE PKG |  |                          |                 |          |              |
|                                                                                                                                               |                                        | ANGULAR TOL ± 1.0 °                   |        | MM                                                   | 2:1   |                                                             |  |                          |                 |          |              |
|                                                                                                                                               |                                        | 4 PLACES                              | ± 0.03 | DRWN BY FSATO                                        |       | DATE 2015/02/09                                             |  |                          |                 |          |              |
|                                                                                                                                               |                                        | 3 PLACES                              | ± 0.03 | CHK'D BY KTAKAHASHI                                  |       | DATE 2015/02/12                                             |  | PRODUCT CUSTOMER DRAWING |                 |          |              |
|                                                                                                                                               |                                        | 2 PLACES                              | ± 0.05 | APPR BY YNOGAWA                                      |       | DATE 2015/02/12                                             |  | SERIES                   | MATERIAL NUMBER | CUSTOMER |              |
|                                                                                                                                               |                                        | 1 PLACE                               | ± 0.1  | DRAWING SIZE                                         |       | THIRD ANGLE PROJECTION                                      |  | 505278                   | SEE CHART       | GENERAL  |              |
|                                                                                                                                               |                                        | 0 PLACES                              | ± 0.2  | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS |       | A3                                                          |  | DOCUMENT NUMBER          | DOC TYPE        | DOC PART | SHEET NUMBER |
| D                                                                                                                                             | REV                                    |                                       |        |                                                      |       |                                                             |  | 5052780000               | PSD             | 000      | 1 OF 2       |

|                |    |              |            |          |
|----------------|----|--------------|------------|----------|
| RELEASE STATUS | P1 | RELEASE DATE | 29.07.2016 | 04:59:56 |
|----------------|----|--------------|------------|----------|

