



Connectors > Power Connectors > Circular Power > Circular Power Connectors



EU RoHS Compliance: **Compliant**

EU ELV Compliance: **Compliant**

Connector Product Type: **Housing**

Operating Voltage: **600 VDC**

Connector System: **Wire-to-Wire**

Features

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Type Features

Connector Seal & Plug Type	Wire Entry Seal
Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Plug
Circular Connector Shell Type	All Plastic

Configuration Features

Reverse Numbering	With
Number of Positions	9
Number of Power Positions	0



Number of Signal Positions	9
----------------------------	---

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Contact Features

Reverse Gender	No
Contact Type	Socket
Contact Protection	With

Mechanical Attachment

Mating Retention Type	Threaded Coupling
Thread Size	3/4 - 20 UNEF-2A
Polarization Code	A
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Mating Retention	With
Panel Mount Feature	Without

Housing Features

Body Orientation	Straight
Housing Color	Black
Housing Material	Nylon
Circular Connector Shell Size	13

Dimensions

Compatible Insulation Diameter Range	1.65 – 3.05 mm[.065 – .12 in]
--------------------------------------	-------------------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	Immersion

Operation/Application

Circuit Application	Signal
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------



Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 91542-1
CCII TYPE III+ PIN SKT 24-22 ASSY

TE Part # 91515-1
CCII TYPE III+ MNL PIN SKT 30-20 ASSY

TE Part # 91519-1
CCII TYPE III+ PIN SKT 18-14 ASSY

TE Part # 91505-1
CCII TYPE III+ 24-16 ASSY



TE Part # 58495-1
PRO CRIMPER ASSY MULTIMATE



TE Part # 91523-1
CCII TYPE III+ PIN SKT 24-16 ASSY



TE Part # 91521-1
CCII TYPE III+ PIN SKT 18-14 ASSY



TE Part # 208338-1
SEAL PROTECTOR SOCKET



TE Part # 1546348-2
R/A CABLE CLAMP KIT,SZ 13,CPC



TE Part # 213485-1
CPC SEALING CAP ASSY SIZE 13



TE Part # 54123-1
CPC,13 LONG TUBE



TE Part # 81665-4
ECONOSEAL, FLANGE GASKET



TE Part # 788158-2
SLD CPC RCPT ASSY,13-9,STD SEX



TE Part # 201570-1
CONTACT PIN ASSY.



TE Part # 193846-1
SKT ASSY.



TE Part # 66361-3
III+ PIN,18-14,15AU/FL,LP



TE Part # 206966-7
CABLE SHELL CLAMP SIZE 13



TE Part # 164164-1
PIN ASS




TE Part # 66103-3
III+ PIN,24-20,15AU/FL,LP



TE Part # 788159-2
SLD CPC RCPT ASSY,13-9,STD SEX

Also in the Series | AMP CPC



Circular Power Connectors(423)




Connector Backshells(1)




Connector Caps & Covers(16)



Connector Contacts(6)



Connector Hardware(12)




Connector Seals & Cavity Plugs(35)



Connector Strain Relief(60)




Insertion & Extraction Tools(1)




Sealing Sleeves(2)


Customers Also Bought




TE Part #54123-1
CPC,13 LONG TUBE



TE Part #796095-2
SLD CPC RCPT ASY,11-4,STD SEX



TE Part #796094-2
SLD CPC PLUG ASY,11-4,STD SEX



TE Part #229969-1
COVER,DUST,RCPT,RED,CHAMP




TE Part #2-66101-0
III+ SKT,18-16,TIN,SMPACK



TE Part #61116-7
CMNL PIN 24-18 AUNIBR



TE Part #3-967644-1
MQS, CONNECTOR HOUSING



TE Part #796271-1
SLD CPC PLUG ASSY,17-14,REV SX



TE Part #EL6483-000
RBK-85-KIT-0107-A0

Document



Product Drawings

SLD CPC PLUG ASSY,13-9,STD SEX

English

CAD Files

Customer View Model

ENG_CVM_788157-2_B.3d_stp.zip

English

Customer View Model

ENG_CVM_788157-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_788157-2_B.3d_igs.zip

English

3D PDF

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_788157-2_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_788157-2_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_788157-2_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

AMP Circular Connectors for Commercial Signal & Power Applications

English

Product Specifications

Application Specification

English