

SPLICE

TE Internal #: 62759-2


Pigtail Splice / Thru Splice, 24 – 19 AWG Wire Size, .2 – .65 mm²

Wire Size, Splice Capacity 3, Serrated, 400 – 1300 CMA Wire Size,

SPLICE, Splices

[View on TE.com >](#)

Terminals & Splices > Splices

Splice Type: **Pigtail Splice, Thru Splice**Wire Size: .2 – .65 mm²Sealable: **No**

Splice Capacity: 3

Features**Electrical Characteristics**

Operating Voltage	250 V
-------------------	-------

Contact Features

Terminal Plating Material	Tin
Contact Base Material	Brass
Barrel Type	Open

Configuration Features

Strip Orientation	Side Feed
Splice Capacity	3
Number of Serrations	2

Product Type Features

Splice Type	Pigtail Splice, Thru Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Magnet Wire
Wire Insulation Support Retention Type	Non-Insulation Support



Body Features

Splice Features	Serrated
-----------------	----------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	400 – 1300 CMA
Terminal Material Thickness	.41 mm[.016 in]
Product Length	2.54 mm[.1 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Method	Strip
------------------	-------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 160644-3
SPLICE 20-15 AWG .016 TPBR




TE Part # 566270-2
STD STSAPR070F K



TE Part # 566379-1
APPL,STD,SPLICE459SAPR070F K

Also in the Series | SPLICE



Crimp Wire Pins, Tabs & Ferrules(1)



Splices(63)


Customers Also Bought




TE Part #4-641126-3
13P MTA100 HDR ASY FL/STR LF



TE Part #T4113501051-000
M12,MALE,RA,D CODE,5P,PG7,GOLD



TE Part #2-520407-2
ULTRA-FAST 250 ASY REC 22-18 TPBR



TE Part #3-520404-2
ULTRA-FAST 187 ASY REC 16-14 AWG TPBR



Documents

Product Drawings

[SPLICE 400-1300 .016 TPBR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_62759-2_U_c-62759-2-u.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62759-2_U_c-62759-2-u.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62759-2_U_c-62759-2-u.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English