


The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU & 2015/863/EU for RoHS compliant & per IEC 61249-2-21 for Halogen-Free compliant.



REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	BY
A	NE-23348	NEW RELEASED	12/12/2023	JOAN LU



RECOMMENDED PCB LAYOUT
(GENERAL TOLERANCES: ± 0.05)

TOLERANCE	DRAWN APPROVALS	DATE	TITLE			Amphenol® Amphenol Corporation Amphenol Taiwan Corporation		
X. X.X ±0.30 X.XX ±0.20 X.XXX ±0.10 ANGULAR ±2°	DESIGNED JOAN LU	2023-12-12	EXTREMEPORT Z-LINK 4C PLUS, 0.6PITCH, VERTICAL STANDARD, SMT TYPE					
	CHECKED Sondra Sang	2024-06-25						
	APPROVED Hank Hsu	2024-06-25						
UNLESS OTHERWISE SPECIFIED	DWG TYPE CUST DWG	PROJECT CODE T736		SCALE NA	SHEET 2 OF 4	DWG No. G64VX5XXXXHR	REV. A	



The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU & 2015/863/EU for RoHS compliant & per IEC 61249-2-21 for Halogen-Free compliant.




REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	BY
A	NE-23348	NEW RELEASED	12/12/2023	JOAN LU

[illegible]

NOTES: POSITION A1 ON OPPOSITE OF CARD OF B1. DIMENSIONS FOR PAD LOCATIONS ARE TO CENTER OF THE PAD



TOLERANCE	DRAWN APPROVALS	DATE	TITLE			Amphenol® Amphenol Corporation Amphenol Taiwan Corporation		
X. X.X ±0.30 X.XX ±0.20 X.XXX ±0.10 ANGULAR ±2°	DESIGNED JOAN LU	2023-12-12	EXTREMEPORT Z-LINK 4C PLUS, 0.6PITCH, VERTICAL STANDARD, SMT TYPE 					
	CHECKED Sondra Sang	2024-06-25						
	APPROVED Hank Hsu	2024-06-25						
UNLESS OTHERWISE SPECIFIED	DWG TYPE CUST DWG	PROJECT CODE T736	SCALE NA	SHEET 3 OF 4	DWG No. G64VX5XXXXHR	REV. A		





This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU & 2015/863/EU for RoHS compliant & per IEC 61249-2-21 for Halogen-Free compliant.



ORIGINAL



REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	BY
A	NE-23348	NEW RELEASED	12/12/2023	JOAN LU




PART NUMBER	PACKING CODE	PACKING TYPE	DIM. B	DIM. C	DIM. D	REEL(Q'TY)	CARTON (PCS)	PICK AND PLACE
G64VX5XX2XHR	2	TAPE AND REEL	88	84.4	24	2	310	WITH CAP
G64VX5XX3XHR	3	TAPE AND REEL	88	84.4	24	2	310	NONE



NOTE 2:
1.CARTON SIZE
340L X 340W 240H
2. PREFER TO AMTA LABLING STANDARD.
3. CARTON CLOSURES MUST BE SEALED WITH TAPE.

NOTE 1:
1: MATERIAL :
CARRIER TAPE: POLYSTYRENE, BLACK
COVER TAPE: TRANSPARENT POLYSTYRENE
REEL: POLYSTYRENE, BLACK
2: ALL TAPE AND REEL SPECIFICATION FELLOW EIA-481 STANDARD.
3: THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZRDOUS
PER DIRECTIVE 2002/95/EC FOR ROHS

TOLERANCE	DRAWN APPROVALS	DATE	TITLE EXTREMEPORT Z-LINK 4C PLUS, 0.6PITCH, VERTICAL STANDARD, SMT TYPE			Amphenol® Amphenol Corporation Amphenol Taiwan Corporation			
X. X.X ±0.30 X.XX ±0.20 X.XXX ±0.10	DESIGNED JOAN LU	2023-12-12							
	CHECKED Sondra Sang	2024-06-25							
	APPROVED Hank Hsu	2024-06-25							
ANGULAR ±2°	DWG TYPE CUST DWG	PROJECT CODE T736	SCALE NA	SHEET 4 OF 4	DWG No. G64VX5XXXXHR	REV. A			
UNLESS OTHERWISE SPECIFIED									