

1744417-5 ✓ ACTIVE

Economy Power 2.5


TE Internal #: 1744417-5

Housing, Receptacle, Wire-to-Board, 5 Position, 2.5 mm [.098 in]
Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable,
Economy Power 2.5

[View on TE.com >](#)



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

Number of Positions: **5**

Centerline (Pitch): **2.5 mm [.098 in]**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	5
Number of Rows	1

Housing Features

Centerline (Pitch)	2.5 mm [.098 in]
Housing Material	Nylon
Housing Entry Configuration	Both Ends Closed

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Body Features

Primary Product Color	Natural
-----------------------	---------

Mechanical Attachment

Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Strain Relief	Without
Panel Mount Feature	Without
Mating Retention Type	Latch
PCB Mount Retention	Without

Operation/Application

Circuit Application	Power
---------------------	-------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------

Contact Features

Contact Layout	Inline
Contact Type	Socket

Dimensions

Connector Height	5.7 mm[.224 in]
Connector Length	14.8 mm[.582 in]

Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	Glow Wire

Packaging Features

Packaging Method	Bag
Packaging Quantity	500



Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 2132415-5 EP2.5 Shrouded HDR ASSY 5P VERT w/o boss</p>	 <p>TE Part # 1744423-1 EP 2.5 RCPT CONTACT, 24-20 AWG</p>	 <p>TE Part # 1969443-5 EP 2.5 TPA Retainer, 5 Pos</p>	 <p>TE Part # 2110989-1 EP 2.5 RCPT CONTACT, 26-22 AWG</p>
 <p>TE Part # 1744418-5 5 POS EP 2.5 HDR, GLOW WIRE</p>	 <p>TE Part # 2404280-5 EP 2.5 HDR, GLOW WIRE, 5P</p>	 <p>TE Part # 2132230-5 EP2.5 Shrouded HDR ASSY 5P VER</p>	 <p>TE Part # 1744426-5 Header Housing Assy, EP 2.5 RA, 5 Pos.</p>



TE Part # 1744446-5
Hdr Assy, EP 2.5 RA, 5 Pos., GW



TE Part # 1744439-5
EP2.5 Shrd HDR ASSY 5P VERT, GW



TE Part # 2482324-1
EXTRACTION TOOL




TE Part # 3-2299683-5
EP2.5 HDR 5P VERT W/O BOSS, TAPING, BLACK




TE Part # 2470203-5
EP 2.5 HDR, GWT, without boss, 5P

Also in the Series | Economy Power 2.5




Connector Contacts(6)



Connector Hardware(49)



PCB Headers & Receptacles(533)



Wire-to-Board Connector Assemblies & Housings(305)


Customers Also Bought



TE Part #1744417-4
4 POS EP 2.5 HSG, GLOW WIRE



TE Part #1744423-1
EP 2.5 RCPT CONTACT, 24-20 AWG



TE Part #3-1534796-5
AMP DUOPLUG MK2 CONNECTOR 5P



TE Part #2110989-1
EP 2.5 RCPT CONTACT, 26-22 AWG




TE Part #1744417-8
8 POS EP 2.5 HSG, GLOW WIRE



TE Part #1534415-5
DUOPL POW FEM CON5P



TE Part #1534415-7
DUOPL POW FEM CON7P



TE Part #3-1534796-8
AMP DUOPLUG MK2 CONNECTOR 8P



Documents

Product Drawings

5 POS EP 2.5 HSG, GLOW WIRE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1744417-5_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1744417-5_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1744417-5_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

7-1773461-6_EP2.5_Connector_Series

English

Product Specifications

Application Specification

English

Agency Approvals

VDE Certificate

English