

H	12				11				10				9				8				7				6				5				4				3				2				1						
	PLATING:				35 M.I. TIN				PLATING:				35 M.I. TIN				PLATING:				30 M.I. GOLD				PLATING:				30 M.I. GOLD																						
	DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:				WITHOUT DRAIN HOLES																						
	MTG. OPTION:				WITH PEGS				MTG. OPTION:				WITH PEGS				MTG. OPTION:				WITH PEGS				MTG. OPTION:				WITH PEGS																						
	HOUSING MAT'L:				NYLON 6/6 94V-2 NATURAL				HOUSING MAT'L:				NYLON 6/6 94V-0 NATURAL				HOUSING MAT'L:				NYLON 6/6 94V-2 NATURAL				HOUSING MAT'L:				NYLON 6/6 94V-0 NATURAL																						
PACKAGING:				PK-5566-001				PACKAGING:				PK-5566-001				PACKAGING:				PK-5566-001				PACKAGING:				PK-5566-001																							
G	PART NO.	ENG NO.		CKTS		PART NO.	ENG NO.		CKTS		PART NO.	ENG NO.		CKTS		PART NO.	ENG NO.		CKTS		PART NO.	ENG NO.		CKTS																											
	39-29-9023	5566 -02A2		2		39-29-9027	5566 -02A2-210		2		39-29-9025	5566 -02A2GS		2		39-29-9029	5566 -02A2GS-210		2		39-29-9029	5566 -02A2GS-210		2																											
	39-29-9043	5566 -04A2		4		39-29-9047	5566 -04A2-210		4		39-29-9045	5566 -04A2GS		4		39-29-9049	5566 -04A2GS-210		4		39-29-9049	5566 -04A2GS-210		4																											
	39-29-9063	5566 -06A2		6		39-29-9067	5566 -06A2-210		6		39-29-9065	5566 -06A2GS		6		39-29-9069	5566 -06A2GS-210		6		39-29-9069	5566 -06A2GS-210		6																											
	39-29-9083	5566 -08A2		8		39-29-9087	5566 -08A2-210		8		39-29-9085	5566 -08A2GS		8		39-29-9089	5566 -08A2GS-210		8		39-29-9089	5566 -08A2GS-210		8																											
F	39-29-9103	5566 -10A2		10		39-29-9107	5566 -10A2-210		10		39-29-9105	5566 -10A2GS		10		39-29-9109	5566 -10A2GS-210		10		39-29-9109	5566 -10A2GS-210		10																											
	39-29-9123	5566 -12A2		12		39-29-9127	5566 -12A2-210		12		39-29-9125	5566 -12A2GS		12		39-29-9129	5566 -12A2GS-210		12		39-29-9129	5566 -12A2GS-210		12																											
	39-29-9143	5566 -14A2		14		39-29-9147	5566 -14A2-210		14		39-29-9145	5566 -14A2GS		14		39-29-9149	5566 -14A2GS-210		14		39-29-9149	5566 -14A2GS-210		14																											
	39-29-9163	5566 -16A2		16		39-29-9167	5566 -16A2-210		16		39-29-9165	5566 -16A2GS		16		39-29-9169	5566 -16A2GS-210		16		39-29-9169	5566 -16A2GS-210		16																											
	39-29-9183	5566 -18A2		18		39-29-9187	5566 -18A2-210		18		39-29-9185	5566 -18A2GS		18		39-29-9189	5566 -18A2GS-210		18		39-29-9189	5566 -18A2GS-210		18																											
E	39-29-9203	5566 -20A2		20		39-29-9207	5566 -20A2-210		20		39-29-9205	5566 -20A2GS		20		39-29-9209	5566 -20A2GS-210		20		39-29-9209	5566 -20A2GS-210		20																											
	39-29-9223	5566 -22A2		22		39-29-9227	5566 -22A2-210		22		39-29-9225	5566 -22A2GS		22		39-29-9229	5566 -22A2GS-210		22		39-29-9229	5566 -22A2GS-210		22																											
	39-29-9243	5566 -24A2		24		39-29-9247	5566 -24A2-210		24		39-29-9245	5566 -24A2GS		24		39-29-9249	5566 -24A2GS-210		24		39-29-9249	5566 -24A2GS-210		24																											
		-					-					-					-					-																													
		-					-					-					-					-																													
D	PLATING:				35 M.I. TIN				PLATING:				35 M.I. TIN				PLATING:				30 M.I. GOLD				PLATING:				30 M.I. GOLD																						
	DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:				WITHOUT DRAIN HOLES																						
	MTG. OPTION:				WITH PEGS				MTG. OPTION:				WITH PEGS				MTG. OPTION:				WITH PEGS				MTG. OPTION:				WITH PEGS																						
	HOUSING MAT'L:				NYLON 6/6 94V-2 NATURAL				HOUSING MAT'L:				NYLON 6/6 94V-0 NATURAL				HOUSING MAT'L:				NYLON 6/6 94V-2 NATURAL				HOUSING MAT'L:				NYLON 6/6 94V-0 NATURAL																						
	PACKAGING:				PK-5566-001				PACKAGING:				PK-5566-001				PACKAGING:				PK-5566-001				PACKAGING:				PK-5566-001																						
C	PART NO.	ENG NO.		CKTS		PART NO.	ENG NO.		CKTS		PART NO.	ENG NO.		CKTS		PART NO.	ENG NO.		CKTS		PART NO.	ENG NO.		CKTS																											
		5566 -02B2		2	*		5566 -02B2-210		2	*		5566 -02B2GS		2	*		5566 -02B2GS-210		2	*		5566 -02B2GS-210		2	*																										
	39-29-9042	5566 -04B2		4	*	39-29-9046	5566 -04B2-210		4	*	39-29-9044	5566 -04B2GS		4	*	39-28-9048	5566 -04B2GS-210		4	*	39-28-9048	5566 -04B2GS-210		4	*																										
	39-29-9062	5566 -06B2		6	*	39-29-9066	5566 -06B2-210		6	*	39-29-9064	5566 -06B2GS		6	*	39-28-9068	5566 -06B2GS-210		6	*	39-28-9068	5566 -06B2GS-210		6	*																										
	39-29-9082	5566 -08B2		8	*	39-29-9086	5566 -08B2-210		8	*	39-29-9084	5566 -08B2GS		8	*	39-28-9088	5566 -08B2GS-210		8	*	39-28-9088	5566 -08B2GS-210		8	*																										
B	39-29-9102	5566 -10B2		10	*	39-29-9106	5566 -10B2-210		10	*	39-29-9104	5566 -10B2GS		10	*	39-28-9108	5566 -10B2GS-210		10	*	39-28-9108	5566 -10B2GS-210		10	*																										
	39-29-9122	5566 -12B2		12	*	39-29-9126	5566 -12B2-210		12	*	39-29-9124	5566 -12B2GS		12	*	39-28-9128	5566 -12B2GS-210		12	*	39-28-9128	5566 -12B2GS-210		12	*																										
	39-29-9142	5566 -14B2		14	*	39-29-9146	5566 -14B2-210		14	*	39-29-9144	5566 -14B2GS		14	*	39-28-9148	5566 -14B2GS-210		14	*	39-28-9148	5566 -14B2GS-210		14	*																										
	39-29-9162	5566 -16B2		16	*	39-29-9166	5566 -16B2-210		16	*	39-29-9164	5566 -16B2GS		16	*	39-28-9168	5566 -16B2GS-210		16	*	39-28-9168	5566 -16B2GS-210		16	*																										
	39-29-9182	5566 -18B2		18	*	39-29-9186	5566 -18B2-210		18	*	39-29-9184	5566 -18B2GS		18	*	39-28-9188	5566 -18B2GS-210		18	*	39-28-9188	5566 -18B2GS-210		18	*																										
A	39-29-9202	5566 -20B2		20	*	39-29-9206	5566 -20B2-210		20	*	39-29-9204	5566 -20B2GS		20	*	39-28-9208	5566 -20B2GS-210		20	*	39-28-9208	5566 -20B2GS-210		20	*																										
	39-29-9222	5566 -22B2		22	*		5566 -22B2-210		22	*	39-29-9224	5566 -22B2GS		22	*		5566 -22B2GS-210		22	*		5566 -22B2GS-210		22	*																										
	39-29-9242	5566 -24B2		24	*	39-29-9246	5566 -24B2-210		24	*	39-29-9244	5566 -24B2GS		24	*	39-28-9248	5566 -24B2GS-210		24	*	39-28-9248	5566 -24B2GS-210		24	*																										
		-					-					-					-					-																													
		-					-					-					-					-																													
PART NUMBERS MARKED IN "*" IN THIS SHEET ARE NOT RECOMMENDED FOR NEW APPLICATION. ALL WITH DRAIN HOLE VERSION PRODUCTS ARE CHANGED TO WITHOUT DRAIN HOLE VERSION PRODUCTS.																																																			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS IN/MM SCALE NTS GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>± 0.015</td></tr><tr><td>2 PLACES</td><td>± 0.38</td><td>± 0.02</td></tr><tr><td>1 PLACE</td><td>± 0.5</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr><tr><td>ANGULAR TOL</td><td>± 3.0 °</td><td></td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr></table> CURRENT REV DESC: EC NO: 784313 DRWN: JERRYW8 CHK'D: XQZHANG APPR: XQZHANG 2023/08/10 2024/09/11 2024/09/11 MINIFIT JR VERT HDR ASSY'S W/ PEGS PRODUCT CUSTOMER DRAWING INITIAL REVISION: DRWN: RJF APPR: FSMITH 1987/08/19 2012/01/10 DOCUMENT NUMBER 55660021-SD DOC TYPE PSD DOC PART 000 REVISION A4 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 4 THIRD ANGLE PROJECTION DRAWING C-SIZE SERIES 5566																													MM	INCH	4 PLACES	±	±	3 PLACES	±	± 0.015	2 PLACES	± 0.38	± 0.02	1 PLACE	± 0.5	±	0 PLACES	±	±	ANGULAR TOL	± 3.0 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
	MM	INCH																																																	
4 PLACES	±	±																																																	
3 PLACES	±	± 0.015																																																	
2 PLACES	± 0.38	± 0.02																																																	
1 PLACE	± 0.5	±																																																	
0 PLACES	±	±																																																	
ANGULAR TOL	± 3.0 °																																																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																			
DOCUMENT STATUS	P1	RELEASE DATE	2024/09/11	06:39:17																																															
12		11		10		9		8		7		6		5		4		3		2		1																													

12			11		10		9		8		7		6		5		4		3		2		1	
PLATING:			100 M.I. BRIGHT TIN			PLATING:		100 M.I. BRIGHT TIN			PLATING:		15 M.I. SELECT GOLD			PLATING:		15 M.I. SELECT GOLD						
DRAIN HOLES:			WITHOUT DRAIN HOLES			DRAIN HOLES:		WITHOUT DRAIN HOLES			DRAIN HOLES:		WITHOUT DRAIN HOLES			DRAIN HOLES:		WITHOUT DRAIN HOLES						
MTG. OPTION:			WITH PEGS			MTG. OPTION:		WITH PEGS			MTG. OPTION:		WITH PEGS			MTG. OPTION:		WITH PEGS						
HOUSING MAT'L:			NYLON 6/6 94V-2 NATURAL			HOUSING MAT'L:		NYLON 6/6 94V-0 NATURAL			HOUSING MAT'L:		NYLON 6/6 94V-2 NATURAL			HOUSING MAT'L:		NYLON 6/6 94V-0 NATURAL						
PACKAGING:			PK-5566-001			PACKAGING:		PK-5566-001			PACKAGING:		PK-5566-001			PACKAGING:		PK-5566-001						
PART NO.	ENG NO.	CKTS		PART NO.	ENG NO.	CKTS		PART NO.	ENG NO.	CKTS		PART NO.	ENG NO.	CKTS		PART NO.	ENG NO.	CKTS		PART NO.	ENG NO.	CKTS		
39-30-6025	5566 -02A2S	2		39-30-6026	5566 -02A2S-210	2		39-30-0026	5566 -02A2GS2	2		39-30-0027	5566 -02A2GS2-210	2		39-30-0027	5566 -02A2GS2-210	2		39-30-0027	5566 -02A2GS2-210	2		
39-30-6045	5566 -04A2S	4		39-30-6046	5566 -04A2S-210	4		39-30-0046	5566 -04A2GS2	4		39-30-0047	5566 -04A2GS2-210	4		39-30-0047	5566 -04A2GS2-210	4		39-30-0047	5566 -04A2GS2-210	4		
39-30-6065	5566 -06A2S	6		39-30-6066	5566 -06A2S-210	6		39-30-0066	5566 -06A2GS2	6		39-30-0067	5566 -06A2GS2-210	6		39-30-0067	5566 -06A2GS2-210	6		39-30-0067	5566 -06A2GS2-210	6		
39-30-6085	5566 -08A2S	8		39-30-6086	5566 -08A2S-210	8		39-30-0086	5566 -08A2GS2	8		39-30-0087	5566 -08A2GS2-210	8		39-30-0087	5566 -08A2GS2-210	8		39-30-0087	5566 -08A2GS2-210	8		
39-30-6105	5566 -10A2S	10		39-30-6106	5566 -10A2S-210	10		39-30-0106	5566 -10A2GS2	10		39-30-0107	5566 -10A2GS2-210	10		39-30-0107	5566 -10A2GS2-210	10		39-30-0107	5566 -10A2GS2-210	10		
39-30-6125	5566 -12A2S	12		39-30-6126	5566 -12A2S-210	12		39-30-0126	5566 -12A2GS2	12		39-30-0127	5566 -12A2GS2-210	12		39-30-0127	5566 -12A2GS2-210	12		39-30-0127	5566 -12A2GS2-210	12		
39-30-6145	5566 -14A2S	14		39-30-6146	5566 -14A2S-210	14		39-30-0146	5566 -14A2GS2	14		39-30-0147	5566 -14A2GS2-210	14		39-30-0147	5566 -14A2GS2-210	14		39-30-0147	5566 -14A2GS2-210	14		
39-30-6165	5566 -16A2S	16		39-30-6166	5566 -16A2S-210	16		39-30-0166	5566 -16A2GS2	16		39-30-0167	5566 -16A2GS2-210	16		39-30-0167	5566 -16A2GS2-210	16		39-30-0167	5566 -16A2GS2-210	16		
39-30-6185	5566 -18A2S	18		39-30-6186	5566 -18A2S-210	18		39-30-0186	5566 -18A2GS2	18		39-30-0187	5566 -18A2GS2-210	18		39-30-0187	5566 -18A2GS2-210	18		39-30-0187	5566 -18A2GS2-210	18		
39-30-6205	5566 -20A2S	20		39-30-6206	5566 -20A2S-210	20		39-30-0206	5566 -20A2GS2	20		39-30-0207	5566 -20A2GS2-210	20		39-30-0207	5566 -20A2GS2-210	20		39-30-0207	5566 -20A2GS2-210	20		
39-30-6225	5566 -22A2S	22		39-30-6226	5566 -22A2S-210	22		39-30-0226	5566 -22A2GS2	22		39-30-0227	5566 -22A2GS2-210	22		39-30-0227	5566 -22A2GS2-210	22		39-30-0227	5566 -22A2GS2-210	22		
39-30-6245	5566 -24A2S	24		39-30-6246	5566 -24A2S-210	24		39-30-0246	5566 -24A2GS2	24		39-30-0247	5566 -24A2GS2-210	24		39-30-0247	5566 -24A2GS2-210	24		39-30-0247	5566 -24A2GS2-210	24		
	-				-				-				-				-				-			
	-				-				-				-				-				-			

D	PLATING:		100 M.I. BRIGHT TIN		PLATING:		100 M.I. BRIGHT TIN		PLATING:		100 M.I. MATTE TIN		PLATING:		100 M.I. MATTE TIN	
	DRAIN HOLES:		WITHOUT DRAIN HOLES		DRAIN HOLES:		WITHOUT DRAIN HOLES		DRAIN HOLES:		WITHOUT DRAIN HOLES		DRAIN HOLES:		WITHOUT DRAIN HOLES	
	MTG. OPTION:		WITH PEGS		MTG. OPTION:		WITH PEGS		MTG. OPTION:		WITH PEGS		MTG. OPTION:		WITH PEGS	
	HOUSING MAT'L:		NYLON 6/6 94V-2 NATURAL		HOUSING MAT'L:		NYLON 6/6 94V-0 NATURAL		HOUSING MAT'L:		NYLON 6/6 94V-2 NATURAL		HOUSING MAT'L:		NYLON 6/6 94V-0 NATURAL	
	PACKAGING:		PK-5566-001		PACKAGING:		PK-5566-001		PACKAGING:		PK-5566-001		PACKAGING:		PK-5566-001	
C	PART NO.	ENG NO.	CKTS		PART NO.	ENG NO.	CKTS		PART NO.	ENG NO.	CKTS		PART NO.	ENG NO.	CKTS	
		5566 -02B2S	2	*		5566 -02B2S-210	2	*	46999-0612	5566-02A2MS	2	*	46999-0621	5566-02A2MS-210	2	*
	39-30-6047	5566 -04B2S	4	*	39-30-6048	5566 -04B2S-210	4	*	46999-0501	5566-04A2MS	4	*	46999-0502	5566-04A2MS-210	4	*
	39-30-6067	5566 -06B2S	6	*	39-30-6068	5566 -06B2S-210	6	*	50-34-8559	5566-06A2MS	6	*	50-34-8562	5566-06A2MS-210	6	*
	39-30-6087	5566 -08B2S	8	*	39-30-6088	5566 -08B2S-210	8	*	46999-0613	5566-08A2MS	8	*	50-34-8563	5566-08A2MS-210	8	*
B	39-30-6107	5566 -10B2S	10	*	39-30-6108	5566 -10B2S-210	10	*	46999-0614	5566-10A2MS	10	*	46999-0622	5566-10A2MS-210	10	*
	39-30-6127	5566 -12B2S	12	*		5566 -12B2S-210	12	obselete	46999-0615	5566-12A2MS	12	*	46999-0623	5566-12A2MS-210	12	*
	39-30-6147	5566 -14B2S	14	*	39-30-6148	5566 -14B2S-210	14	*	46999-0616	5566-14A2MS	14	*	50-34-8561	5566-14A2MS-210	14	*
	39-30-6167	5566 -16B2S	16	*	39-30-6168	5566 -16B2S-210	16	*	46999-0617	5566-16A2MS	16	*	46999-0624	5566-16A2MS-210	16	*
	39-30-6187	5566 -18B2S	18	*	39-30-6188	5566 -18B2S-210	18	*	46999-0618	5566-18A2MS	18	*	50-34-8564	5566-18A2MS-210	18	*
A	39-30-6207	5566 -20B2S	20	*	39-30-6208	5566 -20B2S-210	20	*	50-34-8560	5566-20A2MS	20	*	50-34-2357	5566-20A2MS-210	20	*
	39-30-6227	5566 -22B2S	22	*	39-30-6228	5566 -22B2S-210	22	*	46999-0619	5566-22A2MS	22	*	46999-0625	5566-22A2MS-210	22	*
	39-30-6247	5566 -24B2S	24	*	39-30-6248	5566 -24B2S-210	24	*	46999-0620	5566-24A2MS	24	*	50-34-8566	5566-24A2MS-210	24	*
		-				-										
		-				-										

PART NUMBERS MARKED IN "*" IN THIS SHEET ARE NOT RECOMMENDED FOR NEW APPLICATION.
ALL WITH DRAIN HOLE VERSION PRODUCTS ARE CHANGED TO WITHOUT DRAIN HOLE VERSION PRODUCTS.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


DIMENSION UNITS

IN/MM

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	± 0.015
2 PLACES	± 0.38	± 0.02
1 PLACE	± 0.5	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION 	

CURRENT REV DESC:

EC NO: 784313
DRWN: JERRYW8
CHK'D: XQZHANG
APPR: XQZHANG

2023/08/10
2024/09/11
2024/09/11

INITIAL REVISION:

DRWN: RJF
APPR: FSMITH

1987/08/19
2012/01/10

molex

MINIFIT JR VERT HDR ASSY'S W/ PEGS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

55660021-SD

DOC TYPE

PSD

DOC PART

000

REVISION

A4

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

3 OF 4

DOCUMENT STATUS

P1

RELEASE DATE

2024/09/11 06:39:17

12

11

10

9

8

7

6

5

4

3

2

1

12				11				10				9				8				7				6				5				4				3				2				1			
PLATING:				35 M.I. TIN				PLATING:				35 M.I. TIN				PLATING:								PLATING:																							
DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:								DRAIN HOLES:																							
MTG. OPTION:				WITH PEGS				MTG. OPTION:				WITH PEGS				MTG. OPTION:								MTG. OPTION:																							
HOUSING MAT'L:				NYLON 6/6 94V-2 (BLACK)				HOUSING MAT'L:				NYLON 6/6 94V-0 NATURAL				HOUSING MAT'L:								HOUSING MAT'L:																							
PACKAGING:				PK-5566-001				PACKAGING:				55660000-RPK				PACKAGING:								PACKAGING:																							
PART NO.		ENG NO.		CKTS				PART NO.		ENG NO.		CKTS				PART NO.		ENG NO.				CKTS		PART NO.		ENG NO.						CKTS															
		-						39-29-9300		5566-02A2-210TR		2																																			
39-31-9048		5566 -04A2-BL		4						-																																					
		-								-																																					
39-31-9088		5566 -08A2-BL		8						-																																					
		-								-																																					
		-								-																																					
		-								-																																					
		-								-																																					
		-								-																																					
		-								-																																					
		-								-																																					
		-								-																																					
		-								-																																					
		-								-																																					
PLATING:								PLATING:				100 M.I. MATTE TIN				PLATING:								PLATING:																							
DRAIN HOLES:								DRAIN HOLES:				WITHOUT DRAIN HOLES				DRAIN HOLES:								DRAIN HOLES:																							
MTG. OPTION:								MTG. OPTION:				WITH PEGS				MTG. OPTION:								MTG. OPTION:																							
HOUSING MAT'L:								HOUSING MAT'L:				NYLON 6/6 94V-0 BLACK				HOUSING MAT'L:								HOUSING MAT'L:																							
PACKAGING:								PACKAGING:				PK-5566-001				PACKAGING:								PACKAGING:																							
PART NO.		ENG NO.				CKTS		PART NO.		ENG NO.		CKTS				PART NO.		ENG NO.				CKTS		PART NO.		ENG NO.						CKTS															
								46999-0335		5566-02A2MS-400		2																																			
								46999-0336		5566-04A2MS-400		4																																			
								46999-0337		5566-06A2MS-400		6																																			
								46999-0338		5566-08A2MS-400		8																																			
								46999-0339		5566-10A2MS-400		10																																			
								46999-0340		5566-12A2MS-400		12																																			
								46999-0341		5566-14A2MS-400		14																																			
								46999-0342		5566-16A2MS-400		16																																			
								46999-0343		5566-18A2MS-400		18																																			
								46999-0344		5566-20A2MS-400		20																																			
								46999-0345		5566-22A2MS-400		22																																			
								46999-0346		5566-24A2MS-400		24																																			
										-																																					
										-																																					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

IN/MM

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	± 0.015
2 PLACES	± 0.38	± 0.02
1 PLACE	± 0.5	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

CURRENT REV DESC:

EC NO: 784313

DRWN: JERRYW8

CHK'D: XQZHANG

APPR: XQZHANG

INITIAL REVISION:

DRWN: RJF

APPR: FSMITH

THIRD ANGLE PROJECTION

C-SIZE

2023/08/10

2024/09/11

2024/09/11

SERIES

5566

DOCUMENT NUMBER

55660021-SD

DOC TYPE

PSD

DOC PART

000

REVISION

A4

SHEET NUMBER

4 OF 4

MINIFIT JR VERT HDR ASSY'S W/ PEGS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

55660021-SD

DOC TYPE

PSD

DOC PART

000

REVISION

A4

SHEET NUMBER

4 OF 4

DOCUMENT STATUS	P1	RELEASE DATE	2024/09/11	06:39:17
-----------------	----	--------------	------------	----------

12

11

10

9

8

7

6

5

4

3

2

1