




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Coding & Keying**

Connector Hardware Accessory Type: **Keying Plug**

Primary Product Color: **Natural**

Primary Product Material: **Nylon 6/6**

Operating Temperature (Max): **105 °C [ 221 °F ]**

Features

Product Type Features

|                                   |                 |
|-----------------------------------|-----------------|
| Hardware Accessory Function       | Coding & Keying |
| Connector Hardware Accessory Type | Keying Plug     |

Body Features

|                          |           |
|--------------------------|-----------|
| Primary Product Color    | Natural   |
| Primary Product Material | Nylon 6/6 |

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature (Max) | 105 °C[221 °F]             |
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |

Other

|                    |           |
|--------------------|-----------|
| EU RoHS Compliance | Compliant |
| EU ELV Compliance  | Compliant |

Industry Standards

|                        |          |
|------------------------|----------|
| UL Flammability Rating | UL 94V-2 |
|------------------------|----------|

Packaging Features

|  |  |
|--|--|
|  |  |
|--|--|



|                    |      |
|--------------------|------|
| Packaging Method   | Bag  |
| Packaging Quantity | 2500 |

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                       |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JUNE 2024 (241)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                             |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                    |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-103156-RECHS  
Connector Housing, Rectangular, 3.96 mm, 1 Row



TE Part # CAT-103156-WBHSM  
Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156



TE Part # 640254-1  
KEYING PLUG .045 SQ PST CONN



TE Part # 2-2132074-0  
20Pos SL156 Contact Retainer



TE Part # 2327576-1  
06P SL156 HSG NO3P THRU BD LTH  
UL94V0

TE Part # 3-770849-2  
02P SL156 HSG W/LCK RMP & TABS  
BLACK

TE Part # 5-770849-2  
02P SL156 HSG W/LCK RMP & TABS  
RED

Also in the Series

SL-156

Connector Contacts(23)

Connector Hardware(4)

Insertion & Extraction Tools(1)

Rectangular Connector Housings(10)

Wire-to-Board Connector Assemblies  
& Housings(140)

Customers Also Bought

TE Part #1-640251-0  
Receptacle Housing: Wire-to-Board,  
no Mating Alignment, SL 156

TE Part #2-382811-1  
SHUNT, ECON, PHBRN, BLACK

TE Part #794954-6  
6P RCPT VAL-U-LOK V2

TE Part #60773-2  
SPADE TERMINAL 18-14 AWG TPBR

TE Part #640254-1  
KEYING PLUG .045 SQ PST CONN

TE Part #1-66100-9  
III+ SKT,18-16,TIN ,STRIP

TE Part #282847-4  
TERMI-BLOK PCB MOUNT 35 4P.5

TE Part #2-36161-2  
TERM, PIDG, R, 12-10, #10, T&R





Documents

Product Drawings

KEYING PIN .045 SQ PST CONN

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_640255-1\_J\_c-640255-1-j.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_640255-1\_J\_c-640255-1-j.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_640255-1\_J\_c-640255-1-j.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

Japanese

Application Specification

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

Japanese

Application Specification

English

Agency Approvals

CSA Certificate

English