




Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Connector Assembly**

Connector & Housing Type: **Receptacle**

Mating Alignment: **With**

Mating Alignment Type: **Keyed**

Mating Retention: **With**

Features

Product Type Features

Connector Product Type	Connector Assembly
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Mechanical Attachment

Mating Alignment	With
Mating Alignment Type	Keyed
Mating Retention	With
Mating Retention Type	Locking Latch
Connector Mounting Type	Cable Mount (Free-Hanging)

Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)
------------------------------------	-------------------------------

Operation/Application



Shielded	No
----------	----

Circuit Application	Power
---------------------	-------

Contact Features

Contact Mating Area Plating Material	Silver
--------------------------------------	--------

Contact Retention Within Housing	Without
----------------------------------	---------

Contact Current Rating (Max)	16 A
------------------------------	------

Contact Layout	Inline
----------------	--------

Wire Contact Termination Area Plating Material	Silver
--	--------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Compatible With Agency/Standards Products	UL
---	----

Configuration Features

Number of Positions	3
---------------------	---

Number of Rows	1
----------------	---

Number of Columns	3
-------------------	---

Number of Loaded Positions	3
----------------------------	---

Contacts Preloaded	Yes
--------------------	-----

Housing Features

Centerline (Pitch)	5 mm [.196 in]
--------------------	----------------

Housing Material	PA 6.6
------------------	--------

Housing Color	Natural
---------------	---------

Electrical Characteristics

Operating Voltage	250 VDC
-------------------	---------

Usage Conditions

Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]
-----------------------------	-----------------------------

Other

EU RoHS Compliance	Compliant
--------------------	-----------

EU ELV Compliance	Compliant
-------------------	-----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability





Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | RAST 5 IDC Connectors







PCB Headers & Receptacles(417)



Rectangular Connector Housings(1)



Standard Edge Connectors(32)




Standard Rectangular Connectors(63)



Wire-to-Board Connector Assemblies & Housings(203)

Customers Also Bought



TE Part #3-1534796-4
AMP DUOPLUG MK2 CONNECTOR
4P S




TE Part #336075-3
250 FASTON,REC.,20-16 AWG,PTBR



TE Part #3-1534798-3
AMP DUOPLUG MK2 CONNECTOR
3P SELECTIVE



TE Part #1534073-4
MULTIFIT MK2 ASSY4P,AR




TE Part #1-1534072-3
MULTIF.ASSY MK2 3POS,AR




TE Part #1534073-2
MULTIFIT MK2 ASSY2P



TE Part #8-1534796-6
AMP DUOPLUG MK2 CONNECTOR 6P



TE Part #2-1534797-2
AMP DUOPLUG MK2 CONNECTOR
12P



TE Part #2314657-6
AMP DUOPLUG MK2 CONNECTOR
6P. SELECTIVE



TE Part #7-1740533-3
AMP DUOPLUG POW CONN. 3POS
W.PCB LOCKING

Documents



Product Drawings

[MULTIFIT MK2 ASSY3P](#)

English

[MULTIFIT MK2 ASSY3P](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1534073-3_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1534073-3_K.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1534073-3_K.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[RAST Connector System Catalog](#)

English

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

English

Agency Approvals

[VDE Certificate](#)

English

[VDE Certificate](#)

English