




Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: Pin

Compatible Insulation Diameter Range: 2 – 2.5 mm, 2.5 mm [.079 – .098 in, .098 in]

Wire Size: 642 – 1624 CMA

Features

Contact Features

Crimp Wire Terminal Type	Pin
Barrel Type	Open
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Dimensions

Compatible Insulation Diameter Range	2 – 2.5 mm, 2.5 mm[.079 – .098 in][.098 in]
Wire Size	642 – 1624 CMA
Barrel Inside Diameter	1.05 mm[.041 in]
Terminal Material Thickness	.33 mm[.013 in]
Overall Product Length	10.9 mm[.43 in]

Packaging Features

Packaging Method	Reel
Packaging Quantity	15000

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Product Type Features

--	--



Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 926867-2
[AM WIRE PIN 13-10 .013 PTPB](#)




TE Part # 1-925552-0
[AM WIRE PIN 20-17 AWG .0126 PTPB](#)



TE Part # 2150821-1
[OCEAN_2.0_APPLICATOR-E-080F110F-REM](#)



TE Part # 2150821-2
[OCEAN_2.0_APPLICATOR-E-080F110F-REA](#)



KIT
REPRESENTATION ONLY

TE Part # 7-2150821-7
[OCEAN_2.0_SPARE_PART_KIT-080F110F](#)


Customers Also Bought



TE Part #1-338096-1
[MICRO-MATCH COSI CONTACT](#)



TE Part #3-640428-7
[07P MTA156 CONN ASSY 22AWG RED](#)




TE Part #1761608-5
[IDC LOW PRO HDR 14P VERT SHT L](#)



TE Part #41125
[RING 12-10 AWG TPBR](#)




TE Part #8-1676481-4
[CPF 0603 24K 0.1% 25PPM 1K RL](#)



TE Part #2-1761713-7
[IDC LOW PRO HDR 20P VERT SHT L](#)



TE Part #62820-1
[PIN 093 CRIMP TAB 22-16 AWG PTPBR](#)



TE Part #1-1623746-0
[ER74 1K0 5% AMMO PK](#)



TE Part #465333-1
[SLUG BLADE](#)

Documents



Product Drawings

AM WIRE PIN 22-18 .013 PTPB

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_925667-2_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_925667-2_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_925667-2_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.