




TE Internal #: 414002-2

SMB RF Interface, Plug, 50 ohm, RG 174 Double Shield / RG 188 Double Shield / RG 316 Double Shield, Snap-Fit, 4 GHz Operating Frequency

[View on TE.com >](#)

Connectors > RF Connectors > Coax Connectors > SMB Connector: Plug, Mated Outer Dia. 4.75mm, 50 Ohm



RF Interface: **SMB**

RF Connector Style: **Plug**

RF Connector Mated Outer Diameter (Approximate): **4.75 mm [.187 in]**

Impedance: **50 Ω**

Compatible With RF Cable Type: **RG 188 Double Shield, RG 316 Double Shield, RG 174 Double Shield**

[All SMB Connector: Plug, Mated Outer Dia. 4.75mm, 50 Ohm \(13\)](#)

Features

Product Type Features

RF Interface	SMB
RF Connector Style	Plug
Compatible With RF Cable Type	RG 188 Double Shield, RG 316 Double Shield, RG 174 Double Shield
Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector Shape	Circular
Connector Product Type	Connector Assembly

Dimensions

RF Connector Mated Outer Diameter (Approximate)	4.75 mm[.187 in]
---	------------------

Electrical Characteristics

Impedance	50 Ω
-----------	------



Mechanical Attachment

RF Connector Coupling Mechanism	Snap-Fit
RF Contact Captivation Method	Mechanical
Detent	With

Operation/Application

Operating Frequency	4 GHz
---------------------	-------

Configuration Features

Number of Positions	1
Number of Coaxial Contacts	1

Usage Conditions

Operating Temperature Range	-65 – 85 °C[-85 – 185 °F]
-----------------------------	---------------------------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Body Features

Cable Connector Orientation	Right Angle
Body Material	Brass
Body Plating Material	Gold
Body Underplating Material	Nickel

Contact Features

RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Beryllium Copper
RF Connector Center Contact Underplating Material	Nickel

Other

Dielectric Material	PTFE
EU RoHS Compliance	Compliant with Exemptions
EU ELV Compliance	Compliant with Exemptions
Outer Contact Plating Material	Gold over Nickel
Grade	Mil-Type

Packaging Features

Packaging Method	Carton
------------------	--------

Product Compliance




For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

 TE Part # CAT-884-SMBF50 SMB Connector: Plug, Mated Outer Dia. 4.75mm, 50 Ohm	 TE Part # CAT-884-SMBV50 SMB Connector: Jack, Vertical Mount, Mated Outer Dia. 4.75mm, 50 Ohm	 TE Part # CAT-884-SMBMRA50 SMB Connector: Jack, Right-Angle Mount, Mated Outer Dia. 4.75mm	 TE Part # CAT-884-SMBMSF50 SMB RF Connector: Jack, Snap Fit, 50 Ohm
--	---	---	--





TE Part # 228553-1
[SMB COMML BLKHD ADAPTER](#)



TE Part # 58483-1
[TRIPLE HEX DIE ASSY SMB](#)

Customers Also Bought




TE Part #208495-1
[CMC RECEPTACLE ASSY,SIZE 22](#)



TE Part #2-173983-6
[AMP CT MT AMP-IN HDR-H YEL 6P](#)



TE Part #1-104257-9
[20 MTE RCPT HSG SR LATCH .100](#)




TE Part #102548-6
[MOD IV RECP LP](#)



TE Part #1408149-1
[MMCX RT ANGLE PLUG - CRIMP ATT](#)



TE Part #217885-6
[CRIMPER, WIRE \"F\"](#)



TE Part #4-690512-9
[COMBINATION ANVIL](#)



TE Part #ES43472001
[EVDW-24/8-3-STK](#)



TE Part #91067-1
[INSERTION/EXTRACTION TOOL](#)

Documents

Product Drawings
[PLUG,CABLE,RTANG,SMB,AUPLTD](#)
English

CAD Files
[3D PDF](#)
3D
Customer View Model
[ENG_CVM_CVM_414002-2_K2.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_414002-2_K2.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_414002-2_K2.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SMB Connectors

English

Instruction Sheets

Instruction Sheet (U.S.)

English