



SHUR-PLUG 180

TE Internal #: 170889-3
Receptacle, Receptacle, 1 Position, Straight, Natural, Soft Vinyl Chloride, -40 – 105 °C [-40 – 221 °F], SHUR-PLUG 180, Crimp Terminal Housings

[View on TE.com >](#)

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**
Connector & Housing Type: **Receptacle**
Number of Positions: **1**
Terminal Orientation: **Straight**
Primary Product Color: **Natural**

Features

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	Without

Product Type Features

Connector & Housing Type	Receptacle
Connector & Contact Terminates To	Wire & Cable
Sealable	No

Configuration Features

Number of Positions	1
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Housing Features

Housing Material	Soft Vinyl Chloride
------------------	---------------------



Mechanical Attachment

Mating Alignment	Without
Mating Alignment Type	None

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Dimensions

Product Length	34 mm[1.338 in]
Compatible Insulation Diameter Range	3.5 – 4 mm

Packaging Features

Packaging Quantity	1000
--------------------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 170887-1
SLEEVE DIA5 SHUR PLUG NAT



TE Part # 170889-2
SLEEVE DIA3 SHUR PLUG NAT



TE Part # 170887-3
IS SHUR PLG 5 DIA NAT



TE Part # 1217070-1
SHUR PLUG 180 RECEPTACLE 12-8
AWG TPBR



TE Part # 1217606-1
.156 DIA SHUR PLUG PTPBR




TE Part # 170889-1
SLEEVE DIA5 SHUR PLUG NAT



TE Part # 170887-4
SLEEVE DIA5 SHUR PLUG NAT



TE Part # 1217074-2
SHUR PLUG,180,REC.,2 X 8 AWG,TPBR



TE Part # 42531-3
180 SHPL REC 20-16 016PHBZ

Also in the Series | SHUR-PLUG 180



Crimp Terminal Housings(6)




Crimp Wire Pins, Tabs & Ferrules(37)




Special Purpose Terminals(1)


Customers Also Bought




TE Part #1-321235-0
RECEPT,FASTON SPLICE 22-10



TE Part #2-521104-2
ULTRA-FAST 187 ASY REC 22-18 TPBR



TE Part #3-520150-2
ULTRA-FAST 187 ASY REC 16-14 AWG TPBR



TE Part #2-520261-2
ULTRA-FAST 187 ASY REC 22-18 TPBR




TE Part #63854-2
250 PL MKIII REC. 18-14AWG TPBR




TE Part #41728
250 FASTON REC 16-12 AWG TPBR



TE Part #170889-1
SLEEVE DIA5 SHUR PLUG NAT



TE Part #1-480416-0
FASTON 250 REC HSG NYLON NAT



TE Part #170020-3
SHUR PLUG 20-14 MM2 BRIGHT DIP OIL BR



TE Part #2271203-1
2PIN WIRE TO WIRE CONNECTOR

Documents

Product Drawings

SLEEVE DIA5 SHUR PLUG NAT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_170889-3_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_170889-3_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_170889-3_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.