




Terminals & Splices > Automotive Terminals > ROUND CONNECTOR SYSTEM, PIN AND SOCKET



Terminal Type: **Socket**

Mating Pin Diameter: **2.5 mm [.098 in]**

Terminal Transmits: **25 – 40 A (Power)**

Wire Size: **1 – 2.5 mm²**

All ROUND CONNECTOR SYSTEM, PIN AND SOCKET (47)

Features

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	3000

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	130 °C, 80 °C, 125 °C, 105 °C, 90 °C, 100 °C, 85 °C, 110 °C, 120 °C[248 °F][221 °F][230 °F][176 °F][194 °F][185 °F][212 °F][266 °F][257 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Product Type Features

Receptacle Style	180°
Sealable	Yes
Primary Locking Feature	Locking Lance



Dimensions

Compatible Insulation Diameter Range	2.2 – 3 mm[.086 – .118 in]
Wire Size	1 – 2.5 mm ²
Wire Size Search	2.5 mm ² , 1.25 mm ² , 2 mm ² , 1 mm ² , 1.5 mm ²

Contact Features

Typical Current Rating	34 A
Crimp Type	F-Crimp
Contact Size	2.5mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Socket
Mating Pin Diameter	2.5 mm[.098 in]
Interface Plating	Tin (Sn)

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Other

Terminal Transmits	25 – 40 A (Power)
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-C4962-CH8172 Circular DIN Housings	 TE Part # 828921-1 EINZELADERDICHTUNG	 TE Part # 58606-1 PROCRIMP 1.5 & 2.5MM PIN/SEAL	 TE Part # 1-1579007-8 EXTRACTION TOOL
 TE Part # 1-2349482-1 4 POS DIA 2.5 SOCKET CONNECTOR HSG	 TE Part # 1-2349482-2 3 POS DIA 2.5 SOCKET CONNECTOR HSG	 TE Part # 1-2349482-3 2 POS DIA 2.5 SOCKET CONNECTOR HSG	 TE Part # 2151345-1 OCEAN_2.0_APPLICATOR-S-100F1700-RSM
 TE Part # 2151345-2 OCEAN_2.0_APPLICATOR-S-100F1700-RSA	 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	 TE Part # 3-1813099-2 2.5mm SOCKET HSG ASSEMBLY (GREEN 3POS)	 TE Part # 5-2151345-1 OCEAN_2.0_APPLICATOR-S-100F1700-RSM
 TE Part # 5-2151345-2 OCEAN_2.0_APPLICATOR-S-100F1700-RSA	 TE Part # 58606-2 PC DIE 1.5 & 2.5 PIN W/S	 TE Part # 7-2151345-7 OCEAN_2.0_SPARE_PART_KIT-100F1700	 TE Part # 7-2266057-7 OC-100F1700-752-CRIMPTOOLINGKIT



Also in the Series | Round Connector System

Automotive Connector Caps & Covers (5)	Automotive Housings(12)	Automotive Terminals(47)	Connector Seals & Cavity Plugs(5)
DIN Connectors(3)	Insertion & Extraction Tools(8)		

Customers Also Bought

TE Part #4-1719434-1 Circular DIN Housings	TE Part #160181-2 RING TONGUE IS 3.1-5.3 MM2 TPBR	TE Part #828922-1 2,5MM CAVITY PLUG FOR 5,4MM DI	TE Part #929967-1 ROUND CONNECTOR SYSTEM, PIN AND SOCKET
TE Part #828985-1 RUBBER PLUG >2,5-4,0MM2	TE Part #1804296006 LSTT-3.2-0-20MM	TE Part #160655-5 FF 110 REC 20-15 AWG SLIPB	TE Part #626094-1 TERMINAL, .250 FASTIN-ON REC

Documents

Product Drawings
BU-KONTAKT 2,5MMD

English

CAD Files
Customer View Model
ENG_CVM_929975-1_A5.3d_igs.zip



English

Customer View Model

[ENG_CVM_929975-1_A5.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_929975-1_A5.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

German

[Application Specification](#)

English