


NOTES

- 梱包数量： 3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
- リードテープ長さ
LEAD TAPE LENGTH



引き出し方向
PULL OUT
DIRECTION



- カバートープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
- 製品詳細寸法については、図面 5052781000/1001を参照下さい。
FOR DIMINTIONS OF PRODUCT, REFER TO 5052781000/1001.
- 材料 MATERIAL
キャリアテープ：ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ：ポリエチレンテレフタレート、ポリエチレン
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE
リール：ポリスチレン<リサイクル材を含む>
REEL : POLYSTYRENE <RECYCLE MATERIAL CONTAINED >
- ELV及びRoHS適合品 ELV AND RoHS COMPLIANT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
EC NO: 106679 DRWN: YMIZUNO02 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/07/14 2016/07/28 2016/07/29	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® 0.5 FFC CONN ZIF E/O EMBOSSED TAPE PKG							
				MM		2:1									
		ANGULAR TOL ± 1.0 °		DRWN BY		DATE									
		4 PLACES ± 0.03		FSATO		2015/02/09									
		3 PLACES ± 0.03		CHK'D BY		DATE									
		2 PLACES ± 0.05		KTAKAHASHI		2015/02/12									
		1 PLACE ± 0.1		APPR BY		DATE									
		0 PLACES ± 0.2		YNOGAWA		2015/02/12		PRODUCT CUSTOMER DRAWING							
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER			
				A3				505278		SEE CHART		GENERAL			
						DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER			
						5052780000		PSD		000		1 OF 2			

RELEASE STATUS	P1	RELEASE DATE	29.07.2016	04:59:56
----------------	----	--------------	------------	----------



SECT. 1-1					2	CONNECTOR SEIRES NO.505278**22				
20.2	40.4	44	49.4	45.4	25.9	29.9	31	5052785033	50	
					23.4	27.4	28.5	5052784533	45	
					20.9	24.9	26	5052784033	40	
					18.4	22.4	23.5	5052783533	35	
14.2	28.4	32	37.4	33.4	15.9	19.9	21	5052783033	30	
					14.9	18.9	20	5052782833	28	
					13.9	17.9	19	5052782633	26	
					12.9	16.9	18	5052782433	24	
					11.9	15.9	17	5052782233	22	
11.5	---	24	29.4	25.4	10.9	14.9	16	5052782033	20	
					10.4	14.4	15.5	5052781933	19	
					9.9	13.9	15	5052781833	18	
					9.4	13.4	14.5	5052781733	17	
					8.9	12.9	14	5052781633	16	
					8.4	12.4	13.5	5052781533	15	
					7.9	11.9	13	5052781433	14	
					7.4	11.4	12.5	5052781333	13	
					6.9	10.9	12	5052781233	12	
					6.4	10.4	11.5	5052781133	11	
					5.9	9.9	11	5052781033	10	
					5.4	9.4	10.5	5052780933	9	
					4.9	8.9	10	5052780833	8	
					4.4	8.4	9.5	5052780733	7	
					3.9	7.9	9	5052780633	6	
3.4	7.4	8.5	5052780533	5						
7.5	---	16	21.4	17.4	2.9	6.9	8	5052780433	4	
H	G	F	E	D	C	B	A	EMBOSSED PACKAGE		Ckt
								オーダー番号 ORDER NO.		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 106679 DRWN: YMIZUNO02 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/07/14 2016/07/28 2016/07/29	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®			
		ANGULAR TOL ± 1.0 °		MM	2:1				
		4 PLACES	± 0.03	DRWN BY FSATO		DATE 2015/02/09			
		3 PLACES	± 0.03	CHK'D BY KTAKAHASHI		DATE 2015/02/12		0.5 FFC CONN ZIF E/O EMBOSSED TAPE PKG	
		2 PLACES	± 0.05	APPR BY YNOGAWA		DATE 2015/02/12			
		1 PLACE	± 0.1	DRAWING SIZE A3		THIRD ANGLE PROJECTION		PRODUCT CUSTOMER DRAWING	
D	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				505278		GENERAL	
						SEE CHART			
						DOCUMENT NUMBER 5052780000		DOC TYPE PSD	DOC PART 000
								SHEET NUMBER 2 OF 2	

RELEASE STATUS P1 RELEASE DATE 29.07.2016 04:59:56

9 8 7 6 5 4 3 2 1

