





NOTES:

- 1.梱包数量 : 380/リール
NUMBER OF CONNECTORS : 380PIECES/REEL
- 2.リードテープ長さ
LEAD TAPE LENGTH
- 3.材料
MATERIALS
キャリアテープ : ポリスチレン(PS)
CARRIER TAPE : POLYSTYRENE(PS)
トップテープ : ポリエステル(PET)、その他
TOP TAPE : POLYESTER(PET)、OTHER
リール : ポリスチレン(PS) リサイクル材を含む
REEL : POLYSTYRENE(PS) RECYCLE MATERIAL CONTAINED
- 4.製品詳細寸法については製品単体図面を参照して下さい。
FOR THE DETAIL OF CONNECTOR DIMENSIONS,
PLEASE REFER TO THE DRAWING OF CONNECTOR.

78.1	73.5	68.4	34.2	$72^{+0.4}_{-0.3}$	2011972400	40
					201197 040*	40
					201197 038*	38
61.4	57.4	52.4	26.2	56 ± 0.3	201197 036*	36
					201197 034*	34
					201197 032*	32
					201197 030*	30
					201197 028*	28
49.4	45.4	40.4	20.2	44 ± 0.3	201197 026*	26
					201197 024*	24
					201197 022*	22
					201197 020*	20
					201197 018*	18
37.4	33.4	28.4	14.2	32 ± 0.3	201197 016*	16
					201197 014*	14
					201197 012*	12
E	D	C	B	A エンボステープ幅 WIDTH OF TAPE	201197 010*	10
					オーダー番号 ORDER NO.	極数 CKT NO.


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: RETRACTED AS PER PCN#517165						molex SPOT-ON 2.0 W/B DUAL ROW EMBSTP PKG PRODUCT CUSTOMER DRAWING					
mm		NTS		EC NO: 831181 DRWN: PONNAM2025/08/08 CHK'D: GGA2025/08/22 APPR: GGA2025/08/22 INITIAL REVISION: DRWN: MHAYASHI2017/08/15 APPR: TKANEKO2017/08/24											
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.2													
3 PLACES		± 0.2													
2 PLACES		± 0.2													
1 PLACE		± 0.2													
0 PLACES		± 0.2													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		201197		SEE CHART				1 OF 2	

DOCUMENT STATUS	P1	RELEASE DATE	2025/08/22	09:40:39
-----------------	----	--------------	------------	----------




MATING
KEY TYPE & COLOR


KEY TYPE:1
MAT No.:201197***0
COLOR:NATURAL




KEY TYPE:2
MAT No.:2011970**1
COLOR:BLACK




KEY TYPE:3
MAT No.:2011970**2
COLOR:RED



KEY TYPE:4
MAT No.:2011970**3
COLOR:YELLOW



嵌合寸法
MATED DIMENSION



YELLOW	RED	BLACK	NATURAL		HSG COLOR
		201197 0401	201197 2400	201197 0400	40
				201197 0380	38
				201197 0360	36
				201197 0340	34
				201197 0320	32
201197 0303	201197 0302	201197 0301		201197 0300	30
				201197 0280	28
		201197 0261			26
		201197 0241			24
		201197 0221		201197 0220	22
		201197 0201			20
		201197 0181		201197 0180	18
		201197 0161		201197 0160	16
		201197 0141		201197 0140	14
		201197 0121	201197 2120	201197 0120	12
		201197 0101		2011970100	10
エンボス梱包 EMBOSSED PKG					極数 CKT NO.
オーダー番号 ORDER NO.					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE
mm	NTS
GENERAL TOLERANCES (UNLESS SPECIFIED)	
ANGULAR TOL	± 3.0 °
4 PLACES	±
3 PLACES	±
2 PLACES	± 0.2
1 PLACE	± 0.2
0 PLACES	± 0.2
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

CURRENT REV DESC:

EC NO: 850622
DRWN: VKAMAK
CHK'D: SMURUGESAN
APPR: SMURUGESAN

INITIAL REVISION:
DRWN: MHAYASHI
APPR: TKANEKO

THIRD ANGLE PROJECTION

2025/10/10
2026/03/17
2026/03/17

2017/08/15
2017/08/24

2017/08/24

A3-SIZE

201197

molex

SPOT-ON 2.0 W/B DUAL ROW SMT PLUG ASSY

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

2011971300-SD

DOC TYPE

PSD

DOC PART

000

REVISION

A4

MATERIAL NUMBER

SEE CHART

CUSTOMER

SHEET NUMBER


2 OF 3

DOCUMENT STATUS	P1	RELEASE DATE	2026/03/17	11:09:51
-----------------	----	--------------	------------	----------

FORMAT: master-b-prod-A3
REVISION: J1
DATE: 2021/05/01

987654321

A




26P-30P
(SCALE=4/1)

推奨基板レイアウト



RECOMMENDED PWB PATTERN LAYOUT

(参考 : メタルマスク厚さ : 120μm, マスク開口率100%)


(REFERENCE : STENCIL THICKNESS : 120μm, APERTURE RATIO : 100%)




KAPTON TAPE




10P-12P




14P-18P



20P-24P



32P-40P

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE NTS 2:1		CURRENT REV DESC: EC NO: 850622 DRWN: VKAMAK 2025/10/10 CHK'D: SMURUGESAN 2026/03/17 APPR: SMURUGESAN 2026/03/17 INITIAL REVISION: DRWN: MHAYASHI 2017/08/15 APPR: TKANEKO 2017/08/24			molex SPOT-ON 2.0 W/B DUAL ROW SMT PLUG ASSY		
mm									
GENERAL TOLERANCES (UNLESS SPECIFIED)							PRODUCT CUSTOMER DRAWING		
ANGULAR TOL ± 3.0 °									
4 PLACES ±									
3 PLACES ±				DOCUMENT NUMBER 2011971300-SD			DOC TYPE PSD	DOC PART 000	REVISION A4
2 PLACES ± 0.2									
1 PLACE ± 0.2									
0 PLACES ± 0.2				MATERIAL NUMBER SEE CHART			CUSTOMER		SHEET NUMBER 3 OF 3
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									
THIRD ANGLE PROJECTION 									
DRAWING A3-SIZE		SERIES 201197							

DOCUMENT STATUS	P1	RELEASE DATE	2026/03/17	11:09:51
-----------------	----	--------------	------------	----------