




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **33100 – 52600 CMA**

Stud Size: **M6**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M6
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Dimensions

Wire Size	33100 – 52600 CMA
Stud Diameter	6.35 mm [.25 in]
Tongue Thickness	.79 mm [.031 in]
Product Length	30.45 mm [1.199 in]
Barrel Inside Diameter	7.11 mm [.28 in]

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------



Operating Temperature Range	170 °C[338 °F]
-----------------------------	----------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Packaging Features

Packaging Method	Loose Piece
Packaging Quantity	500

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	8.426 g
----------------	---------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 59975-1
HYP10 SOLIS 8-2AWG ASSY



TE Part # 31811
TERMINAL,SOLIS R 4 1/4



TE Part # 2844090-1
KIT, BLTI, SOLIS, 8-2 AWG



TE Part # 2844090-2
KIT, BLTI, SOLIS, 8-2 AWG

Customers Also Bought



TE Part #T4171010404-001
M12,REAR MOUNTING,MALE,B,4P,0.2 M WIRE



TE Part #T4113011051-000
M12 M, 5P GOLD A_CODE RA SHIELDED PG7



TE Part #53884-3
HSG ASSY,PWR LK,SRS2,1 POS,BLK



TE Part #63093-1
250 FASTON REC 18-14 AWG TPBR



TE Part #35666
TERMINAL,SOLIS R 8 3/4




TE Part #9-146250-0
80 MODII HDR DRST B/A .100CL




TE Part #1-331420-1
BODY SOLIS RING 4HD 3/8



TE Part #2-321598-3
TERMINAL,SOLIS R 6 1/4 TAPE



TE Part #556136-1
CONT,AMPINNRGY WTW,STRIP,10-12



TE Part #4-1393159-9
20C330=SPRING,HOLD-DOWN,RK,.03

Documents

Product Drawings

[TERMINAL 4 SOLIS RING 1/4](#)

English

CAD Files

[3D PDF](#)

English

[Customer View Model](#)

[ENG_CVM_2-31811-3_H.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_2-31811-3_H.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_2-31811-3_H.3d_stp.zip](#)

English

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_2-31811-3_AA.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_2-31811-3_AA.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_2-31811-3_AA.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English