



Terminals & Splices > Automotive Terminals



Terminal Type: **Socket**
Wire Size: **.205 mm²**
Sealable: **No**
Product Terminates To: **Wire & Cable**

Features

Packaging Features

Packaging Method	Reel
------------------	------

Product Type Features

Sealable	No
----------	----

Contact Features

Terminal Type	Socket
---------------	--------

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Dimensions

Wire Size	.205 mm ²
Tab Length	8.35 mm[.328 in]

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance



For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought






TE Part #4-1718346-1
3POS MQS REC COD D



TE Part #2138558-2
2P GENERATION Y Cap, Single-Pi




TE Part #343445-2
AMP-IN MINI (SPECIAL) 18.5-14 AWG




TE Part #1801176-1
2W RECEPTACLE HP SL CONNECTOR
BLACK



TE Part #215083-6
MICRO-MATCH MOW.06P




TE Part #353537-2
040-3 UNSEALED CONT.TAB(S)GOLD



TE Part #5-968221-5
MQS0.63 Au rec CB unseal. 0,5-0,75



TE Part #172782-7
LOW PROFILE MINI AMP-IN



TE Part #2857523006
44A0111-26-2

Documents

Product Drawings
MINI AMP IN SHORT V

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_444082-2_E_c-444082-2-e.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_444082-2_E_c-444082-2-e.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_444082-2_E_c-444082-2-e.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

444082-2

Socket, 24 AWG Wire Size, .205 mm² Wire Size, Terminates To Wire & Cable, Tab
Length 8.35 mm [.328 in], Automotive Terminals



Application Specification

English