


FEATURES SELECTION GUIDE





CIRCUIT SIZE	FEATURES				
	FRICTION LOCKS		③ DUAL SIDE SLOTS	④ CENTER POLARIZATION	SHEET NO
	① DUAL	② CENTER			
4 TO 6	N.A	N.A	YES	N.A	2 - 3
	N.A	YES	YES	N.A	
8 TO 12	N.A	N.A	YES	YES	4 - 5
	N.A	YES	YES	N.A	
14 TO 50	YES	N.A	YES	YES	6 - 9
	N.A	N.A	YES	YES	

PACKAGING SPECIFICATION TABLE




TAPE AND REEL PACKAGING	PK-87831-300
TUBE STANDARD PACKAGING	PK-87831-001
TUBE NON-STANDARD PACKAGING FOR: 87833-0861 87833-1420	PK-87831-002

FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	DIMENSION UNITS mm SCALE 5:1 GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.200 1 PLACE ± 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CURRENT REV DESC: Adding New Part Numbers STATUS: Production DRWN: Meghraj Boodagatti2026-06-03 CHK'D: Meghraj Boodagatti2026-06-10 APPR: Saravanakumar Murugesan2026-06-10 THIRD ANGLE PROJECTION DRAWING A3-SIZE SERIES 87833		molex MILLIGRID, 2MM PITCH SHROUDED HEADER R/A, THROUGH HOLE PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-87833-0001 DOC TYPE PSD DOC PART 001 REVISION A15 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 1 OF 9	


4 TO 6 CIRCUITS



DETAIL A

ISO VIEW OF HEADER
DUAL SIDE SLOTS



SECTION Z-Z



RECOMMENDED PCB LAYOUT

NOTES:

1. MATERIALS:
HOUSING: 30% GF, NYLON, UL94V-0, COLOR: BLACK.
PIN: 0.50mm SQ. PHOSPHOR BRONZE.
2. FINISHES: REFER TO PLATING OPTIONS.
3. PRODUCT SPECIFICATION: PS-87831-027
4. PACKAGING SPECIFICATION: SEE PACKAGING SPECS TABLE ON SHEET 1
5. MATES WITH: A. MOLEX CRIMP RECEPTACLE HOUSING: 51110 SERIES AND CRIMP TERMINAL: 50394 SERIES.
B. MOLEX 2MM MILLIGRID DUAL ROW IDT: 87568 SERIES.
C. MOLEX 2MM MILLIGRID DUAL ROW RECEPTACLE: 79107 (GOLD PLATED), 78787 (TIN PLATED)
6. FOR ILLUSTRATION PURPOSE, 6 CIRCUITS HEADER IS SHOWN.



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: Adding New Part Numbers			
	DIMENSION UNITS	SCALE				
$\nabla_A = 0$	mm	5:1				
$\nabla_C = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)					
$\nabla_P = 0$	ANGULAR TOL ± 3°					
DIVISIONAL SYMBOLS	4 PLACES	±				
	3 PLACES	±				
	2 PLACES	± 0.200				
	1 PLACE	±				
	0 PLACES	±				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER
				A3-SIZE	87833	SEE TABLE
					CUSTOMER	SHEET NUMBER
					GENERAL MARKET	2 OF 9

STATUS: Production

DRWN: Meghraj Boodagatti

CHK'D: Meghraj Boodagatti

APPR: Saravanakumar Murugesan

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

DOCUMENT NUMBER

SD-87833-0001

DOC TYPE

PSD

DOC PART

001

REVISION

A15

PRODUCT CUSTOMER DRAWING

2026-06-03

2026-06-10

2026-06-10

2026-06-10

2026-06-10

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10

2026-06-03

2026-06-10

2026-06-10




2026-06-03

2026-06-10






2026-06-10

	10	9	8	7	6	5	4	3	2	1	
F	4 TO 6 CIRCUITS										F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A	F
E	D	C	B	A	F	E	D	C	B	A</	

8 TO 12 CIRCUITS



ISO VIEW OF HEADER WITH CENTER POLARIZATION AND DUAL SIDE SLOTS







- NOTES:
- MATERIALS:
HOUSING: 30% GF, NYLON, UL94V-0, COLOR: BLACK
PIN: 0.50mm SQ. PHOSPHOR BRONZE.
 - FINISHES: REFER TO PLATING OPTIONS.
 - PRODUCT SPECIFICATION: PS-87831-027
 - PACKAGING SPECIFICATION: SEE PACKAGING SPECS TABLE ON SHEET 1
 - MATES WITH: A. MOLEX CRIMP RECEPTACLE HOUSING: 51110 SERIES AND CRIMP TERMINAL: 50394 SERIES.
B. MOLEX 2mm MILLIGRID DUAL ROW IDT: 87568 SERIES.
C. MOLEX 2mm MILLIGRID DUAL ROW RECEPTACLE: 79107 (GOLD PLATED), 78787 (TIN PLATED)
 - FOR ILLUSTRATION PURPOSE, 8 CIRCUIT HEADER IS SHOWN.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
	DIMENSION UNITS		SCALE		CURRENT REV DESC: Adding New Part Numbers			molex					
	mm		5:1										
	GENERAL TOLERANCES (UNLESS SPECIFIED)												
ANGULAR TOL		± 3°											
$F_A = 0$	4 PLACES		±		STATUS: Production DRWN: Meghraj Boodagatti 2026-06-03 CHK'D: Meghraj Boodagatti 2026-06-10 APPR: Saravanakumar Murugesan 2026-06-10			MILLIGRID, 2MM PITCH SHROUDED HEADER R/A, THROUGH HOLE					
$F_C = 0$	3 PLACES		±										
$F_P = 0$	2 PLACES		± 0.200										
	1 PLACE		±										
DIVISIONAL SYMBOLS	0 PLACES		±		PRODUCT CUSTOMER DRAWING			DOCUMENT NUMBER SD-87833-0001					
	1 PLACE		±								DOC TYPE PSD		
	2 PLACES		± 0.200										
3 PLACES		±		REVISION A15									
4 PLACES		±					SHEET NUMBER 4 OF 9						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING				SERIES		MATERIAL NUMBER	
						A3-SIZE		87833		SEE TABLE		GENERAL MARKET	

Ø.071 ±0.05 TYP.

DETAIL C



- | | | | | | | | | | | | | |
|--|---|--|---------|--|---|---------|-------|---|---|--------|-----|----------|
| FUNCTIONAL SYMBOLS | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | | | |
| | DIMENSION UNITS | | SCALE | | CURRENT REV DESC: Adding New Part Numbers | | | <div>molex</div> <div>MILLIGRID, 2MM PITCH</div> <div>SHROUDED HEADER R/A, THROUGH HOLE</div> | | | | |
| | mm | | 5:1 | | | | | | | | | |
| | GENERAL TOLERANCES (UNLESS SPECIFIED) | | | | | | | | | | | |
| | ANGULAR TOL | | ± 3° | | | | | PRODUCT CUSTOMER DRAWING | | | | |
| | 4 PLACES | | ± | | DOCUMENT NUMBER | | | | | | | DOC TYPE |
| | 3 PLACES | | ± | | SD-87833-0001 | | | | PSD | 001 | A15 | |
| | 2 PLACES | | ± 0.200 | | | | | | | | | |
| | 1 PLACE | | ± | | STATUS: Production | | | | DRWN: Meghraj Boodagatti 2026-06-03
CHK'D: Meghraj Boodagatti 2026-06-10
APPR: Saravanakumar Murugesan 2026-06-10 | | | |
| | 0 PLACES | | ± | | | | | | | | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | | | | A3-SIZE | 87833 | SEE TABLE | GENERAL MARKET | 6 OF 9 | | |

10	9	8	7	6	5	4	3	2	1																																																				
14 TO 24 CIRCUITS																																																													
CKT SIZE	ASSY. P/N WITHOUT KAPTON IN TUBE	ASSY. P/N WITH KAPTON IN TUBE	ASSY. P/N WITH KAPTON IN T&R	ASSY. P/N WITHOUT KAPTON IN T&R	PLATING OPTIONS	FRICTION LOCKS		DUAL SIDE SLOTS	CENTER	DIMENSION																																																			
						DUAL	CENTER			A	B	C	D	E	F	G (SOLDER TAIL)																																													
14	87833-1419	N.A	N.A	N.A	1	YES	N.A	YES	YES	16.65	12.00	15.00	14.85	8.00	N.A	2.16																																													
	87833-1420	N.A	N.A	N.A	2																																																								
	87833-1421	N.A	N.A	N.A	3																																																								
	87833-5320	N.A	N.A	N.A	2	YES	N.A	YES	YES																																																				
	87833-5321	N.A	N.A	N.A	3																																																								
	87833-1436	N.A	N.A	N.A	3																																																								
	87833-7520	N.A	87833-7420	N.A	2	YES	N.A	YES	YES								1.70																																												
16	87833-1619	N.A	N.A	N.A	1	YES	N.A	YES	YES	18.65	14.00	17.00	16.85	10.00	N.A	2.16																																													
	87833-1620	N.A	N.A	N.A	2																																																								
	87833-1621	N.A	87833-7821	N.A	3																																																								
	87833-6120	N.A	87833-7120	N.A	2	YES	N.A	YES	YES								3.18																																												
18	87833-1819	N.A	N.A	N.A	1	YES	N.A	YES	YES	20.65	16.00	19.00	18.85	12.00	N.A	2.16																																													
	87833-1820	N.A	N.A	N.A	2																																																								
	87833-1821	N.A	N.A	N.A	3																																																								
	87833-6220	N.A	N.A	N.A	2	YES	N.A	YES	YES								3.18																																												
20	87833-2019	N.A	N.A	N.A	1	YES	N.A	YES	YES	22.65	18.00	21.00	20.85	14.00	N.A	2.16																																													
	87833-2020	N.A	87833-7220	N.A	2																																																								
	87833-2021	N.A	N.A	N.A	3																																																								
	87833-6520	N.A	N.A	N.A	2	YES	N.A	YES	YES																																																				
	87833-6521	N.A	N.A	(A14) 87833-2037	3																																																								
	87833-2036	N.A	N.A	N.A	3												YES	N.A	YES	YES	3.50																																								
22	87833-2219	N.A	N.A	N.A	1	YES	N.A	YES	YES	24.65	20.00	23.00	22.85	16.00	N.A	2.16																																													
	87833-2220	N.A	N.A	N.A	2																																																								
	87833-2221	N.A	N.A	N.A	3																																																								
24	87833-2419	N.A	N.A	N.A	1	YES	N.A	YES	YES	26.65	22.00	25.00	24.85	18.00	N.A	2.16																																													
	87833-2420	N.A	87833-7020	N.A	2																																																								
	87833-2421	N.A	N.A	N.A	3																																																								
	87833-7320	N.A	N.A	N.A	2	YES	N.A	YES	YES								2.00																																												
	87833-2436	N.A	N.A	N.A	3	YES	N.A	YES	YES								3.50																																												
	87833-6920	N.A	N.A	N.A	2	YES	N.A	YES	YES								3.27																																												
PLATING OPTIONS: 1 - 0.05-0.13µm/2-5µin GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL. 2 - 0.38µm/15µin MIN. GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL. 3 - 0.76µm/30µin MIN. GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL.										<table><tr><td rowspan="10">FUNCTIONAL SYMBOLS</td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td>DIMENSION UNITS</td><td>SCALE</td></tr><tr><td>mm</td><td>1:1</td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td>ANGULAR TOL</td><td>± 3°</td></tr><tr><td>4 PLACES</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td></tr><tr><td>2 PLACES</td><td>± 0.200</td></tr><tr><td>1 PLACE</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td></tr><tr><td rowspan="10">DIVISIONAL SYMBOLS</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr><tr><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>DRAWING</td><td>SERIES</td></tr><tr><td>A3-SIZE</td><td>87833</td></tr><tr><td colspan="2">MATERIAL NUMBER</td></tr><tr><td colspan="2">CUSTOMER</td></tr><tr><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">SEE TABLE</td></tr><tr><td colspan="2">GENERAL MARKET</td></tr><tr><td colspan="2">7 OF 9</td></tr></table>										FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DIMENSION UNITS	SCALE	mm	1:1	GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL	± 3°	4 PLACES	±	3 PLACES	±	2 PLACES	± 0.200	1 PLACE	±	0 PLACES	±	DIVISIONAL SYMBOLS	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	A3-SIZE	87833	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		SEE TABLE		GENERAL MARKET		7 OF 9	
FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																												
	DIMENSION UNITS	SCALE																																																											
	mm	1:1																																																											
	GENERAL TOLERANCES (UNLESS SPECIFIED)																																																												
	ANGULAR TOL	± 3°																																																											
	4 PLACES	±																																																											
	3 PLACES	±																																																											
	2 PLACES	± 0.200																																																											
	1 PLACE	±																																																											
	0 PLACES	±																																																											
DIVISIONAL SYMBOLS	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																												
	THIRD ANGLE PROJECTION																																																												
	DRAWING	SERIES																																																											
	A3-SIZE	87833																																																											
	MATERIAL NUMBER																																																												
	CUSTOMER																																																												
	SHEET NUMBER																																																												
	SEE TABLE																																																												
	GENERAL MARKET																																																												
	7 OF 9																																																												

FORMAT: TC-001-000-003
REVISION: 0
DATE: 2022/06/10

9

8

7

6

5

4

3

2

1

