




**Part Number :** [150140661](#)  
**Product Description :** 0.25mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 152.00mm Cable Length, Gold (Au) Plating, 61 Circuits  
**Series Number :** 15014  
**Status :** Active  
**Product Category :** Flat-Flexible Cable (FFC)



## Documents & Resources

**Drawings**  
[150140661\\_sd.pdf](#)

**Specifications**  
[1501400001-000.pdf](#)

## Product Environment Compliance

### Compliance

|                    |                                                                                       |
|--------------------|---------------------------------------------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                                                          |
| China RoHS         |  |
| EU ELV             | Not Relevant                                                                          |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21                                                       |
| REACH SVHC         | Not Reviewed per D(2024)6225-DC (07 Nov 2024)                                         |
| EU RoHS            | Compliant per EU 2015/863                                                             |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Part Details

### General

|              |                                                                                                                        |
|--------------|------------------------------------------------------------------------------------------------------------------------|
| Status       | Active                                                                                                                 |
| Category     | Flat-Flexible Cable (FFC)                                                                                              |
| Series       | 15014                                                                                                                  |
| Description  | 0.25mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 152.00mm Cable Length, Gold (Au) Plating, 61 Circuits |
| Product Name | Premo-Flex FFC Jumper                                                                                                  |
| UPC          | 191130120154                                                                                                           |

### Electrical

|                               |      |
|-------------------------------|------|
| Current - Maximum per Contact | 0.2A |
| Voltage - Maximum             | N/A  |

### Physical

|                               |                            |
|-------------------------------|----------------------------|
| Cable Length                  | 152.00mm                   |
| Circuits (Loaded)             | 61                         |
| Contact Layout Type           | A (same side)              |
| Design Feature                | Miniaturization            |
| Material - Plating Mating     | Gold                       |
| Packaging Type                | Bag                        |
| Pitch - Mating Interface      | 0.25mm                     |
| Temperature Range - Operating | -40° to +105°C             |
| Termination Style             | FFC Connector              |
| Wire/Cable Type               | Flexible Printed Circuitry |
| Wire Size (AWG)               | N/A                        |

---

## Mates With / Use With

### Mates with Part(s)

|             |             |
|-------------|-------------|
| Description | Part Number |
|-------------|-------------|

|                                                                                                                                                                                                   |                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 0.25mm Pitch Easy-On FPC<br>Connector, 1.00mm Mated Height,<br>Right-Angle, Surface Mount,<br>Bottom Contact Style, with<br>Extended Actuator, 61 Circuits,<br>Halogen-Free, 6000 Pieces per Reel | <u>5020786162</u> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|