



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**
Connector & Housing Type: **Receptacle**
Number of Positions: **3**
Terminal Orientation: **Straight**
Primary Product Color: **Natural**

Features

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	With

Product Type Features

Connector & Housing Type	Receptacle
Sealable	No

Configuration Features

Number of Positions	3
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Housing Features

Housing Material	Polyamide
Centerline (Pitch)	5 mm[.197 in]



Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Packaging Features

Packaging Method	Carton
Packaging Quantity	2500

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Dimensions

Product Length	36 mm[1.42 in]
----------------	----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 180941
FF 250 REC HSG 3P NYLON NAT



TE Part # 180907
FF 250 REC HSG 2P NYLON NAT



TE Part # 180913
FF 250 REC HSG 3P NYLON NAT



TE Part # 925015
FF 110 REC HSG 3P NYLON NAT



TE Part # 880573
3 WAY FASTIN-ON HOUSING REC PA66 NAT



TE Part # 280073
FF 375 REC HSG 4P NYLON NAT



TE Part # 180941-5
FF 250 REC HSG 3P NYLON BLACK



TE Part # 1-480252-0
FF 187 REC HSG 3P NYLON NAT



TE Part # 2-180941-0
FF 250 REC HSG 3P NYLON NAT




TE Part # 5-144835-3
HOUSING TAB 5MM 3 P GREEN


Also in the Series | FASTIN-FASTON 110



Automotive Housings(6)



Automotive Terminals(5)



Crimp Terminal Housings(34)



Insertion & Extraction Tools(3)



[Quick Disconnects\(83\)](#)

Customers Also Bought

TE Part #T4140012081-000
M12,REAR MOUNT,MALE,A,8P,
SOLDER PCB

TE Part #626064
2 WAY FASTIN-ON 110 HOUSING
REC PA66 NAT

TE Part #626065
2 P FASTIN-ON 110 HOUSING TAB
PA66 NAT

TE Part #1-962841-3
TIMER, RECEPTACLE AND TAB

TE Part #345206-1
070 SERIES RECEPT.

TE Part #1-1333201-9
ANVIL, COMBINATION (.055)

TE Part #160743-4
110 FASTIN FASTON, TAB, 20-16 AWG,
PTBR

TE Part #368542-1
070 MLC PLUG 12P HSG

Documents

Product Drawings
FF 110 REC HSG 3P NYLON NAT
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_925475-1_C.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_925475-1_C.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_925475-1_C.3d_stp.zip
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

FASTIN_FASTON_Product_Line

English

1654742_HOUSEHOLD_APPLIANCES_RAST5

English

White Paper: Nylon Discoloration

English

Product Specifications

Application Specification

English