













20.5	21.08	19.5	21.7	503480-4000	40
19.5	20.08	18.5	20.7	503480-3800	38
18.5	19.08	17.5	19.7	503480-3600	36
17.5	18.08	16.5	18.7	503480-3400	34
16.5	17.08	15.5	17.7	503480-3200	32
15.5	16.08	14.5	16.7	503480-3000	30
14.5	15.08	13.5	15.7	503480-2800	28
13.5	14.08	12.5	14.7	503480-2600	26
12.5	13.08	11.5	13.7	503480-2400	24
11.5	12.08	10.5	12.7	503480-2200	22
10.5	11.08	9.5	11.7	503480-2000	20
9.5	10.08	8.5	10.7	503480-1800	18
9.0	9.58	8.0	10.2	503480-1700	17
8.5	9.08	7.5	9.7	503480-1600	16
7.5	8.08	6.5	8.7	503480-1400	14
6.5	7.08	5.5	7.7	503480-1200	12
5.5	6.08	4.5	6.7	503480-1000	10
4.5	5.08	3.5	5.7	503480-0800	8
3.5	4.08	2.5	4.7	503480-0600	6
D	C	B	A	EMBOSSSED PACKAGE	CIRCUIT
				ORDER NO.	
CONNECTOR SERIES No. 503480-**09					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#513389.						molex									
mm		1:1																	
GENERAL TOLERANCES (UNLESS SPECIFIED)										0.5 FPC CONN. E/O BACKFLIP H=1.0MM ASSEMBLY									
ANGULAR TOL ± 1.0°																			
4 PLACES		± 0.2																	
3 PLACES		± 0.2		CHK'D: GGA2024/04/10						PRODUCT CUSTOMER DRAWING									
2 PLACES		± 0.2		APPR: GGA2024/04/10															
1 PLACE ± 0.2				INITIAL REVISION: DRWN: THIRAYAMA2009/12/11						DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
0 PLACES ± 0.2				APPR: KMORIKAWA2009/12/14						SD-503480-001				PSD		001		J1	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER					
						A3-SIZE		503480		SEE TABLE		GENERAL MARKET		1 OF 2					

FORMAT: master-tb-prod-A3
REVISION: J1
DATE: 2024/05/24

