




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

PCB Hole Diameter: **5.2 mm [.204 in]**

Profile Height from PCB: **7.7 mm [.303 in]**

Features

Industry Standards

Compatible With Agency/Standards Products	UL, CSA
---	---------

Product Type Features

Terminal Features	Stud Hole
-------------------	-----------

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Packaging Features

Packaging Quantity	5000
Packaging Method	Bag

Dimensions

Stud Diameter	5.2 mm[.205 in]
PCB Hole Diameter	5.2 mm[.204 in]
Profile Height from PCB	7.7 mm[.303 in]



Contact Features

Contact Mating Area Plating Material Thickness	2 – 10 µm[78.74 – 393.7 µin]
PCB Contact Termination Area Plating Material Thickness	2 – 10 µm[78.74 – 393.7 µin]
PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	None
Terminal Size	6.35
Terminal Orientation	45 Bend

Termination Features

Termination Method to PCB	Through Hole - Screw
Product Terminates To	Printed Circuit Board

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | FASTON 250





PCB Terminals(134)




Quick Disconnects(425)




Splices(4)

Customers Also Bought



TE Part #5650462-4
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part #1-216791-0
AMP LATCH D/P ASSY



TE Part #1954289-1
Connector,Blade & Recpt 2 Pos



TE Part #2213616-1
HERM BLADE & RECPT,2 POS,POST, SEL GOLD



TE Part #ANT-5GW-IPW1-NP
Antenna Whip 5G WB Cell IP67 N Plug




TE Part #1-1437667-0
4DB-P107-04=4DB ASSEMBLY



TE Part #1SNA190002R2100
D70/32.FF



TE Part #1SNA190003R2200
D120/42.FF



TE Part #803744-SF
FN9222-6-06

Documents

Product Drawings
[250 FASTON,TAB,TPBR](#)

English

CAD Files

[3D PDF](#)

[3D](#)

Customer View Model

[ENG_CVM_CVM_181948-2_F.2d_dxf.zip](#)

181948-2

Tab, Mating Tab Width 6.35 mm [.25 in], PCB Hole Diameter 5.2 mm [.204 in],
Through Hole - Screw, Tin Plating, None, Bag, FASTON 250, PCB Terminals



English

Customer View Model

[ENG_CVM_CVM_181948-2_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_181948-2_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654742_HOUSEHOLD_APPLIANCES_RAST5](#)

English