

7-968975-1 ✓ ACTIVE

AMP | AMP MCP Connector System, AMP MCP 2.8

TE Internal #: 7-968975-1

Housing for Female Terminals, Wire-to-Wire, 21 Position, 5 mm [.197 in] Centerline, Natural, Wire & Cable, Power, Cable Mount (Free-Hanging), Hybrid

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Housings > AMP Unsealed Connector Housing



Connector System: **Wire-to-Wire**

Number of Positions: **21**

Connector & Housing Type: **Housing for Female Terminals**

Centerline (Pitch): **5 mm [.197 in]**

Sealable: **No**

[All AMP Unsealed Connector Housing \(110\)](#)

## Features

### Product Type Features

Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Mixed & Hybrid Connector	No
Connector Shape	Rectangular

### Configuration Features

Number of Positions	21
Number of Rows	3

### Housing Features

Centerline (Pitch)	5 mm [.197 in]
--------------------	----------------



Housing Material	PBT GF
------------------	--------

### Contact Features

Mating Tab Width	2.8 mm[.11 in]
------------------	----------------

Contact Size	2.8mm
--------------	-------

Contact Type	Receptacle
--------------	------------

### Body Features

Primary Product Color	Natural
-----------------------	---------

Connector & Keying Code	B
-------------------------	---

Cable Exit Angle	180°
------------------	------

### Operation/Application

Circuit Application	Power
---------------------	-------

### Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Strain Relief	Without
---------------	---------

Terminal Position Assurance	No
-----------------------------	----

Mating Alignment Type	Keyed
-----------------------	-------

Mating Alignment	With
------------------	------

### Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
-----------------------------	----------------

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

### Electrical Characteristics

Nominal Voltage Architecture	28 V
------------------------------	------

Operating Voltage	28 VDC
-------------------	--------

### Other

Connector Position Assurance Capable	No
--------------------------------------	----

EU RoHS Compliance	Compliant
--------------------	-----------

EU ELV Compliance	Compliant
-------------------	-----------

Serviceable	No
-------------	----

### Dimensions

Product Length	37.5 mm[1.476 in]
----------------	-------------------

Connector Height	24 mm[.945 in]
------------------	----------------

### Packaging Features



Packaging Method	Carton
Packaging Quantity	900

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # CAT-LMPH9507  
Low & Medium Power Header



TE Part # CAT-AM705-CH8173  
AMP Unsealed Connector Housing









TE Part # 966140-6  
MESSERLEISTE 21P






TE Part # 967635-1  
2.0 KONT






### Also in the Series | AMP MCP Connector System




### Also in the Series | AMP MCP 2.8





## Customers Also Bought



## Documents

**Product Drawings**  
MCP2,8 GEH ASSY 21P

English

**CAD Files**

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_7-968975-1\_F.2d\_dxf.zip



English

Customer View Model

[ENG\\_CVM\\_CVM\\_7-968975-1\\_F.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_7-968975-1\\_F.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

**Product Specifications**

[Application Specification](#)

English