




Timer Connector System

TE Internal #: 1217039-1

Receptacle, 18 – 14 AWG Wire Size, .82 – 2.08 mm² Wire Size,
Mating Tab Width 3.18 mm [.125 in], Straight, Timer Connector
System, Quick Disconnects

[View on TE.com >](#)

Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.82 – 2.08 mm²**

Mating Tab Width: **3.18 mm [.125 in]**

Mating Tab Thickness: **.51 mm [.02 in]**

Features

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	3.18 mm[.125 in]
Mating Tab Thickness	.51 mm[.02 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Dimensions

Wire Size	.82 – 2.08 mm²
Product Length	16.89 mm[.665 in]
Compatible Insulation Diameter Range	2.16 – 3.3 mm[.085 – .13 in]
Terminal Material Thickness	.33 mm[.013 in]

Packaging Features

Packaging Method	Strip/Reel
------------------	------------



Packaging Quantity	3200
--------------------	------

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Industry Standards

Compatible With Agency/Standards Products	UL
---	----

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1897058-1
CONNECTOR .125/.250 SERIES




TE Part # 2151385-1
OCEAN-2.0-APPLICATOR-S-090F155F-RSM



TE Part # 2151385-2
OCEAN-2.0-APPLICATOR-S-090F155F-RSA



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp




TE Part # 7-2151385-7
OCEAN_2.0_SPARE_PART_KIT-090F155F

Also in the Series | Timer Connector System



Automotive Connector Caps & Covers (13)



Automotive Connector Locks & Position Assurance (15)



Automotive Housings (207)



Automotive Terminals (110)



Connector Seals & Cavity Plugs (36)




Crimp Terminal Housings (13)



Insertion & Extraction Tools (18)



Other Automotive Connector Accessories (1)



PCB Headers & Receptacles(40)



Quick Disconnects(4)

Customers Also Bought



TE Part #63677-1
312 FASTON REC 16-12 AWG TPBR



TE Part #1897058-1
CONNECTOR .125/.250 SERIES



TE Part #5-177899-1
POWER DBL LOCK PLUG HSG 3P (GWT)



TE Part #5-179464-1
POWER DBL LOCK CAP HSG F/H 3P (GWT)




TE Part #1743729-1
FG TERMINAL




TE Part #2-1743068-1
187 HSG. PL MKII REC. 5mm 3P NAT



TE Part #1-1743216-1
GAS VALVE 2P HSG



TE Part #1-1743217-1
GAS VALVE 3P HSG



TE Part #1-521204-7
HSG, POS LOCK, .250 SERIES, 2 POSITION



TE Part #2-1743217-1
GAS VALVE 3P HSG GWT

Documents

Product Drawings

TIMER CONNECTOR GEN 3 18-14 POST-TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1217039-1_F.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_1217039-1_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1217039-1_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English