




**Part Number :** [2124150200](#)  
**Product Description :** 2.50mm Pitch, Board-In Crimp Housing, 2 Circuits, Right-Angle, Natural  
**Series Number :** 212415  
**Status :** Active  
**Product Category :** Connector Housings



## Documents & Resources

**Drawings**  
[2124150200\\_sd.pdf](#)

**3D Models and Design Files**  
[2124150200\\_stp.zip](#)

**Specifications**  
[2124150000PK-000.pdf](#)  
[2124150000PS-000.pdf](#)

**Tooling Specifications**  
[350210000CS-000.pdf](#)

## Product Environment Compliance

### Compliance

|                    |                                                |
|--------------------|------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                   |
| China RoHS         |                                                |
| EU ELV             | Not Relevant                                   |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                 |
| REACH SVHC         | Not Contained per D(2024)6225-DC (07 Nov 2024) |
| EU RoHS            | Compliant per EU 2015/863                      |

Multiple Part Product Compliance Statements  
- Eu RoHS  
- REACH SVHC  
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

|              |                                                                        |
|--------------|------------------------------------------------------------------------|
| Status       | Active                                                                 |
| Category     | Connector Housings                                                     |
| Series       | 212415                                                                 |
| Description  | 2.50mm Pitch, Board-In Crimp Housing, 2 Circuits, Right-Angle, Natural |
| Application  | Signal, Wire-to-Board                                                  |
| Product Name | Board-in                                                               |
| UPC          | 193264513635                                                           |

#### Physical

|                               |                |
|-------------------------------|----------------|
| Circuits (maximum)            | 2              |
| Color - Resin                 | Natural        |
| Gender                        | N/A            |
| Glow-Wire Capable             | No             |
| Material - Resin              | Polyamide      |
| Net Weight                    | 0.062/g        |
| Number of Rows                | 1              |
| Packaging Type                | Bag            |
| Panel Mount                   | No             |
| Pitch - Mating Interface      | 2.50mm         |
| Stackable                     | No             |
| Temperature Range - Operating | -40° to +105°C |

---

#### Use with Part(s)

|             |             |
|-------------|-------------|
| Description | Part Number |
|-------------|-------------|

|                                                                                                  |                  |
|--------------------------------------------------------------------------------------------------|------------------|
| 2.50mm Pitch, Board-in Male Crimp Terminal, Right-Angle, Brass Tin (Sn) Plating, 28-22 AWG, Reel | <u>350211001</u> |
| 2.50mm Pitch, Board-in Male Crimp Terminal, Right-Angle, Tin (Sn) Plating, 28-22 AWG, Reel       | <u>350211160</u> |

---

This document was generated on Dec 24, 2024