




Terminals & Splices > Automotive Terminals > TH/.025 CONNECTOR SYSTEM, RECPT AND TAB



Terminal Type: **Tab**

Mating Tab Width: **.64 mm [.025 in]**

Mating Tab Thickness: **.64 mm [.025 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **24 – 20 AWG**

[All TH/.025 Connector System, Recpt and Tab \(20\)](#)

Features

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	10000

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Locking Lance

Dimensions

--	--



Compatible Insulation Diameter Range	.95 – 1.6 mm [.037 – .067 in]
Wire Size	.22 – .56 mm ²
Wire Size Search	.3 mm ² , .25 mm ² , .5 mm ² , .4 mm ² , .2 mm ²
Tab Length	21.3 mm [.838 in]

Contact Features

Typical Current Rating	4 A
Crimp Type	F-Crimp
Contact Size	.64mm
Contact Fabrication	Stamped & Formed
Terminal Type	Tab
Mating Tab Width	.64 mm [.025 in]
Mating Tab Thickness	.64 mm [.025 in]
Interface Plating	Tin (Sn)

Other

Terminal Transmits	0 – 24 A (Low Power)
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2151494-1 OCEAN_2.0_APPLICATOR-S-055F055F-RSM	TE Part # CAT-T319-CH8172 TH/.025 CONNECTOR SYSTEM, HOUSING	TE Part # 4-1579008-5 EXTRACTION TOOL	TE Part # 1366865-1 EXT-TOOL FOR 025 TAB
TE Part # 2151494-2 OCEAN_2.0_APPLICATOR-S-055F055F-RSA	TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	TE Part # 5-2151494-1 OCEAN_2.0_APPLICATOR-S-055F055F-RSM	TE Part # 5-2151494-2 OCEAN_2.0_APPLICATOR-S-055F055F-RSA
TE Part # 7-1579014-2 HT11K HAND TOOL TH 0.25 CONTACTS	TE Part # 7-2151494-7 OCEAN_2.0_SPARE_PART_KIT-055F055F	TE Part # 7-2836361-7 OC-140F140F-752-CRIMPTOOLINGKIT	TE Part # 2-1722368-6 ISOLATION CRIMP PLATE

Also in the Series | 0.64/025 Connector System

Automotive Connector Caps & Covers (5)	Automotive Connector Locks & Position Assurance(1)	Automotive Housings(124)	Automotive Terminals(16)
---	---	---------------------------------	---------------------------------






Connector Seals & Cavity Plugs(1)



Other Automotive Connector Accessories(4)



PCB Headers & Receptacles(155)

Customers Also Bought




TE Part #1473410-1
TH/.025 CONNECTOR SYSTEM, HOUSING




TE Part #770087-1
06P .093 COMM P&S RECPT HSG



TE Part #1742087-1
187 FASTON, FLAG, REC., 18-22 AWG, BR




TE Part #1123343-1
025 REC CONTACT



TE Part #2005154-2
025 TAB CONTACT(S) GOLD



TE Part #BSA108F26550236000
923 PLUG, SHORT



TE Part #2415756-1
2POS, PCON18, HDR ASSY, COD A

Documents

Product Drawings

025 TAB CONT

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1376109-1_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1376109-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1376109-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Product Specifications

Application Specification

Japanese

.025 IDC Connectors

Japanese

Application Specification

Japanese

Application Specification

Japanese

Instruction Sheets

Instruction Sheet (non U.S.)

Japanese

025 Wire to Wire Connector

Japanese

Instruction Sheet (non U.S.)

Japanese

025 Wire to Wire Connector

Japanese

025 WIRE TO WIRE MALE CONNECTOR

Japanese

Instruction Sheet (non U.S.)

Japanese

025 WIRE TO WIRE MALE CONNECTOR

Japanese

Instruction Sheet (non U.S.)

Japanese