

1-967623-1 ✓ ACTIVE

AMP | Junior Power Timer

TE Internal #: 1-967623-1

Housing for Female Terminals, Wire-to-Board / Wire-to-Wire, 15 Position, 5 mm [.197 in] Centerline, Wire & Cable, Signal, Junior Power Timer

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Housings > Timer Connector Housing



Connector System: **Wire-to-Board, Wire-to-Wire**

Number of Positions: **15**

Connector & Housing Type: **Housing for Female Terminals**

Centerline (Pitch): **5 mm [.197 in]**

Sealable: **No**

[All Timer Connector Housing \(497\)](#)

## Features

### Product Type Features

Connector System	Wire-to-Board, Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal
Mixed & Hybrid Connector	No
Connector Shape	Rectangular

### Configuration Features

Number of Positions	15
Number of Rows	3

### Housing Features

Centerline (Pitch)	5 mm [.197 in]
Housing Material	PBT GF

### Contact Features

Mating Tab Width	2.8 mm [.11 in]
Contact Current Rating (Max)	30 A
Contact Size	2.8mm



Contact Type	Receptacle
--------------	------------

### Operation/Application

Circuit Application	Signal
---------------------	--------

### Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Strain Relief	Without
---------------	---------

Terminal Position Assurance	Yes
-----------------------------	-----

Mating Alignment Type	Keyed
-----------------------	-------

Mating Alignment	With
------------------	------

### Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
-----------------------------	----------------

Operating Temperature Range	-30 – 100 °C[-22 – 212 °F]
-----------------------------	----------------------------

### Electrical Characteristics

Nominal Voltage Architecture	28 V
------------------------------	------

### Other

Connector Position Assurance Capable	No
--------------------------------------	----

EU RoHS Compliance	Compliant
--------------------	-----------

EU ELV Compliance	Compliant
-------------------	-----------

Serviceable	No
-------------	----

### Body Features

Connector & Keying Code	A
-------------------------	---

### Dimensions

Product Length	26.2 mm[1.031 in]
----------------	-------------------

Connector Height	26.5 mm[1.043 in]
------------------	-------------------

### Packaging Features

Packaging Method	Carton
------------------	--------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # CAT-T4827-CH8172  
Timer Connector Housing



TE Part # 1-967628-1  
FLA-ST-GEH 2.8 15P




TE Part # CAT-J96-ULPA  
Unsealed Locks and Position Assurance




TE Part # CAT-T4827-T273  
TIMER, RECEPTACLE AND TAB



TE Part # 966140-2  
MESSERLEISTE 15P



TE Part # 1719810-1  
JPT REC 2.8 Contact SRC Sn




TE Part # 1-927768-1  
JPT REC 2.8 Contact SRC Au


### Also in the Series | Junior Power Timer




Automotive Connector Caps & Covers (9)



Automotive Connector Locks & Position Assurance (8)



Automotive Housings (306)



Automotive Terminals (153)




Busbars & Terminals (1)



Connector Seals & Cavity Plugs (8)



Insertion & Extraction Tools (8)



Module Components (1)



Other Automotive Connector Accessories (2)




Special Purpose Terminals (2)

## Customers Also Bought



TE Part #1-967625-2  
Timer Connector Housing



TE Part #967634-1  
2. RETAINER FOR 18POS



TE Part #1-967628-1  
FLA-ST-GEH 2.8 15P

## Documents

### Product Drawings

[JUN-POW-TIM-GEH 15P](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_1-967623-1\\_D.3d\\_igs.zip](#)

English



**Customer View Model**

[ENG\\_CVM\\_1-967623-1\\_D.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_1-967623-1\\_D.2d\\_dxf.zip](#)

English

**3D PDF**

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Product Specifications**

[Product Specification](#)

English

[Product Specification](#)

English