




Dynamic Series | Dynamic Series Thermocouple Connector

TE Internal #: 2295205-1

Shield & Strain Relief, Stainless Steel, Dynamic Series Thermocouple Connector

[View on TE.com >](#)

Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Shield & Strain Relief**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **220 °C [ 428 °F ]**

Operating Temperature Range: **-20 – 220 °C [ -4 – 428 °F ]**

EU RoHS Compliance: **Compliant**

### Features

#### Product Type Features

Connector Cover Type	Shield & Strain Relief
----------------------	------------------------

#### Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

#### Usage Conditions

Operating Temperature (Max)	220 °C[428 °F]
Operating Temperature Range	-20 – 220 °C[-4 – 428 °F]

#### Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

#### Mechanical Attachment

Strain Relief	With
---------------	------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Compatible Parts




## Also in the Series | [Dynamic Series Thermocouple Connector](#)




Connector Caps &amp; Covers(1)



Connector Strain Relief(1)




Insertion &amp; Extraction Tools(1)



Wire-to-Board Connector Assemblies &amp; Housings(3)

## Customers Also Bought

TE Part #115607J001  
V2-12.0-0-FSP-SMTE Part #1-1827863-1  
DYNAMIC 1100D REC HSG 22P X  
BLACKTE Part #1-178128-3  
DYNAMIC 3200 REC HSG 3P SGLTE Part #5-1971772-2  
POWER TRIPLE LOCK High  
Temperature CapsTE Part #5-1971776-4  
PTL 2X4 PLUG HSG HIGH TEMP KEY  
A LGRTE Part #1903391-1  
GIC 2.5 W CAP HSG 2P NATURALTE Part #3-1903391-4  
GIC 2.5 W CAP HSG 2P YELLOW

## Documents

### Product Drawings

[THERMOCOUPLE CONNECTOR.STRAIN RELIEF.](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2295205-1\\_C.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2295205-1\\_C.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2295205-1\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



---

**Datasheets & Catalog Pages**

[1-1773895-2\\_THERMOCOUPLE\\_FLYER](#)

English

---

**Product Specifications**

[Product Specification](#)

Japanese