




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Receptacle**
PCB Hole Diameter: **3.18 mm [.083 in]**
Mating Pin Diameter: **1.47 mm [.058 in]**
Compatible Insulation Diameter (Max): **1.78 mm [.07 in]**
Compatible Insulation Diameter Range: **1.14 – 1.78 mm [.045 – .07 in]**

Features

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Product Type Features

Terminal Features	Stud Hole
Wire Insulation Support Retention Type	Open Barrel

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Dimensions

Terminal Material Thickness	.25 mm[.01 in]
PCB Hole Diameter	3.18 mm[.083 in]
Compatible Insulation Diameter (Max)	1.78 mm[.07 in]
Compatible Insulation Diameter Range	1.14 – 1.78 mm[.045 – .07 in]
Wire Size	.2 – .6 mm²



Contact Features

PCB Terminal Type	Receptacle
Mating Pin Diameter	1.47 mm[.058 in]
Terminal Plating Material	Pre-Tin
Contact Underplating Material	Nickel
Terminal Orientation	Flag

Termination Features

Termination Method to PCB	Through Hole - Solder
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 60986-1 .058 DIA PIN RECPT L/P	 TE Part # 91507-1 CCII .058 REC P.C. 24-20 ASSY	 TE Part # 350189-1 .058 DIA RECPT PC R/A LP 26-22	 TE Part # 453850-1 INSERTION EXTRACTION TOOL
---	--	--	---

Customers Also Bought

 TE Part #91523-1 CCII TYPE III+ PIN SKT 24-16 ASSY	 TE Part #208945-7 SZ 22 UNASSM KIT,CMC	 TE Part #861611-1 RECEPTACLE	 TE Part #770673-1 UMNL SOK 30-26 PTPBR L/P
 TE Part #60789-1 .058 DIA RECEPTACLE LP 20-24	 TE Part #583389-000 B-106-3633	 TE Part #227426-1 BNC BLKHD RECPT SEALED	 TE Part #5-861610-2 LGH, HIGH VOLTAGE PLUG
 TE Part #243246-E STVH11 11 F B V 3-00 F001 * * 197 E 016	 TE Part #1393277-4 V23076A1001C133		

Documents

Product Drawings
.058 DIA RECPT LP 24-20



English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_61276-2_E.3d_igs.zip

English

Customer View Model

ENG_CVM_61276-2_E.3d_stp.zip

English

Customer View Model

ENG_CVM_61276-2_E.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

Japanese

Instruction Sheet (U.S.)

English

Insertion/Extraction Tool

English