



Connectors > Connector Accessories > Connector Hardware > Signal Double Lock TPA



Hardware Accessory Function: **Latching, Locking & Retention**

Connector Hardware Accessory Type: **Double Lock Plate**

Primary Product Color: **Natural**

Primary Product Material: **PBT GF**

Number of Positions: **4**

[All Signal Double Lock TPA \(14\)](#)

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention
Connector Hardware Accessory Type	Double Lock Plate

Body Features

Primary Product Color	Natural
Primary Product Material	PBT GF

Configuration Features

Number of Positions	4
Number of Rows	1

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Other

EU RoHS Compliance	Compliant
--------------------	-----------



EU ELV Compliance	Compliant
-------------------	-----------

Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Method	Bag
Packaging Quantity	1000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # 1376477-4
2.5MM PITCH SIGNAL MATE CONN



TE Part # 2005543-5
BLOWER MOTOR 3P DBL YEL

Also in the Series

AMP Signal Double Lock



Connector Caps & Covers(1)



Connector Contacts(14)




Connector Hardware(19)



Connector Seals & Cavity Plugs(10)



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(146)




Rectangular Connector Housings(23)



Rectangular Power Connectors(1)



Standard Rectangular Connectors(1)



Wire-to-Board Connector Assemblies & Housings(76)

Customers Also Bought



TE Part #179609-1
AMP CT CRIMP TTYPE-2 REC CONT.




TE Part #5745175-2
CABLE CLAMP KIT, SZ 5



TE Part #213848-1
CPC PLUG ASSEMBLY SIZE 23-37



TE Part #5745175-4
CABLE CLAMP KIT, SZ 5



Documents

Product Drawings
DBL LOCK PLATE FOR SMC PLUG 4P
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_1717567-4_D.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_1717567-4_D.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_1717567-4_D.3d_stp.zip
English
3D PDF
English
Customer View Model
ENG_CVM_1717567-4_C.3d_igs.zip
English
Customer View Model
ENG_CVM_1717567-4_C.3d_stp.zip
English
Customer View Model
ENG_CVM_1717567-4_C.2d_dxf.zip
English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English