




Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



EU RoHS Compliance: **Compliant**

EU ELV Compliance: **Compliant**

Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Panel, Wire-to-Wire**

Features

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Panel, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	0
Number of Rows	1

Electrical Characteristics



Operating Voltage	600 VAC
-------------------	---------

Contact Features

Multiple Contact Types	Without
Contact Layout	Inline
Contact Retention Within Housing	Without
Contact Type	Pin

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Panel Mount Feature	With
Panel Mount Feature Type	Latches
Connector Mounting Type	Panel Mount

Housing Features

Centerline (Pitch)	6.35 mm [.25 in]
Housing Color	Natural
Housing Material	PA 6

Dimensions

Panel Thickness (Recommended)	.76 – 2.29 mm [.03 – .09 in]
-------------------------------	------------------------------

Usage Conditions

Operating Temperature Range	-55 – 125 °C [-67 – 257 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

Compatible With Agency/Standards Products	UL, VDE, CSA
UL Rating	Recognized
Compatible With Approved Standards Products	UL E28476
CSA Rating	LR 7189, Certified
UL Flammability Rating	UL 94V-2
Glow Wire Rating	GWT 750°C (Without Flame)

Packaging Features

Packaging Quantity	2000
--------------------	------



Packaging Method

Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 350793-1
04P UMNL PIN HDR ASSY 94VO

TE Part # 350430-4
04P UMNL PIN HDR ASSY NATL LF

TE Part # 350826-4
04P UMNL HDR ASSY PC 94VO LF

TE Part # 350833-1
04P UMNL HDR ASSY PC 94VO



TE Part # 173926-1
4 P ACTION PIN UMNL



TE Part # 350761-5
04P UMNL HDR ASSY PC LF



TE Part # 350793-3
04P UMNL PIN HDR ASSY 94VO LF



TE Part # 350430-1
04P UMNL PIN HDR ASSY NATL



TE Part # 350779-4
04P UMNL PLUG HSG UL94VO



TE Part # 1-350944-0
04P UMNL HDR ASSY R/A 94VO



TE Part # 350792-1
04P UMML PIN HDR ASSY 94VO



TE Part # 641968-1
04P UMNL PIN HDR ASSY POL 94VO



TE Part # 643415-1
04P UMNL HDR ASSY POL



TE Part # 926298-3
04P UNIV.M-N-L.PLUG



TE Part # 350826-1
04P UMNL HDR ASSY PC 94VO



TE Part # 643230-1
04P UMNL HDR ASSY R/A 94VO



TE Part # 926298-6
UNML PLUG 4WAY



TE Part # 350779-1
04P UMNL PLUG HSG




TE Part # 1586076-1
02P UMNL PIN HDR W/O DRNS V2



TE Part # 770351-1
04P UMNL PIN HDR ASSY W/O DRNS

Also in the Series | [Universal MATE-N-LOK](#)




Circular Power Connectors(2)



Connector Caps & Covers(34)



Connector Contacts(209)



Connector Hardware(12)




Connector Seals & Cavity Plugs(27)



Connector Strain Relief(7)



Insertion & Extraction Tools(4)



PCB Headers & Receptacles(284)



Rectangular Connector Housings(1)



Rectangular Power Connectors(370)



Standard Circular Connectors(1)

Customers Also Bought




TE Part #926298-3
04P UNIV.M-N-L.PLUG



TE Part #926298-6
UNML PLUG 4WAY



TE Part #927231-5
UNML CAP HSG 9WAY




TE Part #926299-5
UNML PLUG 5WAY



TE Part #350218-6
UMNL PIN 20-14 .0125AUPHBZ



TE Part #58530-1
AMP PRO-CRIMPER HAND TOOL II



TE Part #533082-4
HDI KEYING POWER PIN PLTD



TE Part #350538-6
UMNL PIN 20-14 AU/NI/PHBZ



TE Part #60-0279-011-P00
CONTACT SOCKET 1 MM



TE Part #60-0254-011-P00
CONTACT SOCKET 2 MM

Documents



Product Drawings

UNML4WAY CAP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_926305-6_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_926305-6_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_926305-6_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications

Application Specification

English

Agency Approvals

VDE Certificate

English

VDE Certificate

English