



SIAMEZE

TE Internal #: 4-1601009-4

Solder Post, Mating Tab Width 1.02 mm [.02 in], .16 – 1.02 mm

Magnet Wire, 34 – 18 AWG Magnet Wire, SIAMEZE, Magnet Wire

Terminals

[View on TE.com >](#)

Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: **Solder Post**

Mating Tab Width: **1.02 mm [.02 in]**

Mating Tab Thickness: **.51 mm [.02 in]**

Magnet Wire Size: **.16 – 1.02 mm**

Features

Contact Features

Magnet Wire Terminal Type	Solder Post
Mating Tab Width	1.02 mm [.02 in]
Mating Tab Thickness	.51 mm [.02 in]
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Terminal Orientation	Straight

Dimensions

Magnet Wire Size	.16 – 1.02 mm
Stock Thickness (Magnet Wire Side)	.51 mm [.02 in]
Product Length	8.76 mm [.345 in]
Terminal Height	3.18 mm [.125 in]

Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)
------------------------------------	-------------------------------

Mechanical Attachment

--	--



Mating Retention Type	Barbs
-----------------------	-------

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Product Type Features

Compatible With Discrete Wire Type	Solid, Magnet Wire
------------------------------------	--------------------

Other

EU RoHS Compliance	Compliant
--------------------	-----------

EU ELV Compliance	Compliant
-------------------	-----------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
-----------------------------------------------	-----------------------------------------

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
----------------------------------------	---------------------------------------------------------------------------------------------------------------------------------

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	-------------------------------------------------------------------------------------

Solder Process Capability	Wave solder capable to 265°C
---------------------------	------------------------------

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1601009-5
TAB,PCB,STD,SMZ



TE Part # 1601424
531-006-000=POCKET SPECIFICATION

Also in the Series | SIAMEZE




Insertion & Extraction Tools(1)



Magnet Wire Terminals(192)

Customers Also Bought



TE Part #281739-4
HEADER HE14 STRAIGHT 2X4 P



TE Part #215570-4
MICRO-MATCH PBC.04P



TE Part #826468-4
4P MOD II SHROUDED HEADER, RT ANG.



TE Part #644752-8
08P MTA156 HDR ASSY SQ STR F/L ANG.



TE Part #1-770968-0
04P MINI UMNL R/A HDR ASSY SN



TE Part #323914
TERMINAL,PIDG R 26-22 4



TE Part #1393240-1
RT314048



TE Part #725996-2
110 FASTON TAB TPBR



Documents

Product Drawings

[PC TAB STANDARD SIAMEZE](#)

English

[PC TAB STANDARD SIAMEZE](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_4-1601009-4_G_c-4-1601009-4-g.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1601009-4_G_c-4-1601009-4-g.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1601009-4_G_c-4-1601009-4-g.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Magnet Wire Terminals & Splices](#)

English

[1-1773702-7 _IDC_Magnet_Wire](#)

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL Report](#)

English