



Part Number : [190430020](#)
Product Description : Double Male / Single Female Quick Disconnect Adapter, 6.35 x 0.81mm Tab Size
Series Number : 19043
Status : Active
Product Category : Quick Disconnects
Engineering Number : MMFA-1



Documents & Resources

Drawings
[190430020_sd.pdf](#)

3D Models and Design Files
[190430020_stp.zip](#)

Specifications
[PS-19902-011-001.pdf](#)
[PS-19902-013-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)6225-DC (07 Nov 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements
- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Quick Disconnects
Series	19043
Description	Double Male / Single Female Quick Disconnect Adapter, 6.35 x 0.81mm Tab Size
Product Name	Adapter
Type	Quick Disconnect
UPC	800755059540

Electrical

Voltage - Maximum	N/A
-------------------	-----

Physical

Barrel Type	Closed
Gender	Dual
Glow-Wire Capable	No
Insulated	No
Insulation	None
Lock to Mating Part	None
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	1.596/g
Orientation	Straight
Packaging Type	Bag

Plating min - Mating	4.064μm
Plating min - Termination	4.064μm
Polarized to Mating Part	No
Tab Thickness	0.81mm
Tab Width	6.35mm
Wire Insulation Diameter	N/A
Wire Size (AWG)	N/A