

52266-3 ✓ ACTIVE

PLASTI-GRIP


TE Internal #: 52266-3

Closed Ring Tongue Terminal, 4 AWG, 5/16 / M8 Stud Size, 8.33 mm [.328 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP

[View on TE.com >](#)



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 33100 – 52600 CMA

Stud Size: M8, 5/16

Features

Product Type Features

| | |
|--|-----------------------------|
| Ring Terminal Product Type | Closed Ring Tongue Terminal |
| Stud Size | M8, 5/16 |
| Sealable | No |
| Wire Insulation Support Retention Type | Insulation Support |

Dimensions

| | |
|--------------------------------------|---------------------|
| Wire Size | 33100 – 52600 CMA |
| Stud Diameter | 8.33 mm [.328 in] |
| Tongue Thickness | .79 mm [.031 in] |
| Product Length | 51.16 mm [2.014 in] |
| Compatible Insulation Diameter (Max) | 11.43 mm [.45 in] |
| Compatible Insulation Diameter Range | 11.43 mm [.45 in] |

Contact Features

| | |
|---------------------------|----------|
| Barrel Type | Closed |
| Terminal Orientation | Straight |
| Terminal Plating Material | Tin |



Usage Conditions

| | |
|-----------------------------|---------------------|
| Insulation Option | Partially Insulated |
| Operating Temperature Range | 105 °C[221 °F] |

Operation/Application

| | |
|---------------------------------------|--------|
| Compatible With Wire Base Material | Copper |
| Compatible With Wire Plating Material | Tin |

Packaging Features

| | |
|--------------------|-------------|
| Packaging Method | Loose Piece |
| Packaging Quantity | 100 |

Other

| | |
|--------------------|-----------|
| EU RoHS Compliance | Compliant |
| EU ELV Compliance | Compliant |

Configuration Features

| | |
|-----------------|---|
| Number of Holes | 1 |
|-----------------|---|

Electrical Characteristics

| | |
|----------------|-------|
| Voltage Rating | 600 V |
|----------------|-------|

Body Features

| | |
|-------------------------|--------|
| Insulation Sleeve Color | Yellow |
| Stripe Color | Yellow |

Mechanical Attachment

| | |
|-------------------------|------|
| Wire Insulation Support | With |
|-------------------------|------|

Industry Standards

| | |
|-------------------------------|----|
| Government Qualified Terminal | No |
|-------------------------------|----|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) |



Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts






Also in the Series | PLASTI-GRIP





Splices(44)

Customers Also Bought

TE Part #52041
TERMINAL,R PG 8 8TE Part #52043-3
TERMINAL R PG 4 1/4TE Part #52291
TERMINAL R PG 8 5/16TE Part #52264
TERMINAL R PG 6 5/16TE Part #52264-5
TERMINAL R PG 6 3/8TE Part #52263-1
TERMINAL R PG 8 10TE Part #52045-1
TERMINAL R PG 1/0 5/16TE Part #55621-1
TERMINAL R PG 8 1/4TE Part #324050
TERMINAL,T-N R 4 1/4TE Part #52043
TERMINAL,R PG 4 10

Documents

Product Drawings

[TERMINAL R PG 4 5/16](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_52266-3_V.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_52266-3_V.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_52266-3_V.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[UL Report](#)

English

[UL Report](#)

English