



TE Internal #: 925553-2

Pin, Mating Pin Diameter 3.2 mm [.126 in], 17 – 13 AWG Wire Size, 1 – 2.5 mm² Wire Size, 2048 – 5178 CMA Wire Size, Crimp Wire Pins, Tabs & Ferrules

[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Pin**

Mating Pin Diameter: **3.2 mm [.126 in]**

Compatible Insulation Diameter Range: **2.5 – 3.8 mm, 3.8 mm [.15 in, .1 – .15 in]**

Wire Size: **1 – 2.5 mm²**

Features

Contact Features

Crimp Wire Terminal Type	Pin
Mating Pin Diameter	3.2 mm[.126 in]
Barrel Type	Open
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Dimensions

Compatible Insulation Diameter Range	2.5 – 3.8 mm, 3.8 mm[.15 in][.1 – .15 in]
Wire Size	2048 – 5178 CMA
Barrel Inside Diameter	2.24 mm, 3.2 mm[.088 in][.126 in]
Terminal Material Thickness	.32 mm[.013 in]
Overall Product Length	10.9 mm[.43 in]

Packaging Features

Packaging Method	Roll
Packaging Quantity	14000

Configuration Features

--	--



Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Product Type Features

Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



TE Part # 926867-2
AM WIRE PIN 13-10 .013 PTPB



TE Part # 2150226-1
OCEAN-2.0-APPLICATOR-E-120F155F-REM




TE Part # 2150226-2
OCEAN-2.0-APPLICATOR-E-120F155F-REA



TE Part # 7-2150226-7
OCEAN_2.0_SPARE_PART_KIT-120F155F

Customers Also Bought



TE Part #61234-1
.156 MNL PIN 12-10 PTPBR




TE Part #61233-1
.156 MNL SOK 12-10 PTPBR




TE Part #62898-1
MAG-MATE POKE-IN TAB 020 TPBR




TE Part #61085-1
.156 MNL SOK PTPBR




TE Part #61086-1
.156 MNL PIN 20-14 PTPBR



TE Part #926933-1
WIRE PIN 18-17 AWG .01 PTPB



TE Part #280003-2
AMPLIVAR SPLICE



TE Part #2176805-1
BLIND PLUG, MINI SUPER SEAL CAVITY

Documents

Product Drawings
AM WIRE PIN 17-13 .013 PTPB
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_925553-2_S.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_925553-2_S.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_925553-2_S.3d_stp.zip



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English