




TE Internal #: 40668
Closed Ring Tongue Terminal, 20 – 16 AWG, #2 / M2 Stud Size,
2.44 mm [.096 in] Stud Diameter, Open Barrel, Straight, Unplated,
Uninsulated
[View on TE.com >](#)

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**
Wire Size: **642 – 2582 CMA**
Stud Size: **M2, #2**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M2, #2
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Non-Insulation Support
Shape Description	Circular/Oval

Dimensions

Wire Size	642 – 2582 CMA
Stud Diameter	2.44 mm[.096 in]
Tongue Thickness	.51 mm[.02 in]
Product Length	8.64 mm[.34 in]
Barrel Inside Diameter	1.65 mm[.065 in]

Contact Features

Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Unplated

Contact Underplating Material	None
Contact Base Material	Brass

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Strip/Reel
Packaging Quantity	50000

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	.151 g
----------------	--------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per

homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2150379-1
[OCEAN_2.0_APPLICATOR-E-100F-REM](#)



TE Part # 2150379-2
[OCEAN_2.0_APPLICATOR-E-100F-REA](#)



TE Part # 7-2150379-7
[OCEAN_2.0_SPARE_PART_KIT-100F](#)


Customers Also Bought




TE Part #2292797-2
[AMPSEAL 16 Connectors Backshell](#)




TE Part #HDP26-24-9PE
[PLG, 9P, BLK, E, 4/8/12, P](#)



TE Part #282825-4
[TERMI-BLOK HEADER,ASSY90 4P.5,](#)



TE Part #282807-4
[TERMI-BLOK PLUG STACKING 4P.5,](#)



TE Part #2-963207-1
[4P J-P-TIM GEH KPL](#)



TE Part #1903526-1
[IE RJ45 CONNECTOR IP20 4POS 180DEG](#)

Documents

Product Drawings

RING TERMINAL 22-16 AWG BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_40668_AF_c-40668-af.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_40668_AF_c-40668-af.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_40668_AF_c-40668-af.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English