




Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



EU RoHS Compliance: **Compliant**

EU ELV Compliance: **Compliant**

Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

### Features

#### Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

#### Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

#### Configuration Features

Number of Positions	4
Number of Rows	1

#### Electrical Characteristics

Operating Voltage	250 VDC
-------------------	---------



### Contact Features

Contact Layout	Inline
Contact Retention Within Housing	Without
Contact Type	Receptacle

### Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

### Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

### Housing Features

Centerline (Pitch)	3 mm [.118 in]
Housing Color	Black
Housing Material	Nylon

### Usage Conditions

Operating Temperature Range	-40 – 105 °C [-40 – 221 °F]
-----------------------------	-----------------------------

### Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

### Identification Marking

Circuit Identification Feature	With
--------------------------------	------

### Industry Standards

Compatible With Approved Standards Products	UL E28476
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

### Packaging Features

Packaging Quantity	3000
Packaging Method	Tray, Box & Tray

### Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)

Candidate List Declared Against: JUNE 2024 (241)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 1445049-4  
FREE HANG SNGL ROW HSG 4 POS



TE Part # 1445022-4  
MICRO MNL RFECEPT HSG SINGLE R



TE Part # 2-1445100-4  
MICRO MNL HDR ASSY S/ROW LF



TE Part # 2-1445096-4  
MICRO MNL HDR ASSY SINGLE ROW



TE Part # 2-1445055-4  
MICRO MNL HDR ASSY S/ROW LF



TE Part # 2-1445053-4  
MICRO MNL HDR ASSY S/ROW LF



TE Part # 2-1445093-4  
MICRO MNL HDR ASSY S/ROW AU LF







TE Part # 2-1445057-4  
MICRO MNL HDR ASSY SINGLE ROW



 <p>TE Part # 2-1445091-4 MICRO MNL HDR ASSY S/ROW AU LF</p>	 <p>TE Part # 2008571-2 2 POS MICRO MNL, TOP LATCH, BL</p>	 <p>TE Part # 2-1445050-4 MICRO MNL HDR ASSY S/ROW LF</p>	 <p>TE Part # 2-1445054-4 MICRO MNL HDR ASSY S/ROW LF</p>
 <p>TE Part # 2-1445087-4 MICRO MNL HDR ASSY S/ROW AU LF</p>	 <p>TE Part # 2-1445088-4 MICRO MNL HDR ASSY S/ROW AU LF</p>	 <p>TE Part # 2-1445089-4 MICRO MNL HDR ASSY S/ROW AU LF</p>	 <p>TE Part # 2-1445098-4 MICRO MNL HDR ASSY S/ROW AU LF</p>
 <p>TE Part # 2008570-4 4 POS MICRO MNL, SIDE LATCH, B</p>	 <p>TE Part # 2008571-3 3 POS MICRO MNL, TOP LATCH, BL</p>	 <p>TE Part # 2029047-2 2P MICRO MNL RCPT HSG SR SIDE</p>	 <p>TE Part # 2029047-3 3P MICRO MNL RCPT HSG SR SIDE</p>

Also in the Series | **Micro MATE-N-LOK**

 <p>Connector Contacts(27)</p>	 <p>Insertion &amp; Extraction Tools(1)</p>	 <p>PCB Headers &amp; Receptacles(371)</p>	 <p>Rectangular Power Connectors(98)</p>
---	--	---	---

Customers Also Bought

 <p>TE Part #T4132512041-000 M12 Panel Mount Solder Cups</p>	 <p>TE Part #843996-6 TOOL, EXTRACTION RESET</p>	 <p>TE Part #T4110512041-000 M12 F, 4P GOLD D_CODE S SHIELDED PG9</p>	 <p>TE Part #34067 PG BUTT SPLC 22-16COMM22-18MIL</p>
---	---	--	--



## Documents

### Product Drawings

[4P MICRO MNL RCPT HSG SR SIDE](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2029047-4\\_B.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2029047-4\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2029047-4\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[SOFT\\_SHELL\\_PIN\\_AND\\_SOCKET\\_CONNECTORS\\_CATALOG](#)

English

[MICRO MATE-N-LOK CONNECTOR SYSTEM](#)

English

### Product Specifications

[Application Specification](#)

English