




Terminals & Splices > Automotive Terminals > 1.5/2.8 CONNECTOR SYSTEM, RECPT AND TAB



Terminal Type: **Tab**
Mating Tab Width: **2.8 mm [.11 in]**
Mating Tab Thickness: **.8 mm [.031 in]**
Terminal Transmits: **0 – 24 A (Low Power)**
Wire Size: **20 – 17 AWG**

[All 1.5/2.8 CONNECTOR SYSTEM, RECPT AND TAB \(37\)](#)

Features

Industry Standards

Compatible With Agency/Standards Products	SAE/USCAR-2 / USCAR-21
---	------------------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	4500

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 125 °C, 105 °C, 100 °C, 90 °C, 85 °C, 110 °C, 120 °C[248 °F][221 °F][230 °F][176 °F][194 °F][185 °F][212 °F][257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Termination Features



Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body

Dimensions

Compatible Insulation Diameter Range	1.4 – 2.14 mm [.055 – .084 in]
Wire Size	.5 – 1 mm²
Wire Size Search	1 mm², .5 mm², .75 mm², .6 mm²

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Contact Features

Typical Current Rating	12 A
Crimp Type	F-Crimp
Contact Size	2.8mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Tab
Mating Tab Width	2.8 mm [.11 in]
Mating Tab Thickness	.8 mm [.031 in]
Interface Plating	Tin (Sn)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)



Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | 1.5/2.8 Connector System

Automotive Connector Caps & Covers (3)

Automotive Housings(27)

Automotive Terminals(48)

Insertion & Extraction Tools(1)

Other Automotive Connector Accessories(1)

PCB Headers & Receptacles(1)

Customers Also Bought





TE Part #DT04-6P-EP13
DEUTSCH DT Receptacle Connectors



TE Part #112263-90
PANEL NUT, SIZE 24, HD30



TE Part #1027-004-1200
CLIP, STEEL, ZINC, 13MM HOLE, ST



TE Part #1326030-3
1.5/2.8 CONNECTOR SYSTEM, RECPT AND TAB



TE Part #1393364-1
GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



TE Part #1-1419158-8
HARNESS HSG(GEM)23P

Documents

Product Drawings

2.8MM BLADE, UNSEAL,18-20AWG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1326029-2_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1326029-2_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1326029-2_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English