



Connectors > Connector Accessories > Connector Backshells



Primary Product Material: **PA66**
Body Orientation: **90**
Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**
EU RoHS Compliance: **Compliant**
EU ELV Compliance: **Compliant**

Features

Body Features

Primary Product Material	PA66
Cable Exit Angle	90°
Primary Product Color	Black

Housing Features

Body Orientation	90
------------------	----

Usage Conditions

Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operating Temperature (Max)	130 °C

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Packaging Features

Packaging Method	Box
------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1703768-3
14POS,AMP MCP1.5K,SOCK HSG, ASSY



TE Part # 1-1703963-1
16POS,AMP MCP1.5K,REC HSG,ASSY, SEALED



TE Part # 1703768-1
14POS,AMP MCP1.5K,SOCK HSG, ASSY,10POS



TE Part # 1703768-2
14POS,AMP MCP1.5K,SOCK HSG, ASSY,12POS



TE Part # 1703768-4
14POS,AMP MCP1.5K,SOCK HSG,ASS

Customers Also Bought






TE Part #DTMH06-2SA
PLG, 2P, BLK, N, HI TEMP, A



TE Part #927871-1
TIMER, RECEPTACLE AND TAB



TE Part #1-929989-0
DIA1.5 SOCK CONTACT



TE Part #7501716014
RBK-ILS-125-NR4-0-50MM



TE Part #1703768-3
14POS,AMP MCP1.5K,SOCK HSG, ASSY




TE Part #1743065-2
MT-II/JPT SLD 36P CAP COVER



TE Part #1-1703963-1
16POS,AMP MCP1.5K,REC HSG,ASSY, SEALED



TE Part #1897014-2
MT-2/JPT SLD 26P PLUG COVER



TE Part #1326042-1
LAC CARRIER, 26 POS, 0.64MM, A KEY

Documents

Product Drawings

ADAPTER 90°FOR 10-14POS. SOCKE

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-1718284-2_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1718284-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1718284-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

German

Instruction Sheets

Instruction Sheet (non U.S.)

German