



Connectors > Automotive Connectors > Automotive Housings > AMPSEAL 16 Housings



Connector System: **Wire-to-Device, Wire-to-Wire**

Number of Positions: **4**

Connector & Housing Type: **Cap**

Centerline (Pitch): **5.3 mm [.209 in]**

Sealable: **Yes**

[All AMPSEAL 16 Housings \(224\)](#)

Features

Product Type Features

Connector System	Wire-to-Device, Wire-to-Wire
Connector & Housing Type	Cap
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Mixed & Hybrid Connector	No
Connector Shape	Rectangular

Configuration Features

Number of Positions	4
Number of Rows	2

Housing Features

Centerline (Pitch)	5.3 mm [.209 in]
Housing Material	PBT GF15



Contact Features

Mating Pin Diameter	1.5 mm[.062 in]
Contact Current Rating (Max)	13 A
Contact Size	Size 16
Contact Type	Pin

Body Features

Primary Product Color	Black
-----------------------	-------

Operation/Application

Circuit Application	Power
---------------------	-------

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
Terminal Position Assurance	Yes
Mating Alignment Type	Polarizing Tab
Mating Alignment	With

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Other

Connector Position Assurance Capable	No
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Dimensions

Row-to-Row Spacing	4.5 mm[.177 in]
--------------------	-----------------

Industry Standards

IP Rating	IP67
UL Flammability Rating	UL 94HB

Packaging Features

Packaging Method	Bag
Packaging Quantity	30

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | AMPSEAL 16




Automotive Connector Caps & Covers (5)



Automotive Connector Locks & Position Assurance(6)



Automotive Housings(239)




Automotive Terminals(35)



Connector Backshells(88)



Connector Seals & Cavity Plugs(10)



Data Connectivity Headers(2)



Data Connectivity Housings(3)



Other Automotive Connector Accessories(8)

Customers Also Bought



TE Part #2138852-1
MOUNTING CLIP, 5MM PANEL,
AMPSEAL 16 HL



TE Part #2098251-1
SOC, SF, SIZE 16, 16-18 AWG, AU/SN



TE Part #2309309-3
8POS,NANOMQS,REC HSG ASSY,
SLD,COD C



TE Part #1-2383519-1
8POS,AMP MCP 2.8,TAB HSG ASSY,
SLD,COD A



TE Part #2319023-1
8POS,AMP MCP 2.8,REC HSG ASSY,
SLD




TE Part #2384002-3
SLIDE,TAB HSG ASSY,3MM



TE Part #5-456405-3
CRIMPER, WIRE .080 F PREMIUM



TE Part #K1129539
Relay 30-313-11-925



Documents

Product Drawings

[SEAL CAP HSG 4P, AMPSEAL16 SEA](#)

Japanese

CAD Files

Customer View Model

[ENG_CVM_CVM_2040594-3_D.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2040594-3_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2040594-3_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ICT Terminals and Connectors Catalogue](#)

English

Product Specifications

[AMPSEAL SEAL CAP](#)

Japanese

[Product Specification](#)

Japanese