



Connectors > Contacts > Connector Contacts



Contact Type: **Pin**

Contact Mating Area Plating Material: **Tin**

Wire Contact Termination Area Plating Material: **None**

Operating Voltage: **250 VAC**

Contact Retention Within Housing: **With**

Features

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Dimensions

Compatible Insulation Diameter Range	.91 – 1.37 mm[.036 – .054 in]
Wire Size	.08 – .34 mm²

Contact Features

Contact Diameter	1.93 mm[.058 in]
Contact Type	Pin
Contact Mating Area Plating Material	Tin
Wire Contact Termination Area Plating Material	None
Contact Retention Within Housing	With
Contact Base Material	Brass
Contact Current Rating (Max)	10 A

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------



Mechanical Attachment

Contact Retention Type Within Housing	Locking Lance
---------------------------------------	---------------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 207438-8
[CONTACT,PIN,AUDIO MICRO](#)

Customers Also Bought

TE Part #3-643815-8
[Nylon Tin Plated Receptacle: 2.54 mm, with Mating Alignment, MTA 100](#)

TE Part #640642-8
[Polyester PCB Connector Covers: 2.54 mm, MTA 100](#)

TE Part #1-2351885-4
[14POS TB HDR 180 DEG, PITCH 5.0 &TL 4.5mm](#)

TE Part #ADP-BNCM-BNCF-T-2
[BNC Plug to BNC Jack \(2\) Tee](#)

TE Part #1-640445-1
[11P MTA156 HDR ASSY FL/STR SN](#)

Documents

Product Drawings
[CONTACT,PIN](#)

English

CAD Files
Customer View Model
[ENG_CVM_207438-3_H.2d_dxf.zip](#)

English

3D PDF

English

Customer View Model
[ENG_CVM_207438-3_H.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_207438-3_H.3d_stp.zip](#)



English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_207438-3_AB.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_207438-3_AB.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_207438-3_AB.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

[Application and Maintenance for Hand Crimping Tool](#)

English